













Processed By	Comments				
Md. Abu Rawshan - Additional Chief Engineer	In this tender (ID No. 125177) 8 (eight) Nos of tenderers submitted their tenders and their quoted rates are as following:				
	Sl.No.	Name of Tenderer	Quoted Rate	Responsive / Non-Responsive	Reasons for Non-Responsiveness (Basis of Non-Fulfillment)
	1	MD. MOYENUDDIN (BASHI)	58371922.566 (10.00% Less)	Responsive	
	2	M/S ISMAIL HOSSAIN	58344922.566 (10.04% Less)	Non-responsive	More than 10% less
	3	SHAMIMENTERPRISE (PVT) LTD	58371922.566 (10.00% Less)	Responsive	
	4	MAH. CONSTRUCTION LTD.	58371922.566 (10.00% Less)	Non-responsive	Failed to fulfill the requirement for DBS Base / Wearing Course as mention in TDS.
	5	Mr Habibul Alam & Mr Shariful Alam JV.	58371922.566 (10.00% Less)	Responsive	
	6	Ataur Rahman Khan Ltd & Mahabub Brothers (Pvt) Ltd JV.	58371922.566 (10.00% Less)	Responsive	
	7	RAB-RC (PVT) LIMITED-PTSL-MAITREE (PVT) LTD-M/S Saleh Ahmed (JV)	58371922.566 (10.00% Less)	Responsive	
	8	M/S. MA. ENGINEERING - S. Ananta Bikash Tripura & M/S. Shahid Brothers (JV)	58374922.567 (9.995% Less)	Non-responsive	Failed to fulfill the requirement for DBS Base / Wearing Course & Aggregate Base Type-1 as mention in TDS.
<p>After scrutiny all the documents /papers it is found that sl. 2) M/S ISMAIL HOSSAIN quoted more than 10% less & discarded by e-GP System & 4) MAH. CONSTRUCTION LTD. failed to fulfill the requirement for DBS Base / Wearing Course & 8) M/S. MA. ENGINEERING - S. Ananta Bikash Tripura & M/S. Shahid Brothers (JV) Failed to fulfill the requirement for DBS Base / Wearing Course & Aggregate Base Type-1 as as mentioned in TDS, so these tenderer are declared non-responsive by TEC and rest 5 (five) tenderers who fulfill all the requirement of TDS and submitted rate analysis are found responsive by TEC & who quoted the same lowest rate. So these five tenderers are applied evaluation factor as set in ITT Clause 44.2 and it is found that 1) MD. MOYENUDDIN (BASHI), Scoured 130.55, 3) SHAMIMENTERPRISE (PVT) LTD. Scoured 80.33, 5) Mr Habibul Alam & Mr Shariful Alam JV. Scoured 81.79, 6) Ataur Rahman Khan Ltd & Mahabub Brothers (Pvt) Ltd JV. Scoured 197.75, & 7) RAB-RC (PVT) LIMITED-PTSL-MAITREE (PVT) LTD-M/S Saleh Ahmed (JV) Scoured 328.82, So the rate of RAB-RC (PVT) LIMITED-PTSL-MAITREE (PVT) LTD-M/S Saleh Ahmed (JV) who scoured highest point of 328.82 is here by unanimously recommended by TEC for awarding contract.</p>					
Uploaded Documents					
S.No	File Name	Size in KB	Description	Action	
1	1) Estimate Natore 125177.pdf	188	Estimate		
2	2) Estimate Natore 125177.pdf	238	Estimate		
3	Bank Certificate RAB-RC.pdf	197	Bank Certificate RAB-RC		
4	Bank Certificate RPSL-Maitree.pdf	195	Bank Certificate RPSL-Maitree		
5	Bank Certificate Saleh Ahmed.pdf	188	Bank Certificate Saleh Ahmed		
6	Evaluation Sheet.pdf	251	Evaluation Sheet		
7	Protyon potro.pdf	122	Protyon potro		
8	Qualification Varification.pdf	236	Qualification Varification		
9	Rate Analysis.pdf	193	Rate Analysis		
10	Work certificate ARK-RRPL.pdf	253	Work certificate ARK-RRPL		
11	Work certificate Saleh Ahmed.pdf	172	Work certificate Saleh Ahmed		
12	Work Experience PTSL.pdf	141	Work Experience PTSL		



কাজী আব্দুল আল-মামুন
প্রোগ্রামার
নতুন পরিদেয় ও মহাপ্রকৃতি বিভাগ
নতুন পরিদেয় ও সোহা মহাপ্রকৃতি
নতুন পরিদেয় ও সোহা মহাপ্রকৃতি