

Last Login : Sunday, 15 Oct, 2017 09:48:51

Welcome, M A N. Siddique | Logout

[View All Notifications](#)**Tender Evaluation Report 1 - Eligibility Report**[Print](#)[Save As PDF](#)**Tender/Proposal Detail**

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018

Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00

Procuring Entity : Dhaka Zone

Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)**Eligibility Report**

Ministry Name : Ministry of Road Transport and Bridges **Division Name :** Road Transport and Highways Division

Organization/Agency Name : Roads & Highways Department (RHD) **Procuring Entity :** Dhaka Zone

Tender Package No. and Description : DZe-GP-01/GoB/2017-2018

Lot No. and Description : 1 & Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Procurement Data

Procurement Type	Procurement Method
NCT	Open Tendering Method

Procurement Plan

Approval Status	Budget Type				Approval Status of Official Estimates	
Approved	Revenue				Approved	
Criteria	Akhtar Furnishers Ltd	Delco Business Associate Ltd	Hatil Complex Ltd	Legacy Furniture (Pvt.) Ltd.	Partex Furniture Industries Limited	RFL Plastics Limited
Tender Validity	Yes	Yes	Yes	Yes	Yes	Yes
Tender Security	Yes	Yes	Yes	Yes	Yes	Yes
Subcontractor's Information given or not (If any)	Yes	Yes	Yes	Yes	Yes	Yes
Tender Contents	Yes	Yes	Yes	Yes	Yes	Yes
Tenderer Information	Yes	Yes	Yes	Yes	Yes	Yes
Eligibility Declarations	Yes	Yes	Yes	Yes	Yes	Yes
Trade license or Equivalent	Yes	Yes	Yes	Yes	Yes	Yes
Taxation Obligations Documents or Equivalent	Yes	Yes	Yes	Yes	Yes	Yes
Legal Capacity	Yes	Yes	Yes	Yes	Yes	Yes
Litigation History	No	No	No	No	No	No
Solvency	Yes	Yes	Yes	Yes	Yes	Yes
Country of Origin	Yes	Yes	Yes	Yes	Yes	Yes
Authorization Letter confirming the signatory of the Tenderer from Organization	Yes	Yes	Yes	Yes	Yes	Yes
Accepted in preliminary Evaluation	Yes	Yes	Yes	Yes	Yes	Yes

The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Eval that no substantial or important information has been omitted.

TEC Members**TEC Members**

Signed

 কাজী আব্দুল আল-মামুন
 যোগাযোগ
 সড়ক পরিবহন ও মহাসড়ক বিভাগ
 সড়ক পরিবহন ও সড়ক মন্ত্রণালয়
 বাংলাদেশ সরকার

Name	ACE, Dhaka Zone	SE,Dhaka Road Circle,Dhaka.	Md. Sharful Anam Khan
Committee Role	Chairperson	Member Secretary	Member
Designation	Additional Chief Engineer	Superintending Engineer	Executive Engineer
PE Office	Dhaka Zone	Dhaka Zone	Office of the Executive Engineer, LGED, Dhaka
Signed Tender Evaluation Report 1 On	24 Sep 2017 22:23	24 Sep 2017 22:46	27 Sep 2017 09:40
Comments	Sign	Sign	Signed.

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x


ABOUT TRUST ONLINE

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM

কাজী আব্দুল আল-মামুন
মোঃ আমান
সহকারী পরিচালক ও মহাপরিচালক বিভাগ
সড়ক পরিবহন ও সেতু মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার



Last Login : Sunday, 15 Oct, 2017 09:48:51

Welcome, M A N. Siddique | Logout

[View All Notifications](#)**Tender Evaluation Report 2 - Technical Responsiveness Report**[Print](#)[Save As PDF](#)**Tender/Proposal Detail**

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018

Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00

Procuring Entity : Dhaka Zone

Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)**Technical Responsiveness Report**

Ministry Name : Ministry of Road Transport and Bridges **Division Name :** Road Transport and Highways Division

Organization/Agency Name : Roads & Highways Department (RHD) **Procuring Entity :** Dhaka Zone

Tender Package No. and Description : DZe-GP-01/GoB/2017-2018 & Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Lot No. and Description : 1 & Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

Procurement Data

Procurement Type	Procurement Method
NCT	Open Tendering Method

Procurement Plan

Approval Status	Budget Type	Approval Status of Official Estimates
Approved	Revenue	Approved

Criteria

Name of Tenderer/Consultant	Eligibility of Goods	Conformity of the Technical Specifications and other parameters	Tenderer's Qualification	Tenderer's Experience	Evaluation Status
Akhtar Furnishers Ltd	Yes	Yes	Yes	Yes	Technically Responsive
Delco Business Associate Ltd	Yes	No	Yes	Yes	Technically Non-responsive
Hatil Complex Ltd	Yes	Yes	Yes	Yes	Technically Responsive
Legacy Furniture (Pvt.) Ltd.	Yes	No	Yes	Yes	Technically Non-responsive
Partex Furniture Industries Limited	Yes	Yes	Yes	Yes	Technically Responsive
RFL Plastics Limited	Yes	Yes	Yes	Yes	Technically Responsive

The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted.

TEC Members**TEC Members**

Name	ACE, Dhaka Zone	SE, Dhaka Road Circle, Dhaka.	Md. Sharful Anam Khan
Committee Role	Chairperson	Member Secretary	Member
Designation	Additional Chief Engineer	Superintending Engineer	Executive Engineer

Signed

 কাজী আব্দুল আল-মামুন
 চেয়ারম্যান
 পদ্ধতিগত ও মূল্যায়ন বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

PE Office	Dhaka Zone	Dhaka Zone	Office of the Executive Engineer, LGED, Dhaka
Signed Tender Evaluation Report 2 On	24 Sep 2017 22:24	24 Sep 2017 22:47	27 Sep 2017 09:40
Comments	Sign	Sign	Signed.

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

ABOUT TRUST ONLINE


Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM

কাজী আব্দুল্লাহ আল-মামুন
মোঃ আমান
সহকারী পরিচালক ও মহাপরিচালক বিভাগ
স্বচ্ছ পরিচালনা ও সেবা মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার



Last Login : Sunday, 15 Oct, 2017 09:48:51

Welcome, M A N. Siddique | Logout

[View All Notifications](#)**Tender Evaluation Report 3 - Financial Evaluation and Price Comparison**[Print](#)[Save As PDF](#)**Tender/Proposal Detail**

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018

Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00

Procuring Entity : Dhaka Zone

Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)**Financial Evaluation and Price Comparison**

Ministry Name : Ministry of Road Transport and Bridges **Division Name :** Road Transport and Highways Division

Organization/Agency Name : Roads & Highways Department (RHD) **Procuring Entity :** Dhaka Zone

Tender Package No. and Description : DZe-GP-01/GoB/2017-2018 & Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Lot No. and Description : 1 & Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

Procurement Data

Procurement Type	Procurement Method
NCT	Open Tendering Method

Procurement Plan

Approval Status	Budget Type	Approval Status of Official Estimates
Approved	Revenue	Approved

Price Evaluation**Evaluation Report Header**

Rank	Name of Tenderer	Official Est Cost	Quoted Amount (in BDT)	Deviation Amount	% of Deviation
L1	Partex Furniture Industries Limited (Winner)	41442970.000	24063462.276	17379507.724	41.936
L2	Akhtar Furnishers Ltd	41442970.000	26595180.076	14847789.924	35.827
L3	RFL Plastics Limited	41442970.000	30408203.276	11034766.724	26.627
L4	Hatil Complex Ltd	41442970.000	31852382.276	9590587.724	23.142

Evaluation Report Footer**Post Qualification**

Name of Tenderer/Consultant	Status
Partex Furniture Industries Limited	Qualified

The Evaluation Committee certifies that the examination and evaluation has followed the requirements of the Act, the Rules made there under and the terms and conditions of the prescribed Application, Tender or Proposal Document and that all facts and information have been correctly reflected in the Evaluation Report and, that no substantial or important information has been omitted.

TEC Members**TEC Members**

Name	ACE, Dhaka Zone	SE, Dhaka Road Circle, Dhaka.	Md. Sharful Anam Khan
Committee Role	Chairperson	Member Secretary	Member
Designation	Additional Chief Engineer	Superintending Engineer	Executive Engineer
PE Office	Dhaka Zone	Dhaka Zone	Office of the Executive Engineer, LGED,

Signed

 কাজী আব্দুল আল-মামুন
 চেয়ারম্যান
 পূর্বক পরিদর্শন ও মূল্যায়ন বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

Signed Tender Evaluation Report 3 On	27 Sep 2017 09:44	27 Sep 2017 09:54	27 Sep 2017 09:58
Comments	Sign	Sign	Signed.

Domestic preference calculated on the basis following formula :-

1. EXW price per Line Item= Quantity*(Unit price EXW- VAT for Goods manufactured in Bangladesh [BDT])
2. Quoted Price (Without Domestic Preference) = (EXW price per Line Item + Inland transportation, Insurance and other local costs for the delivery of the Goods to their final destination [BDT])


[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

ABOUT TRUST ONLINE

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM
কাজী আব্দুল আল-মামুন
মোহাম্মাদ
স্বাক্ষর পরিচালক ও মহাপরিচালক বিভাগ
স্বাক্ষর পরিচালক ও সচিব মহাপরিচালক
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার



Last Login : Sunday, 15 Oct, 2017 09:48:51

Welcome, M A N. Siddique | Logout

[View All Notifications](#)**Tender Evaluation Report 4 - Final Evaluation Report**[Print](#)[Save As PDF](#)**Tender/Proposal Detail**

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018

Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00

Procuring Entity : Dhaka Zone

Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)**Final Evaluation Report**

Ministry Name : Ministry of Road Transport and Bridges **Division Name :** Road Transport and Highways Division

Organization/Agency Name : Roads & Highways Department (RHD) **Procuring Entity :** Dhaka Zone

Tender Package No. and Description : DZe-GP-01/GoB/2017-2018 & Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Lot No. and Description : 1 & Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

Procurement Data

Procurement Type	Procurement Method
NCT	Open Tendering Method

Procurement Plan

Approval Status	Budget Type	Approval Status of Official Estimates
Approved	Revenue	Approved

Name of Tenderer/Consultant Recommended for Award

Partex Furniture Industries Limited

Post Qualification Report[View](#)**Clarification on Tenders**

Clarification on Tender/Proposal has not taken place

TEC Members**TEC Members**

Name	ACE, Dhaka Zone	SE, Dhaka Road Circle, Dhaka.	Md. Sharful Anam Khan
Committee Role	Chairperson	Member Secretary	Member
Designation	Additional Chief Engineer	Superintending Engineer	Executive Engineer
PE Office	Dhaka Zone	Dhaka Zone	Office of the Executive Engineer, LGED, Dhaka
Signed Tender Evaluation Report 4 On	28 Sep 2017 10:32	27 Sep 2017 09:59	27 Sep 2017 09:59
Comments	Sign	Sign	Signed.

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

ABOUT TRUST ONLINE

Signed
AAN

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
স্বাক্ষরিত ও প্রমাণিত বিভাগ
স্বাক্ষরিত ও প্রমাণিত বিভাগ
স্বাক্ষরিত ও প্রমাণিত বিভাগ

[View All Notifications](#)

List of Tenderers/Consultants for seeking clarification

[Go Back](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)


S. No.	List of Tenderers	Clarification Status	Action
1	Akhtar Furnishers Ltd	-	View Evaluation Status
2	Delco Business Associate Ltd	-	View Evaluation Status
3	Hatil Complex Ltd	-	View Evaluation Status
4	Legacy Furniture (Pvt.) Ltd.	-	View Evaluation Status
5	Partex Furniture Industries Limited	-	View Evaluation Status
6	RFL Plastics Limited	-	View Evaluation Status

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13.x, 14.x, 29.x, 52.x

ABOUT TRUST ONLINE

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
 IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed

 কাজী আব্দুল আল-মামুন
 সিনিয়র পরিচালক
 সড়ক পরিবহন ও যান্ত্রিক বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

[View All Notifications](#)

Opening Report

Tender/Proposal Detail			
Tender/Proposal ID :	110043	Invitation Reference No. :	DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time :	30-Jul-2017 12:00	Opening Date and Time :	30-Jul-2017 12:00
Procuring Entity :	Dhaka Zone		
Brief :	Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.		
 View Notice			

Package No. :	DZe-GP-01/GoB/2017-2018		
Package Description :	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.		
Form Name		Action	
e-Tender Submission Letter (Form e-PG3 1)		Individual Report Comparative Report	
Tenderer Information Form (e-PG3-2)		Individual Report Comparative Report	
Technical Specifications and Compliance of Goods and related services (Form e-PG3-4)		Individual Report Comparative Report	
Lot No. :	1		
Lot Description :	Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.		
TOR1	View		
TOR2	View		
Form Name		Action	
Price and Delivery Schedule for Goods (Form e-PG3-3A)		Individual Report Comparative Report	
Price and Delivery Schedule for Related Services (Form e-PG3-3B)		Individual Report Comparative Report	
PART 2 : TABLE		Individual Report Comparative Report	
PART 3 : SOFA		Individual Report Comparative Report	
PART 4 : SIDE TABLE		Individual Report Comparative Report	
Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack		Individual Report Comparative Report	
Grand Summary		Individual Report Comparative Report	

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)


Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

ABOUT TRUST ONLINE


Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed



কাজী আব্দুল আল-মামুন
মোহাম্মাদ
সহকারী পরিচালক ও মহাপ্রকল্প পরিচালক
সহকারী পরিচালক ও সচিব মহাপ্রকল্প
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার



Last Login : Sunday, 15 Oct, 2017 09:48:51

Welcome, M A N. Siddique | Logout

[View All Notifications](#)**Tender/Proposal Opening Report 1**
[Print](#)
[Save As PDF](#)
[Go Back to Dashboard](#)
Tender/Proposal Detail

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018

Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00

Procuring Entity : Dhaka Zone

Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)**Tender Opening Report 1**

Ministry Name : Ministry of Road Transport and Bridges **Division Name :** Road Transport and Highways Division

Organization/Agency Name : Roads & Highways Department (RHD) **Procuring Entity :** Dhaka Zone

Tender/Proposal Package No. and Description : DZe-GP-01/GoB/2017-2018 & Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Lot No. and Description : 1 & Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

Procurement Data

Procurement Type	Funding By	Budget Type	Method
NCT	GOB	Revenue	Open Tendering Method

Procurement Plan

Approving Authority	Approval Status
Name: Md. Abdus Sabur Designation: Additional Chief Engineer Role: PE Office Name: Dhaka Zone Organization: Roads & Highways Department (RHD)	Approved

Advertisement details

Newspaper Name	Newspaper Date	URL Page	URL Publishing Date
Dhaka Tribune	10-Jul-2017		
Daily Sangbad Protidin	11-Jul-2017		
Daily Provat	12-Jul-2017		
Dhaka Tribune (corrigendum)	17-Jul-2017		
Daily Sangbad Protidin (Corrigendum)	17-Jul-2017		
Daily Provat (Corrigendum)	18-Jul-2017		

Tender/Proposal Date and Time

Date and Time of Publishing	Date and Time of Closing
06-Jul-2017 14:45	30-Jul-2017 12:00

Opening Date and Time

Original Date and Time
30-Jul-2017 12:00

Tender/Proposal Document

Documents Sold/Downloaded	Nos. of Submissions	Nos. Withdrawn	Nos. Substituted
8	6	0	0

Signed

 কাজী আব্দুল আল-মামুন
 যোগাযোগ
 সড়ক পরিবহন ও যান্ত্রিক বিভাগ
 সড়ক পরিবহন ও সেতু মহাপরিদপ
 বাংলাদেশ সরকার

TOC Members		
Committee Members	ACE, Dhaka Zone	SE,Dhaka Road Circle,Dhaka.
Committee Role	Chairperson	Member Secretary
Designation	Additional Chief Engineer	Superintending Engineer
PE Office	Dhaka Zone	Dhaka Zone
Electronically Signed TOR On	30 Jul 2017 12:29	30 Jul 2017 12:30
Comments	Sign	Sign

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)


Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

ABOUT TRUST ONLINE

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM

কাজী আব্দুল্লাহ আল-মামুন
মোহাম্মাদ
স্বাক্ষর পরিচালক ও মহাপ্রকৃত বিভাগ
স্বাক্ষর পরিচালক ও সচিব মহাপ্রকৃত
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার



Last Login : Sunday, 15 Oct, 2017 09:48:51

Welcome, M A N. Siddique | Logout

[View All Notifications](#)

Tender Opening Report 2

[Print](#)
[Save As PDF](#)
[Go Back to Dashboard](#)

Tender/Proposal Detail			
Tender/Proposal ID :	110043	Invitation Reference No. :	DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time :	30-Jul-2017 12:00	Opening Date and Time :	30-Jul-2017 12:00
Procuring Entity :	Dhaka Zone		
Brief :	Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.		
			View Notice

Tender Opening Report 2			
Ministry Name :	Ministry of Road Transport and Bridges	Division Name :	Road Transport and Highways Division
Organization/Agency Name :	Roads & Highways Department (RHD)	Procuring Entity :	Dhaka Zone
Tender Package No. and Description :	DZe-GP-01/GoB/2017-2018 & Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.		
Lot No. and Description :	1 & Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.		

Tender Date and Time				
Date and Time of Publishing	Date and Time of Closing	Date and Time of Opening	Tender Validity Date	Tender Security Validity Date
06-Jul-2017 14:45	30-Jul-2017 12:00	30-Jul-2017 12:00	27-Nov-2017	25-Dec-2017

Tender Document			
Documents Sold	Nos. of Submissions	Nos. Withdrawn	Nos. Substituted / Modified
8	6	0	0

S. No.	Name of Tenderer / Consultant	Date and Time of Submission	Tender Security Type	Tender Security Amount	Name of Bank & Branch, Date of Issue	Tender Security Valid upto (Date)	Tender Validity upto (Date)
1	Akhtar Furnishers Ltd	29-Jul-2017 18:34	Bank Guarantee	1000000.00	Bank: AB Bank Limited Branch: Progoti Sharani branch(ABBL) 27-Jul-2017 11:38	25-Dec-2017	27-Nov-2017
2	Delco Business Associate Ltd	30-Jul-2017 11:34	Bank Guarantee	1000000.00	Bank: Dhaka Bank Limited Branch: Banani Branch 30-Jul-2017 11:07	25-Dec-2017	27-Nov-2017
3	Hatil Complex Ltd	29-Jul-2017 19:38	Bank Guarantee	1000000.00	Bank: Prime Bank Limited Branch: IBB MIRPUR 26-Jul-2017 16:31	25-Dec-2017	27-Nov-2017
4	Legacy Furniture (Pvt.) Ltd.	29-Jul-2017 18:14	Bank Guarantee	1000000.00	Bank: Southeast Bank Limited Branch: SEBL Motijheel Branch 25-Jul-2017 13:21	25-Dec-2017	27-Nov-2017
5	Partex Furniture Industries Limited	29-Jul-2017 16:49	Bank Guarantee	1000000.00	Bank: Jamuna Bank Limited Branch: Dilkusha Branch JBL 17-Jul-2017 17:09	25-Dec-2017	27-Nov-2017
6	RFL Plastics Limited	30-Jul-2017 10:20	Bank Guarantee	1000000.00	Bank: Bank Asia Limited Branch: BAL Scotia Branch 27-Jul-2017 12:25	25-Dec-2017	27-Nov-2017

Opening Report Header

S. No	Name of Tenderer	Quoted Amount (in BDT)
1	Partex Furniture Industries Limited	
2	Akhtar Furnishers Ltd	
3	RFL Plastics Limited	

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 নতুন পরিচালন ও মর্যাদাপূর্ণ বিভাগ
 নতুন পরিচালন ও মোট মর্যাদাপূর্ণ
 বাংলাদেশ সরকার

4	Hatil Complex Ltd	31852382.276
5	Deloo Business Associate Ltd	34713297.276
6	Legacy Furniture (Pvt.) Ltd.	36754448.276

Opening Report Footer

TOC Members

Committee Members	ACE, Dhaka Zone	SE,Dhaka Road Circle,Dhaka.
Committee Role	Chairperson	Member Secretary
Designation	Additional Chief Engineer	Superintending Engineer
PE Office	Dhaka Zone	Dhaka Zone
Electronically Signed TOR On	30 Jul 2017 12:30	30 Jul 2017 12:24
Comments	Sign	Sign

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

ABOUT TRUST ONLINE

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAB

কাজী আব্দুল্লাহ আল-মামুন
মোঃ আমান
স্বাক্ষর পরিচালক ও মহাপরিচালক বিভাগ
স্বাক্ষর পরিচালক ও সচিব মহাপরিচালক
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

[View All Notifications](#)

Individual Report

[Print](#)
[Save As PDF](#)
[Go Back To Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
 Invitation Reference No. : DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time : 30-Jul-2017 12:00
 Opening Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)

Package No	Package Description
DZe-GP-01/GoB/2017-2018	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Akhtar Furnishers Ltd

Price and Delivery Schedule for Goods (Form e-PG3-3A)

Note 1: Delivery period starts from the date of contract signing.

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1.1	TYPE A : HIGH BACK FULL LEATHER CHAIR (Minister's Room, Imported): Best quality high back Presidential revolving chair with tilting facility made of foam cushioning with best quality leather upholstery upon a contoured high back shell for lumbar support ply thickness 18mm and foam thickness 120mm. Leg & Arms are made of aluminum & imported casting. Also the armed covered by foam cushioning with Leather. Height Adjustable gas lift with Stainless Steel leg base with five nos nylon casters. Size: Seat : 560x560mm (inside to inside) 640x570 mm (outside to outside) Back : 560x570 mm , Floor to Seat height : 520mm Floor to Back height : 1250 mm (10% +/-) Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	1.000	at site	120	Bangladesh	22335.001	Twenty-Two Thousand Three Hundred and Thirty-Five point Zero Zero One	22335.001	Twenty-Two Thousand Three Hundred and Thirty-Five point Zero Zero One
1.2	TYPE A1 : MEDIUM BACK LEATHER CHAIR (Minister's Room Visitor's Chair) Almost comfortable Fixed Visitor chair to be constructed by U-Shape 25 mm dia Chrome plated structure. As required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality Rexene upholstery on top and Rexene on back with jacket foam. Armrest Made of aluminum color imported PVC with Rexene upholstery. Size: Floor to Seat Height- 475 Seat To Back Height 500 Total length L535 XW520 X H1000mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	4.000	at site	120	Bangladesh	8189.001	Eight Thousand One Hundred and Eighty-Nine point Zero Zero One	32756.004	Thirty-Two Thousand Seven Hundred and Fifty-Six point Zero Zero Four
	TYPE B : HIGH BACK LEATHER ERGONOMIC CHAIR (Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Magistrate) Almost comfortable revolving and swiveled executive chair with full slipping & constructed with tilting facility, Limber support back rest with hazard free hydraulic lifting and back lock facility as required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality pure leather upholstery on top and Rexene							Nineteen Thousand		

Signed

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
সহকারী পরিচালক ও মহাপ্রকৃত বিভাগ
সড়ক পরিবহন ও সেতু মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

1.3	on back with jacket foam. A90mm gas cylinder used for hydraulically height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure covered by wooden on cast leg with five castors. Width and smooth wooden armrest which is colored by high quality lacquer polish. Seat: 525x530 mm, Back: 520x570 mm, Height: Floor to Seat: 425 mm & Floor to Back: 1100mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	15.000	at site	120	Bangladesh	19357.001	Three Hundred and Fifty-Seven point Zero One	290355.015	Three Hundred and Fifty-Five point Zero One Five
1.4	TYPE B1 : MEDIUM BACK ERGONOMIC CHAIR (Visitor's Chair for Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Magistrate) Best quality medium back fixed type chair, made of 19 mm Dia Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood . Arms are Stainless steel with Wooden combination on top Teak wooden top color finished by UV Lacquer. Size: Seat: 440x455 mm (Approx.) Back: 440x530 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 875 mm Handle to Handle: 525mm (Approx.) Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	34.000	at site	120	Bangladesh	9529.001	Nine Thousand Five Hundred and Twenty-Nine point Zero One	323986.034	Three Lakh Twenty-Three Thousand Nine Hundred and Eighty-Six point Zero Three Four
1.5	TYPE C : HIGH BACK PU CHAIR (Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Modern design prime quality hydrolytic system height adjustable head rest facility system revolving chair with tilting facility. Structure made of SS chrome. Adjustable arms are made of soft PVC. Leg with 5nos heavy duty castors are made of PVC. Seat foam cushioning covered with best quality Imported mesh Fabric & back side half round shaped fabricated by imported PVC with net fabric for air passing facility. Also the back of chair having a back bone support for long time seating environment. Size: Seat-500x510 mm and Back - 530 x 780mm. Floor to seat height : 510 mm floor to back : height: 1220 mm Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	23.000	at site	120	Bangladesh	15634.001	Fifteen Thousand Six Hundred and Thirty-Four point Zero One	359582.023	Three Lakh Fifty-Nine Thousand Five Hundred and Eighty-Two point Zero Three
1.6	TYPE C1 : LOW BACK PU CHAIR (Visitor's Chair for Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Best quality pneumatically Height adjustable low Back Revolving Chair with tilting facility. Structure made of MIG welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. PVC armrests are fixed with seat covered with foam cushioning mesh fabric upholstery and back net fabric for air passing system. SS Chrome plated Leg base with high quality smooth wheel. Size: seat 460x460 mm and back 440x530 mm, floor to seat 420-510 mm, floor to back 905-995mm. Standard: ISO 9001-2008 Identification mark : Hologram and Monogram Sticker	Nos	46.000	at site	120	Bangladesh	6403.001	Six Thousand Four Hundred and Three point Zero One	294538.046	Two Lakh Ninety-Four Thousand Five Hundred and Thirty-Eight point Zero Four Six
1.7	TYPE D : MEDIUM BACK CHAIR (Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Prime quality hydraulic height adjustable Medium back Revolving Chair with Gas lift & tilting facility. Structure made of Mig welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. Arms are made of nonmagnetic stainless steel with wooden combination. Leg base made of nonmagnetic stainless steel with 5nos. castors are made of high quality imported Nylon. Foam cushioning covered with best quality imported soft Rexene upholstery on 12 mm thick garjon plywood shell. Size: Seat-510x500 and Back - 460 x 580 mm. (Approx.)	Nos	120.000	at site	120	Bangladesh	11614.001	Eleven Thousand Six Hundred and Fourteen point Zero One	139368	Thirteen Lakh

Signed
A.A.H.

কাজী আব্দুল আল-মামুন
যোগাযোগ
স্বাক্ষর পরিচালক ও মহাপ্রকৃত বিভাগ
স্বাক্ষর পরিচালক ও সচিব মহাপ্রকৃত
বাংলাদেশ সরকার

	Floor to Seat : 550 , Back : 1090 mm (Approx.) Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.									
1.8	TYPE D1 : LOW BACK CHAIR (Msitor's Chair for Officer, Senior Computer Opertator, Computer Operator, Libralian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Best quality low back fixed type chair, made of 19 mm flattened Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood and foam 30mm thickness. Arms are Stainless steel. All structure chemically degusted zinc phosphate. Size: Seat: 430x450 mm (Approx.) Back: 430x520 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 850 mm Handle to Handle: 520mm Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	52.000	at site	120	Bangladesh	4616.001	Four Thousand Six Hundred and Sixteen point Zero Zero One	240032.052	Two Lakh Forty Thousand AND Thirty-Two point Zero Five Two
1.9	TYPE E : 4 LEG FIXED CHAIR (DINING CHAIR) Best quality fixed chair structure made of 1.2 thick 19mm round SS tube. Seat & back made by commercial garjon wood veneered what is cold water resistant; face/surface made of teak wood veneered what is pest control treatment by using chemicals for fungus free. Middle part of the seat covered by 3mm ply with 12 mm foam & best quality imported fabric for comfortable sitting arrangement Size: Seat: 410 x 400mm. Back: 440 x 470mm. Standard: ISO 9001:2000 Packing : Poly Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	80.000	at site	120	Bangladesh	3722.011	Three Thousand Seven Hundred and Twenty-Two point Zero One One	297760.880	Two Lakh Ninety-Seven Thousand Seven Hundred and Sixty point Eight Eight
1.10	TYPE F : TENDEN SEATING (PUBLIC SERVICE COUNTER, LOUNGE SEATING) Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 38x38mm tubular MS Colum bar. Two armrests and U channel type leg base are of 1.2mm thick SS with floor adjustable stopper. Each Seat : 450 x 420 mm Back : 450x450 mm Height : Floor to Seat : 390mm Floor to Back : 860mm Overall size: L-1670xW-490xH-890mm. (out to out L-1800mm) Standard: ISO 9001:2008 Packing: Carton Pack. a) Three Seater	Nos	23.000	at site	120	Bangladesh	14145.001	Fourteen Thousand One Hundred and Forty-Five point Zero Zero One	325335.023	Three Lakh Twenty-Five Thousand Three Hundred and Thirty-Five point Zero Two Three
1.11	TYPE G : CHAIR WITH WRITING PAD (CLASS ROOM CHAIR) Best quality Class room chair with folding system writing pad and fixed basket underneath. Structure made of 22mm dia 1.2 mm thickness mild steel round tube. Seat & back made of 11 mm thick veneered shell, bended by hot press with high temperature & pressure. Writing pad (Size-534x280 mm) made of 18 mm Laminated Board. Writing pad fixed at right side on main leg structure by 19 mm mild steel round tube with MS clamp for load bearing support of writing pad. Seat covered by 3mm ply with 12 mm foam & Rexene for comfortable sitting arrangement. Basket made by φ 12x1 mm round tube, fixing with four legs for usage store of user. All metal item chemically de-rusted & zinc phosphate coated oven backed (150°-200°c) electro-static powder paint finished mild steel structure with PVC stopper. Size: Seat: 465 x 440mm. Back: 415 x 455mm. Floor to Seat Height- 465 mm Seat to Back Height 450 mm	Nos	45.000	at site	120	Bangladesh	5063.001	Five Thousand AND Sixty-Three point Zero Zero One	227835.045	Two Lakh Twenty-Seven Thousand Eight Hundred

Signe

AAM

কাজী আব্দুল্লাহ আল-মোমেন

Signed
A.A.H.

কাজী আব্দুল আল-মামুন
সিনিয়র প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
পাবনা পরিদপ্তর ও পোস্ত মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Floor to Back : 900 mm Standard : ISO9001: 2008 Packing: Poly Pack.									
1.12	TYPE H : CHAIR WITH ARMS (LIBRARY CHAIR, VIRTUAL CALL CENTER, COMPUTER LAB CHAIR, MULTIPURPOSE HALL) Fixed Chair with arm-rest. Flattened or Tapering Back Legs and straight front leg Structure made of 18mm dia cold rolled Mild Steel with PVC stopper. Foam cousin seat and back rest (oval shape) made of best quality plywood and covered with high quality Mesh Fabric upholstery. Bottom of the seat covered with poplin cloth and fixed by stapler. Seat fixed on MS structure and back fixed by MS clamp. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Half Round shaped Arms are made of high quality imported PVC, Height : Floor to Seat ?410mm, Floor to Back ? 800mm Standard : ISO9001:2008 Identification mark : Hologram and Monogram Sticker of manufacturer Packing: Poly pack.	Nos	212.000	at site	120	Bangladesh	4020.001	Four Thousand AND Twenty point Zero Zero One	852240.212	Eight Lakh Fifty-Two Thousand Two Hundred and Forty point Two One Two
1.13	TYPE I : MEDIUM BACK LEATHER CHAIR (CONFERENCE ROOM, MINI CONFERENCE ROOM CHAIR) Prime Quality Pure Leather upholstery medium back executive revolving chair. Structure made of zinc phosphate coated oven backed powder paint finish mild steel. Chrome plated polymer cast leg with 5nos castors. High quality PVC handles. Fully revolving and back tilt facility. Hydraulically height adjustable mechanism. Foam cushioning seat and back pasted on L shaped plywood. Comfortable PVC armrest to be fixing by detachable screw. Back side of the back covered by Rexene upholstery. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Size : Seat : 520x520mm Back :520x710mm Floor to Seat : 500 mm Floor Back : 1180mm Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	73.000	at site	120	Bangladesh	19803.001	Nineteen Thousand Eight Hundred and Three point Zero Zero One	1445619.073	Fourteen Lakh Forty-Five Thousand Six Hundred and Nineteen point Zero Seven Three
								Grand Total:	6106054.528	Sixty-One Lakh Six Thousand AND Fifty-Four point Five Two Eight

The Goods covered by this Tendering process shall require to be delivered in accordance with this Delivery and Completion Schedule. No credit will be given for earlier completion.

This Price and Delivery Schedule for Goods (Form e-PG3-3A) is Electronically Signed by Mr. Jayed Ahmed on behalf of Akhtar Furnishers Ltd


S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Equipment List-110043.jpg	2188.70	 Download
2	-	Equipment List-110043.jpg	1266.39	 Download
3	-	Manufacturing Certificate of Plant .jpg	962.60	 Download

Delco Business Associate Ltd

Price and Delivery Schedule for Goods (Form e-PG3-3A)

Note 1: Delivery period starts from the date of contract signing.

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (11)
	TYPE A: HIGH BACK FULL LEATHER CHAIR (Minister's Room, Imported): Best quality high back Presidential revolving chair with tilting facility made of foam cushioning with best quality leather upholstery upon a contoured high back shell for lumber support ply thickness 18mm							Twenty-		


Signed

 কাজী আব্দুল আল-মামুন
 মোরাদপুর
 শ্রদ্ধা পরিষদ ও মহাপ্রদত্ত বিভাগ
 শ্রদ্ধা পরিষদ ও মোহা মহাপ্রদত্ত
 বাংলাদেশ সরকার

1.1	and foam thickness 120mm. Leg & Arms are made of aluminum & imported casting . Also the armed covered by foam cushioning with Leather .Height Adjustable gas lift with Stainless Steel leg base with five nos nylon casters. Size: Seat : 560x560mm (inside to inside) 640x570 mm(outside to outside) Back : 560x570 mm , Floor to Seat height : 520mm Floor to Back height : 1250 mm (10% +-) Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	1.000	at site	120	China	28800.001	Eight Thousand Eight Hundred point Zero Zero One	28800.001	Eight Thousand Eight Hundred point Zero Zero One
1.2	TYPE A1 : MEDIUM BACK LEATHER CHAIR (Minister's Room Visitor's Chair) Almost comfortable Fixed Visitor chair to be constructed by U-Shape 25 mm dia Chrome plated structure. As required. 2.5? thick Poly foam cushioning seat and 2? thick poly foam cushioning back with 16mm wooden shell and covered with best quality Rexene upholstery on top and Rexene on back with jacket foam. Armrest Made of aluminum color imported PVC with Rexene upholstery. Size: Floor to Seat Height- 475 Seat To Back Height 500 Total length L535 X W520 X H1000mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	4.000	at site	120	China	22770.001	Twenty-Two Thousand Seven Hundred and Seventy point Zero Zero One	91080.004	Ninety-One Thousand AND Eighty point Zero Zero Four
1.3	TYPE B : HIGH BACK LEATHER ERGONOMIC CHAIR (Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Megistrate) Almost comfortable revolving and swiveled executive chair with full slipping & constructed with tilting facility, Limber support back rest with hazard free hydraulic lifting and back lock facility as required. 2.5? thick Poly foam cushioning seat and 2? thick poly foam cushioning back with 16mm wooden shell and covered with best quality pure leather upholstery on top and Rexene on back with jacket foam. A 90mm gas cylinder used for hydraulically height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure covered by wooden on cast leg with five castors. Width and smooth wooden armrest which is colored by high quality lacquer polish. Seat: 525x530 mm, Back: 520x570 mm, Height: Floor to Seat: 425 mm & Floor to Back: 1100mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	15.000	at site	120	China	19215.001	Nineteen Thousand Two Hundred and Fifteen point Zero Zero One	288225.015	Two Lakh Eighty-Eight Thousand Two Hundred and Twenty-Five point Zero One Five
1.4	TYPE B1 : MEDIUM BACK ERGONOMIC CHAIR (Visitor's Chair for Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Megistrate) Best quality medium back fixed type chair, made of 19 mm Dia Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood . Arms are Stainless steel with Wooden combination on top Teak wooden top color finished by UV Lacquer. Size: Seat: 440x455 mm (Approx.) Back: 440x530 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 875 mm Handle to Handle: 525mm (Approx.) Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	34.000	at site	120	China	9000.001	Nine Thousand point Zero Zero One	306000.034	Three Lakh Six Thousand point Zero Three Four
1.5	TYPE C : HIGH BACK PU CHAIR (Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Modern design prime quality hydrolytic system height adjustable head rest facility system revolving chair with tilting facility. Structure made of SS chrome. Adjustable arms are made of soft PVC. Leg with 5nos heavy duty castors are made of PVC. Seat foam cushioning covered with best quality Imported mesh Fabric & back side half round shaped fabricated by imported PVC with net fabric for air passing facility. Also the back of chair having a back bone support for long time seating environment. Size: Seat-500x510 mm and Back - 530 x 780mm. Floor to seat height : 510 mm floor to back : height: 1220 mm Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	23.000	at site	120	China	16290.001	Sixteen Thousand Two Hundred and Ninety point Zero Zero One	374670.023	Three Lakh Seventy-Four Thousand Six Hundred and

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
পাবনা পরিদপ্তর ও পোস্ত মন্ত্রণালয়
পাবনা জেলা কার্যালয়

1.6	TYPE C1 : LOW BACK PU CHAIR (Visitor's Chair for Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Best quality pneumatically Height adjustable low Back Revolving Chair with tilting facility. Structure made of MG welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. PVC armrests are fixed with seat covered with foam cushioning mesh fabric upholstery and back net fabric for air passing system. SS Chrome plated Leg base with high quality smooth wheel. Size: seat 460x460 mm and back 440x530 mm, floor to seat 420-510 mm, floor to back 905-995mm. Standard: ISO 9001-2008 Identification mark : Hologram and Monogram Sticker	Nos	46.000	at site	120	China	14535.001	Fourteen Thousand Five Hundred and Thirty-Five point Zero Zero One	668610.046	Six Lakh Sixty-Eight Thousand Six Hundred and Ten point Zero Four Six
1.7	TYPE D : MEDIUM BACK CHAIR (Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Prime quality hydraulic height adjustable Medium back Revolving Chair with Gas lift & tilting facility. Structure made of Mg welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. Arms are made of nonmagnetic stainless steel with wooden combination. Leg base made of nonmagnetic stainless steel with 5nos. castors are made of high quality imported Nylon. Foam cushioning covered with best quality imported soft Rexene upholstery on 12 mm thick garjon plywood shell. Size: Seat-510x500 and Back - 460 x 580 mm. (Approx) Floor to Seat : 550 , Back : 1090 mm (Approx.) Full AI complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	120.000	at site	120	China	8460.001	Eight Thousand Four Hundred and Sixty point Zero Zero One	1015200.120	Ten Lakh Fifteen Thousand Two Hundred point One Two
1.8	TYPE D1 : LOW BACK CHAIR (Visitor's Chair for Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Best quality low back fixed type chair, made of 19 mm flattened Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood and foam 30mm thickness. Arms are Stainless steel. All structure chemically degusted zinc phosphate. Size: Seat: 430x450 mm (Approx.) Back: 430x520 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 850 mm Handle to Handle: 520mm Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	52.000	at site	120	China	5850.001	Five Thousand Eight Hundred and Fifty point Zero Zero One	304200.052	Three Lakh Four Thousand Two Hundred point Zero Five Two
1.9	TYPE E : 4 LEG FIXED CHAIR (DINING CHAIR) Best quality fixed chair structure made of 1.2 thick 19mm round SS tube. Seat & back made by commercial garjon wood veneered what is cold water resistant; face/surface made of teak wood veneered what is pest control treatment by using chemicals for fungus free. Middle part of the seat covered by 3mm ply with 12 mm foam & best quality imported fabric for comfortable sitting arrangement Size: Seat: 410 x 400mm. Back: 440 x 470mm. Standard: ISO 9001:2000 Packing : Poly Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	80.000	at site	120	China	4185.001	Four Thousand One Hundred and Eighty-Five point Zero Zero One	334800.080	Three Lakh Thirty-Four Thousand Eight Hundred point Zero Eight
1.10	TYPE F : TENDEN SEATING (PUBLIC SERVICE COUNTER, LOUNGE SEATING) Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 38x38mm tubular MS Colum bar. Two armrests and U channel type leg base are of 1.2mm thick SS	Nos	23.000	at site	120	EURO, Malaysia	22590.001	Twenty-Two Thousand Five Hundred and	5195	

Signed

 কাজী আব্দুল আল-মামুন
 যোগাযোগ
 শ্রমিক পরিষদ ও মহাপ্রদত্ত বিভাগ
 শ্রমিক পরিষদ ও শ্রমিক পরিষদ
 বাংলাদেশ সরকার

	with floor adjustable stopper. Each Seat : 450 x 420 mm Back : 450x450 mm Height : Floor to Seat : 390mm Floor to Back : 860mm Overall size: L-1670xW-490xH-890mm. (out to out L-1800mm) Standard: ISO 9001:2008 Packing: Carton Pack. a) Three Seater							Ninety point Zero Zero One		Seventy point Zero Three
1.11	TYPE G : CHAIR WITH WRITING PAD (CLASS ROOMCHAIR) Best quality Class room chair with folding system writing pad and fixed basket underneath. Structure made of 22mm dia 1.2 mm thickness mild steel round tube. Seat & back made of 11 mm thick veneered shell, bended by hot press with high temperature & pressure. Writing pad (Size-534x280 mm) made of 18 mm Laminated Board. Writing pad fixed at right side on main leg structure by 19 mm mild steel round tube with MS clamp for load bearing support of writing pad. Seat covered by 3mm ply with 12 mm foam & Rexene for comfortable sitting arrangement. Basket made by 12x1 mm round tube, fixing with four legs for usage store of user. All metal item chemically de-rusted & zinc phosphate coated oven backed (150°-200°c) electro-static powder paint finished mild steel structure with PVC stopper. Size: Seat: 465 x 440mm. Back: 415 x 455mm. Floor to Seat Height- 465 mm Seat to Back Height 450 mm Floor to Back : 900 mm Standard : ISO9001: 2008 Packing: Poly Pack.	Nos	45.000	at site	120	EURO, Malaysia	9180.001	Nine Thousand One Hundred and Eighty point Zero Zero One	413100.045	Four Lakh Thirteen Thousand One Hundred point Zero Four Five
1.12	TYPE H : CHAIR WITH ARMS (LIBRARY CHAIR, VIRTUAL CALL CENTER, COMPUTER LAB CHAIR, MULTIPURPOSE HALL) Fixed Chair with arm-rest. Flattened or Tapering Back Legs and straight front leg Structure made of 18mm dia cold rolled Mild Steel with PVC stopper. Foam cousin seat and back rest (oval shape) made of best quality ply wood and covered with high quality Mesh Fabric upholstery. Bottom of the seat covered with poplin cloth and fixed by stapler. Seat fixed on MS structure and back fixed by MS clamp. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Half Round shaped Arms are made of high quality imported PVC, Height : Floor to Seat ?410mm, Floor to Back ? 800mm Standard : ISO9001:2008 Identification mark : Hologram and Monogram Sticker of manufacturer Packing: Poly pack.	Nos	212.000	at site	120	China	6255.001	Six Thousand Two Hundred and Fifty-Five point Zero Zero One	1326060.212	Thirteen Lakh Twenty-Six Thousand AND Sixty point Two One Two
1.13	TYPE I : MEDIUMBACK LEATHER CHAIR (CONFERENCE ROOM, MINI CONFERENCE ROOM CHAIR) Prime Quality Pure Leather upholstery medium back executive revolving chair. Structure made of zinc phosphate coated oven backed powder paint finish mild steel. Chrome plated polymer cast leg with 5nos castors. High quality PVC handles. Fully revolving and back tilt facility. Hydraulically height adjustable mechanism. Foam cushioning seat and back pasted on L shaped ply wood. Comfortable PVC armrest to be fixing by detachable screw. Back side of the back covered by Rexene upholstery. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Size : Seat : 520x520mm Back :520x710mm Floor to Seat : 500 mm Floor Back : 1180mm Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	73.000	at site	120	China	16605.001	Sixteen Thousand Six Hundred and Five point Zero Zero One	1212165.073	Twelve Lakh Twelve Thousand One Hundred and Sixty-Five point Zero Seven Three
								Grand Total:	6882480.728	Sixty-Eight Lakh Eighty-Two Thousand Four Hundred

The Goods covered by this Tendering process shall require to be delivered in accordance with this Delivery and Completion Schedule. No credit will be given for non-completion.

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
পাবনা পরিদপ্তর ও পোতা মহাপ্রকৃতি
পাবনা পরিদপ্তর ও পোতা মহাপ্রকৃতি

This Price and Delivery Schedule for Goods (Form e-PG3-3A) is Electronically Signed by Mr. Md. Murad Hassan on behalf of Delco Business Associate Ltd

Hatil Complex Ltd

Price and Delivery Schedule for Goods (Form e-PG3-3A)

Note 1: Delivery period starts from the date of contract signing.

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1.1	TYPE A : HIGH BACK FULL LEATHER CHAIR (Minister's Room, Imported): Best quality high back Presidential revolving chair with tilting facility made of foam cushioning with best quality leather upholstery upon a contoured high back shell for lumbar support ply thickness 18mm and foam thickness 120mm. Leg & Arms are made of aluminum & imported casting . Also the armed covered by foam cushioning with Leather .Height Adjustable gas lift with Stainless Steel leg base with five nos nylon casters. Size: Seat : 560x560mm (inside to inside) 640x570 mm(outside to outside) Back : 560x570 mm , Floor to Seat height : 520mm Floor to Back height : 1250 mm (10% +/-) Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	1.000	at site	120	Bangladesh	32000.001	Thirty-Two Thousand point Zero Zero One	32000.001	Thirty-Two Thousand point Zero Zero One
1.2	TYPE A1 : MEDIUM BACK LEATHER CHAIR (Minister's Room Visitor's Chair) Almost comfortable Fixed Visitor chair to be constructed by U-Shape 25 mm dia Chrome plated structure. As required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality Rexene upholstery on top and Rexene on back with jacket foam. Armrest Made of aluminum color imported PVC with Rexene upholstery. Size: Floor to Seat Height- 475 Seat To Back Height 500 Total length L535 X W520 X H1000mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	4.000	at site	120	Bangladesh	11356.001	Eleven Thousand Three Hundred and Fifty-Six point Zero One	45424.004	Forty-Five Thousand Four Hundred and Twenty-Four point Zero Four
1.3	TYPE B : HIGH BACK LEATHER ERGONOMIC CHAIR (Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Magistrate) Almost comfortable revolving and swiveled executive chair with full slipping & constructed with tilting facility, Limber support back rest with hazard free hydraulic lifting and back lock facility as required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality pure leather upholstery on top and Rexene on back with jacket foam. A 90mm gas cylinder used for hydraulically height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure covered by wooden on cast leg with five castors. Width and smooth wooden armrest which is colored by high quality lacquer polish. Seat: 525x530 mm, Back: 520x570 mm, Height: Floor to Seat: 425 mm & Floor to Back: 1100mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	15.000	at site	120	Bangladesh	33600.001	Thirty-Three Thousand Six Hundred point Zero Zero One	504000.015	Five Lakh Four Thousand point Zero One Five
1.4	TYPE B1 : MEDIUM BACK ERGONOMIC CHAIR (Visitor's Chair for Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Magistrate) Best quality medium back fixed type chair, made of 19 mm Dia Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood . Arms are Stainless steel with Wooden combination on top Teak wooden top color finished by UV Lacquer.	Nos	34.000	at site	120	Bangladesh	10000.001	Ten Thousand point Zero Zero One	34000.004	Thirty-Four Thousand point Zero Four

Signed
AAS
কাজী আব্দুল্লাহ আল-মামুন
যোগাযোগ
সহকারী পরিচালক ও মহাপরিচালক বিভাগ
সরকারি পরিচালনা ও স্টোফ মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Size: Seat: 440x455 mm (Approx.) Back: 440x530 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 875 mm Handle to Handle: 525mm (Approx.) Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.							Zero One		Three Four
1.5	TYPE C : HIGH BACK PU CHAIR (Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Modern design prime quality hydrolytic system height adjustable head rest facility system revolving chair with tilting facility. Structure made of SS chrome. Adjustable arms are made of soft PVC. Leg with 5nos heavy duty castors are made of PVC. Seat foam cushioning covered with best quality Imported mesh Fabric & back side half round shaped fabricated by imported PVC with net fabric for air passing facility. Also the back of chair having a back bone support for long time seating environment. Size: Seat-500x510 mm and Back - 530 x 780mm. Floor to seat height : 510 mm floor to back : height: 1220 mm Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	23.000	at site	120	Bangladesh	14500.001	Fourteen Thousand Five Hundred point Zero Zero One	333500.023	Three Lakh Thirty-Three Thousand Five Hundred point Zero Two Three
1.6	TYPE C1 : LOW BACK PU CHAIR (Visitor's Chair for Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Best quality pneumatically Height adjustable low Back Revolving Chair with tilting facility. Structure made of MIG welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. PVC armrests are fixed with seat covered with foam cushioning mesh fabric upholstery and back net fabric for air passing system. SS Chrome plated Leg base with high quality smooth wheel. Size: seat 460x460 mm and back 440x530 mm, floor to seat 420-510 mm, floor to back 905-995mm. Standard: ISO 9001-2008 Identification mark : Hologram and Monogram Sticker	Nos	46.000	at site	120	Bangladesh	6720.001	Six Thousand Seven Hundred and Twenty point Zero Zero One	309120.046	Three Lakh Nine Thousand One Hundred and Twenty point Zero Four Six
1.7	TYPE D : MEDIUM BACK CHAIR (Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Prime quality hydraulic height adjustable Medium back Revolving Chair with Gas lift & tilting facility. Structure made of Mig welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. Arms are made of nonmagnetic stainless steel with wooden combination. Leg base made of nonmagnetic stainless steel with 5nos. castors are made of high quality imported Nylon. Foam cushioning covered with best quality imported soft Rexene upholstery on 12 mm thick garjon plywood shell. Size: Seat-510x500 and Back - 460 x 580 mm. (Approx.) Floor to Seat : 550 , Back : 1090 mm (Approx.) Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	120.000	at site	120	Bangladesh	11934.001	Eleven Thousand Nine Hundred and Thirty-Four point Zero Zero One	1432080.120	Fourteen Lakh Thirty-Two Thousand AND Eighty point One Two
1.8	TYPE D1 : LOW BACK CHAIR (Visitor's Chair for Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Best quality low back fixed type chair, made of 19 mm flattened Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood and foam 30mm thickness. Arms are Stainless steel. All structure chemically degusted zinc phosphate. Size: Seat: 430x450 mm (Approx.) Back: 430x520 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 850 mm	Nos	52.000	at site	120	Bangladesh	4054.001	Four Thousand AND Fifty-Four point Zero Zero One	21080	Two Lakh Ten

Signed
A.A.H.

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রাচীর বিভাগ
পাবনা পরিদপ্তর ও পোহা মহাপ্রাচীর
পাবনা পরিদপ্তর ও পোহা মহাপ্রাচীর

	Handle to Handle: 520mm Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.									
1.9	TYPE E : 4 LEG FIXED CHAIR (DINING CHAIR) Best quality fixed chair structure made of 1.2 thick 19mm round SS tube. Seat & back made by commercial garjon wood veneered what is cold water resistant; face/surface made of teak wood veneered what is pest control treatment by using chemicals for fungus free. Middle part of the seat covered by 3mm ply with 12 mm foam & best quality imported fabric for comfortable sitting arrangement Size: Seat: 410 x 400mm. Back: 440 x 470mm. Standard: ISO 9001:2000 Packing : Poly Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	80.000	at site	120	Bangladesh	2700.001	Two Thousand Seven Hundred point Zero Zero One	216000.080	Two Lakh Sixteen Thousand point Zero Eight
1.10	TYPE F : TENDEN SEATING (PUBLIC SERVICE COUNTER, LOUNGE SEATING) Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 38x38mm tubular MS Column bar. Two armrests and U channel type leg base are of 1.2mm thick SS with floor adjustable stopper. Each Seat : 450 x 420 mm Back : 450x450 mm Height : Floor to Seat : 390mm Floor to Back : 860mm Overall size: L-1670xW-490xH-890mm. (out to out L-1800mm) Standard: ISO 9001:2008 Packing: Carton Pack. a) Three Seater	Nos	23.000	at site	120	Bangladesh	20000.001	Twenty Thousand point Zero Zero One	460000.023	Four Lakh Sixty Thousand point Zero Two Three
1.11	TYPE G : CHAIR WITH WRITING PAD (CLASS ROOM CHAIR) Best quality Class room chair with folding system writing pad and fixed basket underneath. Structure made of 22mm dia 1.2 mm thickness mild steel round tube. Seat & back made of 11 mm thick veneered shell, banded by hot press with high temperature & pressure. Writing pad (Size-534x280 mm) made of 18 mm Laminated Board. Writing pad fixed at right side on main leg structure by 19 mm mild steel round tube with MS clamp for load bearing support of writing pad. Seat covered by 3mm ply with 12 mm foam & Rexene for comfortable sitting arrangement. Basket made by φ 12x1 mm round tube, fixing with four legs for usage store of user. All metal item chemically de-rusted & zinc phosphate coated oven backed (150°-200°c) electro-static powder paint finished mild steel structure with PVC stopper. Size: Seat: 465 x 440mm. Back: 415 x 455mm. Floor to Seat Height- 465 mm Seat to Back Height 450 mm Floor to Back : 900 mm Standard : ISO9001: 2008 Packing: Poly Pack.	Nos	45.000	at site	120	Bangladesh	4000.001	Four Thousand point Zero Zero One	180000.045	One Lakh Eighty Thousand point Zero Four Five
1.12	TYPE H : CHAIR WITH ARMS (LIBRARY CHAIR, VIRTUAL CALL CENTER, COMPUTER LAB CHAIR, MULTIPURPOSE HALL) Fixed Chair with arm-rest. Flattened or Tapering Back Legs and straight front leg Structure made of 18mm dia cold rolled Mild Steel with PVC stopper. Foam cousin seat and back rest (oval shape) made of best quality plywood and covered with high quality Mesh Fabric upholstery. Bottom of the seat covered with poplin cloth and fixed by stapler. Seat fixed on MS structure and back fixed by MS clamp. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Half Round shaped Arms are made of high quality imported PVC, Height : Floor to Seat ? 410mm, Floor to Back ? 800mm Standard : ISO9001:2008 Identification mark : Hologram and Monogram Sticker of manufacturer Packing: Poly pack.	Nos	212.000	at site	120	Bangladesh	3900.001	Three Thousand Nine Hundred point Zero Zero One	826800.212	Eight Lakh Twenty-Six Thousand Eight Hundred point Two
	TYPE I : MEDIUM BACK LEATHER CHAIR (									

Signed
A.A.H.

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
সহকারী পরিচালক ও মহাপ্রকৃত বিভাগ
স্বচ্ছ পরিচালনা ও দেশে যোগ্যতা
বাংলাদেশ সরকার

1.13	CONFERENCE ROOM, MINI CONFERENCE ROOM CHAIR) Prime Quality Pure Leather upholstery medium back executive revolving chair. Structure made of zinc phosphate coated oven backed powder paint finish mild steel. Chrome plated polymer cast leg with 5nos castors. High quality PVC handles. Fully revolving and back tilt facility. Hydraulically height adjustable mechanism. Foam cushioning seat and back pasted on L shaped plywood. Comfortable PVC armrest to be fixing by detachable screw. Back side of the back covered by Rexene upholstery. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Size : Seat : 520x520mm Back : 520x710mm Floor to Seat : 500 mm Floor Back : 1180mm Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	73.000	at site	120	Bangladesh	20000.001	Twenty Thousand point Zero Zero One	1460000.073	Fourteen Lakh Sixty Thousand point Zero Seven Three
								Grand Total:	6349732.728	Sixty-Three Lakh Forty-Nine Thousand Seven Hundred and Thirty-Two point Seven Two Eight

The Goods covered by this Tendering process shall require to be delivered in accordance with this Delivery and Completion Schedule. No credit will be given for earlier completion.

This Price and Delivery Schedule for Goods (Form e-PG3-3A) is Electronically Signed by Mr. Alam Mohd on behalf of Hatil Complex Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	PRICE SCHEDULE OF -110043.pdf	77.11	 Download

Legacy Furniture (Pvt.) Ltd.

Price and Delivery Schedule for Goods (Form e-PG3-3A)


Note 1: Delivery period starts from the date of contract signing.

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1.1	TYPE A : HIGH BACK FULL LEATHER CHAIR (Minister's Room, Imported): Best quality high back Presidential revolving chair with tilting facility made of foam cushioning with best quality leather upholstery upon a contoured high back shell for lumber support ply thickness 18mm and foam thickness 120mm. Leg & Arms are made of aluminum & imported casting. Also the armed covered by foam cushioning with Leather. Height Adjustable gas lift with Stainless Steel leg base with five nos nylon casters. Size: Seat : 560x560mm (inside to inside) 640x570 mm(outside to outside) Back : 560x570 mm , Floor to Seat height : 520mm Floor to Back height : 1250 mm (10% +/-) Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	1.000	at site	120	DHAKA	76415.001	Seventy-Six Thousand Four Hundred and Fifteen point Zero Zero One	76415.001	Seventy-Six Thousand Four Hundred and Fifteen point Zero Zero One
1.2	TYPE A1 : MEDIUM BACK LEATHER CHAIR (Minister's Room Visitor's Chair) Almost comfortable Fixed Visitor chair to be constructed by U-Shape 25 mm dia Chrome plated structure. As required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality Rexene upholstery on top and Rexene on back with jacket foam. Armrest Made of aluminum color imported PVC with Rexene upholstery. Size: Floor to Seat Height- 475 Seat To Back Height 500 Total length L535 XW520 XH1000mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker	Nos	4.000	at site	120	DHAKA	12360.001	Twelve Thousand Three Hundred and Sixty point Zero Zero One	4944	Forty-Nine


Signed
AAH

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পদক পরিচয় ও মহাপ্রদত্ত বিভাগ
স্বাক্ষর পত্রিকার ও স্ট্যাম্প অফিসের
পাশে রাখা হবে। বাংলাদেশ সরকার

	of Manufacturer Packing: Poly Pack									
1.3	TYPE B : HIGH BACK LEATHER ERGONOMIC CHAIR (Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Megistrate) A most comfortable revolving and swiveled executive chair with full slipping & constructed with tilting facility, Limber support back rest with hazard free hydraulic lifting and back lock facility as required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality pure leather upholstery on top and Rexene on back with jacket foam. A 90mm gas cylinder used for hydraulically height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure covered by wooden on cast leg with five castors. Width and smooth wooden armrest which is colored by high quality lacquer polish. Seat: 525x530 mm, Back: 520x570 mm, Height: Floor to Seat: 425 mm & Floor to Back: 1100mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	15.000	at site	120	DHAKA	37760.001	Thirty-Seven Thousand Seven Hundred and Sixty point Zero One	566400.015	Five Lakh Sixty-Six Thousand Four Hundred point Zero One Five
1.4	TYPE B1 : MEDIUM BACK ERGONOMIC CHAIR (Visitor's Chair for Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Megistrate) Best quality medium back fixed type chair, made of 19 mm Dia Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood. Arms are Stainless steel with Wooden combination on top Teak wooden top color finished by UV Lacquer. Size: Seat: 440x455 mm (Approx.) Back: 440x530 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 875 mm Handle to Handle: 525mm (Approx.) Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing: Poly Pack.	Nos	34.000	at site	120	DHAKA	4945.001	Four Thousand Nine Hundred and Forty-Five point Zero One	168130.034	One Lakh Sixty-Eight Thousand One Hundred and Thirty point Zero Three Four
1.5	TYPE C : HIGH BACK PU CHAIR (Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Modern design prime quality hydrolytic system height adjustable head rest facility system revolving chair with tilting facility. Structure made of SS chrome. Adjustable arms are made of soft PVC. Leg with 5nos heavy duty castors are made of PVC. Seat foam cushioning covered with best quality Imported mesh Fabric & back side half round shaped fabricated by imported PVC with net fabric for air passing facility. Also the back of chair having a back bone support for long time seating environment. Size: Seat-500x510 mm and Back - 530 x 780mm. Floor to seat height : 510 mm floor to back : height: 1220 mm Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	23.000	at site	120	DHAKA	16360.001	Sixteen Thousand Three Hundred and Sixty point Zero One	376280.023	Three Lakh Seventy-Six Thousand Two Hundred and Eighty point Zero Two Three
1.6	TYPE C1 : LOW BACK PU CHAIR (Visitor's Chair for Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Best quality pneumatically Height adjustable low Back Revolving Chair with tilting facility. Structure made of MIG welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. PVC armrests are fixed with seat covered with foam cushioning mesh fabric upholstery and back net fabric for air passing system. SS Chrome plated Leg base with high quality smooth wheel. Size: seat 460x460 mm and back 440x530 mm, floor to seat 420-510 mm, floor to back 905-995mm. Standard: ISO 9001-2008 Identification mark : Hologram and Monogram Sticker	Nos	46.000	at site	120	DHAKA	7820.001	Seven Thousand Eight Hundred and Twenty point Zero One	359720.046	Three Lakh Fifty-Nine Thousand Seven Hundred and Twenty point Zero Four Six
	TYPE D : MEDIUM BACK CHAIR (Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Prime quality hydraulic height adjustable Medium back Revolving Chair with Gas lift & tilting facility. Structure made of Mig welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. Arms are made of nonmagnetic stainless steel with wooden combination. Leg base made of							Thirteen Thousand Seven Hundred		

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
 পাবনা পরিদপ্তর ও পোহা মহাপ্রকৃতি
 বাংলাদেশ সরকার

1.7	nonmagnetic stainless steel with 5nos. castors are made of high quality imported Nylon. Foam cushioning covered with best quality imported soft Rexene upholstery on 12 mm thick garjon plywood shell. Size: Seat-510x500 and Back - 460 x 580 mm. (Approx.) Floor to Seat : 550 , Back : 1090 mm (Approx.) Full AI complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	120.000	at site	120	DHAKA	13755.001	One Hundred and Fifty-Five point Zero Zero One	1650600.120	Six Hundred point One Two
1.8	TYPE D1 : LOW BACK CHAIR (Visitor's Chair for Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Best quality low back fixed type chair, made of 19 mm flattened Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood and foam 30mm thickness. Arms are Stainless steel. All structure chemically degusted zinc phosphate. Size: Seat: 430x450 mm (Approx.) Back: 430x520 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 850 mm Handle to Handle: 520mm Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	52.000	at site	120	DHAKA	4045.001	Four Thousand AND Forty-Five point Zero Zero One	210340.052	Two Lakh Ten Thousand Three Hundred and Forty point Zero Five Two
1.9	TYPE E : 4 LEG FIXED CHAIR (DINING CHAIR) Best quality fixed chair structure made of 1.2 thick 19mm round SS tube. Seat & back made by commercial garjon wood veneered what is cold water resistant; face/surface made of teak wood veneered what is pest control treatment by using chemicals for fungus free. Middle part of the seat covered by 3mm ply with 12 mm foam & best quality imported fabric for comfortable sitting arrangement Size: Seat: 410 x 400mm. Back: 440 x 470mm. Standard: ISO 9001:2000 Packing : Poly Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	80.000	at site	120	DHAKA	3325.001	Three Thousand Three Hundred and Twenty-Five point Zero Zero One	266000.080	Two Lakh Sixty-Six Thousand point Zero Eight
1.10	TYPE F : TENDEN SEATING (PUBLIC SERVICE COUNTER, LOUNGE SEATING) Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 38x38mm tubular MS Column bar. Two armrests and U channel type leg base are of 1.2mm thick SS with floor adjustable stopper. Each Seat : 450 x 420 mm Back : 450x450 mm Height : Floor to Seat : 390mm Floor to Back : 860mm Overall size: L-1670xW-490xH-890mm. (out to out L-1800mm) Standard: ISO 9001:2008 Packing: Carton Pack. a) Three Seater	Nos	23.000	at site	120	DHAKA	23160.001	Twenty-Three Thousand One Hundred and Sixty point Zero Zero One	532680.023	Five Lakh Thirty-Two Thousand Six Hundred and Eighty point Zero Two Three
1.11	TYPE G : CHAIR WITH WRITING PAD (CLASS ROOM CHAIR) Best quality Class room chair with folding system writing pad and fixed basket underneath. Structure made of 22mm dia 1.2 mm thickness mild steel round tube. Seat & back made of 11 mm thick veneered shell, banded by hot press with high temperature & pressure. Writing pad (Size-534x280 mm) made of 18 mm Laminated Board. Writing pad fixed at right side on main leg structure by 19 mm mild steel round tube with MS clamp for load bearing support of writing pad. Seat covered by 3mm ply with 12 mm foam & Rexene for comfortable sitting arrangement. Basket made by φ 12x1 mm round tube, fixing with four legs for usage store of user. All metal item chemically de-rusted & zinc phosphate coated oven backed (150°-200°c) electro-static powder paint finished mild steel structure with PVC stopper. Size: Seat: 465 x 440mm. Back: 415 x 455mm. Floor to Seat Height- 465 mm Seat to Back Height 450 mm Floor to Back : 900 mm	Nos	45.000	at site	120	DHAKA	5215.001	Five Thousand Two Hundred and Fifteen point Zero Zero One	234675.045	Two Lakh Thirty-Four Thousand Six Hundred and

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 নতুন পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
 নতুন পরিদপ্তর ও চৌহদ্দী মহাপ্রকৃতি
 বাংলাদেশ সরকার

	Standard : ISO9001: 2008 Packing: Poly Pack.									
1.12	TYPE H : CHAIR WITH ARMS (LIBRARY CHAIR, VIRTUAL CALL CENTER, COMPUTER LAB CHAIR, MULTIPURPOSE HALL) Fixed Chair with arm-rest. Flattened or Tapering Back Legs and straight front leg Structure made of 18mm dia cold rolled Mild Steel with PVC stopper. Foam cousin seat and back rest (oval shape) made of best quality ply wood and covered with high quality Mesh Fabric upholstery. Bottom of the seat covered with poplin cloth and fixed by stapler. Seat fixed on MS structure and back fixed by MS clamp. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Half Round shaped Arms are made of high quality imported PVC, Height : Floor to Seat ? 410mm, Floor to Back ? 800mm Standard : ISO9001:2008 Identification mark : Hologram and Monogram Sticker of manufacturer Packing: Poly pack.	Nos	212.000	at site	120	DHAKA	4675.001	Four Thousand Six Hundred and Seventy-Five point Zero Zero One	991100.212	Nine Lakh Ninety-One Thousand One Hundred point Two One Two
1.13	TYPE I : MEDIUM BACK LEATHER CHAIR (CONFERENCE ROOM, MINI CONFERENCE ROOM CHAIR) Prime Quality Pure Leather upholstery medium back executive revolving chair. Structure made of zinc phosphate coated oven backed powder paint finish mild steel. Chrome plated polymer cast leg with 5nos castors. High quality PVC handles. Fully revolving and back tilt facility. Hydraulically height adjustable mechanism. Foam cushioning seat and back pasted on L shaped plywood. Comfortable PVC armrest to be fixing by detachable screw. Back side of the back covered by Rexene upholstery. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Size : Seat : 520x520mm Back : 520x710mm Floor to Seat : 500 mm Floor Back : 1180mm Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	73.000	at site	120	DHAKA	35600.001	Thirty-Five Thousand Six Hundred point Zero Zero One	2598800.073	Twenty-Five Lakh Ninety-Eight Thousand Eight Hundred point Zero Seven Three
								Grand Total:	8080580.728	Eighty Lakh Eighty Thousand Five Hundred and Eighty point Seven Two Eight

The Goods covered by this Tendering process shall require to be delivered in accordance with this Delivery and Completion Schedule. No credit will be given for earlier completion.

This Price and Delivery Schedule for Goods (Form e-PG3-3A) is Electronically Signed by Mr. Amer Karim on behalf of Legacy Furniture (Pvt.) Ltd.

Partex Furniture Industries Limited										
Price and Delivery Schedule for Goods (Form e-PG3-3A)										
Note 1: Delivery period starts from the date of contract signing.										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1.1	TYPE A : HIGH BACK FULL LEATHER CHAIR (Minister's Room, Imported): Best quality high back Presidential revolving chair with tilting facility made of foam cushioning with best quality leather upholstery upon a contoured high back shell for lumber support ply thickness 18mm and foam thickness 120mm. Leg & Arms are made of aluminum & imported casting. Also the armed covered by foam cushioning with Leather. Height Adjustable gas lift with Stainless Steel leg base with five nos nylon casters. Size: Seat : 560x560mm (inside to inside) 640x570 mm (outside to outside) Back : 560x570 mm , Floor to Seat height : 520mm	Nos	1.000	at site	120	Bangladesh	22188.001	Twenty-Two Thousand One Hundred and Eighty-Eight point Zero Zero One	22188	Twenty-Two

Signed
AAR


কাজী আব্দুল্লাহ আল-মামুন
মোহাম্মাদ
সদস্য পরিচালক ও মহাপ্রতীক বিভাগ
সদস্য পরিচালক ও মোহাম্মাদ
মহাপ্রতীক বিভাগ বাংলাদেশ সরকার

	Floor to Back height : 1250 mm (10% +/-) Standard : ISO 9001:2008 Packing: Poly Pack.									
1.2	TYPE A1 : MEDIUMBACK LEATHER CHAIR (Minister's Room Visitor's Chair) A most comfortable Fixed Visitor chair to be constructed by U-Shape 25 mm dia Chrome plated structure. As required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality Rexene upholstery on top and Rexene on back with jacket foam. Armrest Made of aluminum color imported PVC with Rexene upholstery. Size: Floor to Seat Height- 475 Seat To Back Height 500 Total length L535 X W520 X H1000mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	4.000	at site	120	Bangladesh	8455.001	Eight Thousand Four Hundred and Fifty-Five point Zero Zero One	33820.004	Thirty-Three Thousand Eight Hundred and Twenty point Zero Zero Four
1.3	TYPE B : HIGH BACK LEATHER ERGONOMIC CHAIR (Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Magistrate) A most comfortable revolving and swiveled executive chair with full slipping & constructed with tilting facility, Limber support back rest with hazard free hydraulic lifting and back lock facility as required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality pure leather upholstery on top and Rexene on back with jacket foam. A 90mm gas cylinder used for hydraulically height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure covered by wooden on cast leg with five castors. Width and smooth wooden armrest which is colored by high quality lacquer polish. Seat: 525x530 mm, Back: 520x570 mm, Height: Floor to Seat: 425 mm & Floor to Back: 1100mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	15.000	at site	120	Bangladesh	24471.001	Twenty-Four Thousand Four Hundred and Seventy-One point Zero Zero One	367065.015	Three Lakh Sixty-Seven Thousand AND Sixty-Five point Zero One Five
1.4	TYPE B1 : MEDIUMBACK ERGONOMIC CHAIR (Visitor's Chair for Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Magistrate) Best quality medium back fixed type chair, made of 19 mm Dia Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon ply wood . Arms are Stainless steel with Wooden combination on top Teak wooden top color finished by UV Lacquer. Size: Seat: 440x455 mm (Approx.) Back: 440x530 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 875 mm Handle to Handle: 525mm (Approx.) Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	34.000	at site	120	Bangladesh	4987.001	Four Thousand Nine Hundred and Eighty-Seven point Zero Zero One	169558.034	One Lakh Sixty-Nine Thousand Five Hundred and Fifty-Eight point Zero Three Four
1.5	TYPE C : HIGH BACK PU CHAIR (Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Modern design prime quality hydrolytic system height adjustable head rest facility system revolving chair with tilting facility. Structure made of SS chrome. Adjustable arms are made of soft PVC. Leg with 5nos heavy duty castors are made of PVC. Seat foam cushioning covered with best quality Imported mesh Fabric & back side half round shaped fabricated by imported PVC with net fabric for air passing facility. Also the back of chair having a back bone support for long time seating environment. Size: Seat-500x510 mm and Back - 530 x 780mm. Floor to seat height : 510 mm floor to back : height: 1220 mm Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	23.000	at site	120	Bangladesh	16220.001	Sixteen Thousand Two Hundred and Twenty point Zero Zero One	373060.023	Three Lakh Seventy-Three Thousand AND Sixty point Zero Two Three
	TYPE C1 : LOW BACK PU CHAIR (Visitor's Chair for Assistant Director, Assistant Engineer,									

Signe

AAM

কাজী আব্দুল আল-মোমেন

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 শ্রমিক পরিষদ ও মহাপ্রকৃতি বিভাগ
 শ্রমিক পরিষদ ও শ্রমিক মহাপ্রকৃতি
 বাংলাদেশ সরকার

1.6	Assistant Programmer, Assistant Manager) Best quality pneumatically Height adjustable low Back Revolving Chair with tilting facility. Structure made of MIG welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. PVC armrests are fixed with seat covered with foam cushioning mesh fabric upholstery and back net fabric for air passing system. SS Chrome plated Leg base with high quality smooth wheel. Size: seat 460x460 mm and back 440x530 mm, floor to seat 420-510 mm, floor to back 905-995mm. Standard: ISO 9001-2008 Identification mark : Hologram and Monogram Sticker	Nos	46.000	at site	120	Bangladesh	5879.001	Five Thousand Eight Hundred and Seventy-Nine point Zero Zero One	270434.046	Two Lakh Seventy Thousand Four Hundred and Thirty-Four point Four Six
1.7	TYPE D : MEDIUM BACK CHAIR (Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Prime quality hydraulic height adjustable Medium back Revolving Chair with Gas lift & tilting facility. Structure made of Mig welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. Arms are made of nonmagnetic stainless steel with wooden combination. Leg base made of nonmagnetic stainless steel with 5nos. castors are made of high quality imported Nylon. Foam cushioning covered with best quality imported soft Rexene upholstery on 12 mm thick garjon plywood shell. Size: Seat-510x500 and Back - 460 x580 mm. (Approx.) Floor to Seat : 550 , Back : 1090 mm (Approx.) Full AI complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	120.000	at site	120	Bangladesh	7134.001	Seven Thousand One Hundred and Thirty-Four point Zero Zero One	856080.120	Eight Lakh Fifty-Six Thousand AND Eighty point One Two
1.8	TYPE D1 : LOW BACK CHAIR (Visitor's Chair for Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Best quality low back fixed type chair, made of 19 mm flattened Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood and foam 30mm thickness. Arms are Stainless steel. All structure chemically degusted zinc phosphate. Size: Seat: 430x450 mm (Approx.) Back: 430x520 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 850 mm Handle to Handle: 520mm Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	52.000	at site	120	Bangladesh	3148.001	Three Thousand One Hundred and Forty-Eight point Zero Zero One	163696.052	One Lakh Sixty-Three Thousand Six Hundred and Ninety-Six point Zero Five Two
1.9	TYPE E : 4 LEG FIXED CHAIR (DINING CHAIR) Best quality fixed chair structure made of 1.2 thick 19mm round SS tube. Seat & back made by commercial garjon wood veneered what is cold water resistant; face/surface made of teak wood veneered what is pest control treatment by using chemicals for fungus free. Middle part of the seat covered by 3mm ply with 12 mm foam & best quality imported fabric for comfortable sitting arrangement Size: Seat: 410 x400mm. Back: 440 x470mm. Standard: ISO 9001:2000 Packing : Poly Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	80.000	at site	120	Bangladesh	4132.001	Four Thousand One Hundred and Thirty-Two point Zero Zero One	330560.080	Three Lakh Thirty Thousand Five Hundred and Sixty point Zero Eight
1.10	TYPE F : TENDEN SEATING (PUBLIC SERVICE COUNTER, LOUNGE SEATING) Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 38x38mm tubular MS Column bar. Two armrests and U channel type leg	Nos	23.000	at site	120	Bangladesh	13211.001	Thirteen Thousand Two Hundred and	3038	

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহানগরিক বিভাগ
পাবনা পরিদপ্তর ও পোহা মহানগর
পাবনা পরিদপ্তর ও পোহা মহানগর

	base are of 1.2mm thick SS with floor adjustable stopper. Each Seat : 450 x420 mm Back : 450x450 mm Height : Floor to Seat : 390mm Floor to Back : 860mm Overall size: L-1670xW-490xH-890mm. (out to out L-1800mm) Standard: ISO 9001:2008 Packing: Carton Pack. a) Three Seater							Eleven point Zero Zero One		and my Three point Zero Two Three
1.11	TYPE G : CHAIR WITH WRITING PAD (CLASS ROOMCHAIR) Best quality Class room chair with folding system writing pad and fixed basket underneath. Structure made of 22mm dia 1.2 mm thickness mild steel round tube. Seat & back made of 11 mm thick veneered shell, bended by hot press with high temperature & pressure. Writing pad (Size-534x280 mm) made of 18 mm Laminated Board. Writing pad fixed at right side on main leg structure by 19 mm mild steel round tube with MS clamp for load bearing support of writing pad. Seat covered by 3mm ply with 12 mm foam & Rexene for comfortable sitting arrangement. Basket made by φ 12x1 mm round tube, fixing with four legs for usage store of user. All metal item chemically de-rusted & zinc phosphate coated oven backed (150°-200°c) electro-static powder paint finished mild steel structure with PVC stopper. Size: Seat: 465 x440mm. Back: 415 x455mm. Floor to Seat Height- 465 mm Seat to Back Height 450 mm Floor to Back : 900 mm Standard : ISO9001: 2008 Packing: Poly Pack.	Nos	45.000	at site	120	Bangladesh	4162.001	Four Thousand One Hundred and Sixty-Two point Zero Zero One	187290.045	One Lakh Eighty-Seven Thousand Two Hundred and Ninety point Zero Four Five
1.12	TYPE H : CHAIR WITH ARMS (LIBRARY CHAIR, VIRTUAL CALL CENTER, COMPUTER LAB CHAIR, MULTIPURPOSE HALL) Fixed Chair with arm-rest. Flattened or Tapering Back Legs and straight front leg Structure made of 18mm dia cold rolled Mid Steel with PVC stopper. Foam cousin seat and back rest (oval shape) made of best quality plywood and covered with high quality Mesh Fabric upholstery. Bottom of the seat covered with poplin cloth and fixed by stapler. Seat fixed on MS structure and back fixed by MS clamp. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Half Round shaped Arms are made of high quality imported PVC, Height : Floor to Seat ?410mm, Floor to Back ? 800mm Standard : ISO9001:2008 Identification mark : Hologram and Monogram Sticker of manufacturer Packing: Poly pack.	Nos	212.000	at site	120	Bangladesh	3082.001	Three Thousand AND Eighty-Two point Zero Zero One	653384.212	Six Lakh Fifty-Three Thousand Three Hundred and Eighty-Four point Two One Two
1.13	TYPE I : MEDIUMBACK LEATHER CHAIR (CONFERENCE ROOM, MINI CONFERENCE ROOMCHAIR) Prime Quality Pure Leather upholstery medium back executive revolving chair. Structure made of zinc phosphate coated oven backed powder paint finish mild steel. Chrome plated polymer cast leg with 5nos castors. High quality PVC handles. Fully revolving and back tilt facility. Hydraulically height adjustable mechanism. Foam cushioning seat and back pasted on L shaped plywood. Comfortable PVC armrest to be fixing by detachable screw. Back side of the back covered by Rexene upholstery. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Size : Seat : 520x520mm Back :520x710mm Floor to Seat : 500 mm Floor Back : 1180mm Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	73.000	at site	120	Bangladesh	21217.001	Twenty-One Thousand Two Hundred and Seventeen point Zero Zero One	1548841.073	Fifteen Lakh Forty-Eight Thousand Eight Hundred and Forty-One point Zero Seven Three
								Grand Total:	527982	Fifty-Two Lakh Seventy- "

Signed
AAH

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পদক পরিচয় ও মহাপ্রদত্ত বিভাগ
সকল পরিচয় ও মোহাম্মাদ
পদক পরিচয় ও মোহাম্মাদ

The Goods covered by this Tendering process shall require to be delivered in accordance with this Delivery and Completion Schedule. No credit will be given for earlier completion.

This Price and Delivery Schedule for Goods (Form e-PG3-3A) is Electronically Signed by Mr. Shafiq zaman on behalf of Partex Furniture Industries Limited

RFL Plastics Limited

Price and Delivery Schedule for Goods (Form e-PG3-3A)

Note 1: Delivery period starts from the date of contract signing.

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1.1	TYPE A : HIGH BACK FULL LEATHER CHAIR (Minister's Room, Imported): Best quality high back Presidential revolving chair with tilting facility made of foam cushioning with best quality leather upholstery upon a contoured high back shell for lumber support ply thickness 18mm and foam thickness 120mm. Leg & Arms are made of aluminum & imported casting. Also the armed covered by foam cushioning with Leather. Height Adjustable gas lift with Stainless Steel leg base with five nos nylon casters. Size: Seat : 560x560mm (inside to inside) 640x570 mm(outside to outside) Back : 560x570 mm , Floor to Seat height : 520mm Floor to Back height : 1250 mm (10% +-) Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	1.000	at site	120	Foreign	36460.001	Thirty-Six Thousand Four Hundred and Sixty point Zero Zero One	36460.001	Thirty-Six Thousand Four Hundred and Sixty point Zero Zero One
1.2	TYPE A1 : MEDIUM BACK LEATHER CHAIR (Minister's Room Visitor's Chair) A most comfortable Fixed Visitor chair to be constructed by U-Shape 25 mm dia Chrome plated structure. As required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality Rexene upholstery on top and Rexene on back with jacket foam. Armrest Made of aluminum color imported PVC with Rexene upholstery. Size: Floor to Seat Height- 475 Seat To Back Height 500 Total length L535 X W520 X H1000mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	4.000	at site	120	Bangladesh	17780.001	Seventeen Thousand Seven Hundred and Eighty point Zero Zero One	71120.004	Seventy-One Thousand One Hundred and Twenty point Zero Zero Four
1.3	TYPE B : HIGH BACK LEATHER ERGONOMIC CHAIR (Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Megistrate) A most comfortable revolving and swiveled executive chair with full slipping & constructed with tilting facility, Limber support back rest with hazard free hydraulic lifting and back lock facility as required. 2.5" thick Poly foam cushioning seat and 2" thick poly foam cushioning back with 16mm wooden shell and covered with best quality pure leather upholstery on top and Rexene on back with jacket foam. A 90mm gas cylinder used for hydraulically height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure covered by wooden on cast leg with five castors. Width and smooth wooden armrest which is colored by high quality lacquer polish. Seat: 525x530 mm, Back: 520x570 mm, Height: Floor to Seat: 425 mm & Floor to Back: 1100mm Standard: ISO9001:2008 Identification Mark: Hologram and Monogram sticker of Manufacturer Packing: Poly Pack	Nos	15.000	at site	120	Bangladesh	51460.001	Fifty-One Thousand Four Hundred and Sixty point Zero Zero One	771900.015	Seven Lakh Seventy-One Thousand Nine Hundred point Zero One Five
	TYPE B1 : MEDIUM BACK ERGONOMIC CHAIR (Visitor's Chair for Director, Deputy Director, Secretary, Engineer, Programmer, Manager, Megistrate) Best quality medium back fixed type chair, made of 19 mm Dia Stainless steel Structure foam									

Signed
AAM
কাজী আব্দুল আল-মামুন
মোজাম্মার
সহকারী পরিচালক ও মহাপ্রকৃত বিভাগ
সরকার পল্লিবিদ্যে ও সেতু মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

1.4	cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood . Arms are Stainless steel with Wooden combination on top Teak wooden top color finished by UV Lacquer. Size: Seat: 440x455 mm (Approx.) Back: 440x530 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 875 mm Handle to Handle: 525mm (Approx.) Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.	Nos	34.000	at site	120	Bangladesh	8890.001	Eight Thousand Eight Hundred and Ninety point Zero One	302260.034	Lakh Two Thousand Two Hundred and Sixty point Zero Three Four
1.5	TYPE C : HIGH BACK PU CHAIR (Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Modern design prime quality hydrolytic system height adjustable head rest facility system revolving chair with tilting facility. Structure made of SS chrome. Adjustable arms are made of soft PVC. Leg with 5nos heavy duty castors are made of PVC. Seat foam cushioning covered with best quality Imported mesh Fabric & back side half round shaped fabricated by imported PVC with net fabric for air passing facility. Also the back of chair having a back bone support for long time seating environment. Size: Seat-500x510 mm and Back - 530 x 780mm. Floor to seat height : 510 mm floor to back : height: 1220 mm Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Packing: Poly Pack.	Nos	23.000	at site	120	Bangladesh	17780.001	Seventeen Thousand Seven Hundred and Eighty point Zero One	408940.023	Four Lakh Eight Thousand Nine Hundred and Forty point Zero Two Three
1.6	TYPE C1 : LOW BACK PU CHAIR (Visitor's Chair for Assistant Director, Assistant Engineer, Assistant Programmer, Assistant Manager) Best quality pneumatically Height adjustable low Back Revolving Chair with tilting facility. Structure made of MIG welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. PVC armrests are fixed with seat covered with foam cushioning mesh fabric upholstery and back net fabric for air passing system. SS Chrome plated Leg base with high quality smooth wheel. Size: seat 460x460 mm and back 440x530 mm, floor to seat 420-510 mm, floor to back 905-995mm. Standard: ISO 9001-2008 Identification mark : Hologram and Monogram Sticker	Nos	46.000	at site	120	Bangladesh	8590.001	Eight Thousand Five Hundred and Ninety point Zero One	395140.046	Three Lakh Ninety-Five Thousand One Hundred and Forty point Zero Four Six
1.7	TYPE D : MEDIUM BACK CHAIR (Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Prime quality hydraulic height adjustable Medium back Revolving Chair with Gas lift & tilting facility. Structure made of Mg welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. Arms are made of nonmagnetic stainless steel with wooden combination. Leg base made of nonmagnetic stainless steel with 5nos. castors are made of high quality imported Nylon. Foam cushioning covered with best quality imported soft Rexene upholstery on 12 mm thick garjon plywood shell. Size: Seat- 510x500 and Back - 460 x 580 mm. (Approx.) Floor to Seat : 550 , Back : 1090 mm (Approx.) Full All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	120.000	at site	120	Bangladesh	15000.001	Fifteen Thousand point Zero Zero One	1800000.120	Eighteen Lakh point One Two
1.8	TYPE D1 : LOW BACK CHAIR (Visitor's Chair for Officer, Senior Computer Operator, Computer Operator, Librarian, Information, Public Service Outlet, PO/PS to Minister, Chairman, Director, Deputy Director, Secretary, Engineer, Reception, PO/PS to Assistant Director, Engineer, Programmer, Manager) Best quality low back fixed type chair, made of 19 mm flattened Stainless steel Structure foam cushioning with best quality Imported Rexene upholstery upon a construct on 12 mm thick garjon plywood and foam 30mm thickness. Arms are Stainless steel. All structure chemically	Nos	52.000	at site	120	Bangladesh	5630.001	Five Thousand Six Hundred and Thirty point Zero	29276	

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রাচীর বিভাগ
পাবনা পুলিশ ও চৌকি মহাপ্রাচীর
পাবনা জেলা পুলিশ বাংলাদেশ সরকার

	degusted zinc phosphate. Size: Seat: 430x450 mm (Approx.) Back: 430x520 mm (Approx.) Floor to Seat: 450 mm Floor to Back: 850 mm Handle to Handle: 520mm Standard: ISO9001:2008 Identification Mark: Monogram Sticker Packing : Poly Pack.							point Zero Zero One		and Six point Zero Five Two
1.9	TYPE E : 4 LEG FIXED CHAIR (DINING CHAIR) Best quality fixed chair structure made of 1.2 thick 19mm round SS tube. Seat & back made by commercial garjon wood veneered what is cold water resistant; face/surface made of teak wood veneered what is pest control treatment by using chemicals for fungus free. Middle part of the seat covered by 3mm ply with 12 mm foam & best quality imported fabric for comfortable sitting arrangement Size: Seat: 410 x 400mm. Back: 440 x 470mm. Standard: ISO 9001:2000 Packing : Poly Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	80.000	at site	120	Bangladesh	3200.001	Three Thousand Two Hundred point Zero Zero One	256000.080	Two Lakh Fifty-Six Thousand point Zero Eight
1.10	TYPE F : TENDEN SEATING (PUBLIC SERVICE COUNTER, LOUNGE SEATING) Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 38x38mm tubular MS Colum bar. Two armrests and U channel type leg base are of 1.2mm thick SS with floor adjustable stopper. Each Seat : 450 x 420 mm Back : 450x450 mm Height : Floor to Seat : 390mm Floor to Back : 860mm Overall size: L-1670xW-490xH-890mm. (out to out L-1800mm) Standard: ISO 9001:2008 Packing: Carton Pack. a) Three Seater	Nos	23.000	at site	120	Bangladesh	31390.001	Thirty-One Thousand Three Hundred and Ninety point Zero Zero One	721970.023	Seven Lakh Twenty- One Thousand Nine Hundred and Seventy point Zero Two Three
1.11	TYPE G : CHAIR WITH WRITING PAD (CLASS ROOM CHAIR) Best quality Class room chair with folding system writing pad and fixed basket underneath. Structure made of 22mm dia 1.2 mm thickness mild steel round tube. Seat & back made of 11 mm thick veneered shell, banded by hot press with high temperature & pressure. Writing pad (Size-534x280 mm) made of 18 mm Laminated Board. Writing pad fixed at right side on main leg structure by 19 mm mild steel round tube with MS clamp for load bearing support of writing pad. Seat covered by 3mm ply with 12 mm foam & Rexene for comfortable sitting arrangement. Basket made by 12x1 mm round tube, fixing with four legs for usage store of user. All metal item chemically de-rusted & zinc phosphate coated oven backed (150°-200°c) electro-static powder paint finished mild steel structure with PVC stopper. Size: Seat: 465 x 440mm. Back: 415 x 455mm. Floor to Seat Height- 465 mm Seat to Back Height 450 mm Floor to Back : 900 mm Standard : ISO9001: 2008 Packing: Poly Pack.	Nos	45.000	at site	120	Bangladesh	2830.001	Two Thousand Eight Hundred and Thirty point Zero Zero One	127350.045	One Lakh Twenty- Seven Thousand Three Hundred and Fifty point Zero Four Five
1.12	TYPE H : CHAIR WITH ARMS (LIBRARY CHAIR, VIRTUAL CALL CENTER, COMPUTER LAB CHAIR, MULTIPURPOSE HALL) Fixed Chair with arm-rest. Flattened or Tapering Back Legs and straight front leg Structure made of 18mm dia cold rolled Mild Steel with PVC stopper. Foam cousin seat and back rest (oval shape) made of best quality plywood and covered with high quality Mesh Fabric upholstery. Bottom of the seat covered with poplin cloth and fixed by stapler. Seat fixed on MS structure and back fixed by MS clamp. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Half Round shaped Arms are made of high quality imported PVC, Height : Floor to Seat ? 410mm, Floor to Back ? 800mm Standard : ISO9001:2008	Nos	212.000	at site	120	Bangladesh	6770.001	Six Thousand Seven Hundred and Seventy point Zero Zero One	143524	Fourteen Lakh Thirty-Five

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পত্রিক পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
পত্রিক পরিদপ্তর ও পোষ্ট মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Identification mark : Hologram and Monogram Sticker of manufacturer Packing: Poly pack.									
1.13	TYPE I : MEDIUM BACK LEATHER CHAIR (CONFERENCE ROOM, MINI CONFERENCE ROOM CHAIR) Prime Quality Pure Leather upholstery medium back executive revolving chair. Structure made of zinc phosphate coated oven backed powder paint finish mild steel. Chrome plated polymer cast leg with 5nos castors. High quality PVC handles. Fully revolving and back tilt facility. Hydraulically height adjustable mechanism. Foam cushioning seat and back pasted on L shaped ply wood. Comfortable PVC armrest to be fixing by detachable screw. Back side of the back covered by Rexene upholstery. All complete by Slitting Machine. Shearing Machine, Notching Machine, Banding Machine & Power press nailing. Size : Seat : 520x520mm Back : 520x710mm Floor to Seat : 500 mm Floor Back : 1180mm Standard : ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Poly Pack.	Nos	73.000	at site	120	Bangladesh	23550.001	Twenty-Three Thousand Five Hundred and Fifty point Zero Zero One	1719150.073	Seventeen Lakh Nineteen Thousand One Hundred and Fifty point Zero Seven Three
								Grand Total:	8338290.728	Eighty-Three Lakh Thirty-Eight Thousand Two Hundred and Ninety point Seven Two Eight

The Goods covered by this Tendering process shall require to be delivered in accordance with this Delivery and Completion Schedule. No credit will be given for earlier completion.

This Price and Delivery Schedule for Goods (Form e-PG3-3A) is Electronically Signed by Mr. Mahbubur Rahman on behalf of RFL Plastics Limited

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	NID 110043 for authorise person.pdf	240.35	 Download
2	-	NID for the owner.pdf	724.43	 Download

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

ABOUT TRUST ONLINE

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAR
কাজী আব্দুল আল-মামুন
স্বাক্ষরকারী
পদক পরিচয় ও মহাপ্রতীক বিভাগ
স্বাক্ষর পরিচয় ও সীল মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

Individual Report

[Print](#)
[Save As PDF](#)
[Go Back To Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
Closing Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

Invitation Reference No. : DZ(e-GP)-01/GoB/2017-2018
Opening Date and Time : 30-Jul-2017 12:00

[View Notice](#)

Package No	Package Description
DZe-GP-01/GoB/2017-2018	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Akhtar Furnishers Ltd

Price and Delivery Schedule for Related Services (Form e-PG3-3B)

Note 1: Delivery period starts from the date of contract signing.

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1	xxx	yy	1	a	1	Bangladesh	1.001	One point Zero Zero One	1.001	One point Zero Zero One
							Grand Total:		1.001	One point Zero Zero One

This Price and Delivery Schedule for Related Services (Form e-PG3-3B) is Electronically Signed by Mr. Jayed Ahmed on behalf of Akhtar Furnishers Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Credit Line-110043.jpg	1274.57	Download
2	-	Warranty Certificate-110043.jpg	1547.05	Download
3	-	Showroom List-1.jpg	2127.50	Download
4	-	Showroom List-2.jpg	1181.81	Download

Delco Business Associate Ltd

Price and Delivery Schedule for Related Services (Form e-PG3-3B)

Note 1: Delivery period starts from the date of contract signing.

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1	xxx	yy	1	a	1	N/A	0.001	Zero point Zero Zero One	0.001	Zero point Zero Zero One
							Grand Total:		0.001	Zero point Zero Zero One

This Price and Delivery Schedule for Related Services (Form e-PG3-3B) is Electronically Signed by Mr. Md. Murad Hassan on behalf of Delco Business Ass

Hatil Complex Ltd
Price and Delivery Schedule for Related Services (Form e-PG3-3B)
Note 1: Delivery period starts from the date of contract signing.

Signed

AAH

কাজী আব্দুল্লাহ আল-মামুন
 চেয়ারম্যান
 শ্রদ্ধা পরিষদ ও মহাপ্রদিক বিভাগ
 শ্রদ্ধা পরিষদ ও শ্রদ্ধা পরিষদ
 বাংলাদেশ সরকার

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1	xxx	yy	1	a	1	Bangladesh and China	1.001	One point Zero Zero One	1.001	One point Zero Zero One
								Grand Total:	1.001	One point Zero Zero One

This Price and Delivery Schedule for Related Services (Form e-PG3-3B) is Electronically Signed by Mr. Alam Mohd on behalf of Hatil Complex Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Delivery schedule of 110043.pdf	34.07	 Download

Legacy Furniture (Pvt.) Ltd.

Price and Delivery Schedule for Related Services (Form e-PG3-3B)

Note 1: Delivery period starts from the date of contract signing.

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1	xxx	yy	1	a	1	DHAKA	0.001	Zero point Zero Zero One	0.001	Zero point Zero Zero One
								Grand Total:	0.001	Zero point Zero Zero One

This Price and Delivery Schedule for Related Services (Form e-PG3-3B) is Electronically Signed by Mr. Amer Karim on behalf of Legacy Furniture (Pvt.) Ltd.

Partex Furniture Industries Limited

Price and Delivery Schedule for Related Services (Form e-PG3-3B)

Note 1: Delivery period starts from the date of contract signing.

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1	xxx	yy	1	a	1	Bangladesh/China/Malaysia	0.001	Zero point Zero Zero One	0.001	Zero point Zero Zero One
								Grand Total:	0.001	Zero point Zero Zero One

This Price and Delivery Schedule for Related Services (Form e-PG3-3B) is Electronically Signed by Mr. Shafiq zaman on behalf of Partex Furniture Industries Limited

RFL Plastics Limited

Price and Delivery Schedule for Related Services (Form e-PG3-3B)

Note 1: Delivery period starts from the date of contract signing.

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
1	xxx	yy	1	a	1	Bangladesh and Foreign	0.001	Zero point Zero Zero One	0.001	Zero point Zero Zero One
								Grand Total:	0.001	Zero point Zero Zero One

This Price and Delivery Schedule for Related Services (Form e-PG3-3B) is Electronically Signed by Mr. Mahbubur Rahman on behalf of RFL Plastics Limited

S. No.	Mapped Document Name	File Name	File Size(In Kb)
--------	----------------------	-----------	------------------

Signed
AAR

কাজী আব্দুল্লাহ আল-মাহমুদ
মোহাম্মাদ
স্বাক্ষরিত ও স্বাক্ষরিত বিভাগ
স্বাক্ষর পত্রিকার ও মোহাম্মাদ
মোহাম্মাদ আল-মাহমুদ সরকার

1	-	Company Profile Cer-110043.pdf	254.47	 Download
2	-	Relation Between RPL and Regal Fur 110043.pdf	419.87	 Download

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

ABOUT TRUST ONLINE

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM
কাজী আব্দুল্লাহ আল-মামুন
প্রোগ্রামার
নতুন পরিষদ ও মহাপ্রকৃতি বিভাগ
নতুন পরিষদ ও নতুন মহাপ্রকৃতি
নতুন পরিষদ ও নতুন মহাপ্রকৃতি

Individual Report

[Print](#)
[Save As PDF](#)
[Go Back To Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
Closing Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)

Package No	Package Description
DZe-GP-01/GoB/2017-2018	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Akhtar Furnishers Ltd

PART 2 : TABLE

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
2.1	TYPE A : Presidential Table (MINISTER'S ROOM) Table top made of Sandwich type table top(25+38+18) 81 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Side Panel 75 mm thick. Attached side rack having one fixed drawer unit consists of 3 drawers with central lock and Knobs & another side open shelf with two part door cabinet & clocking system. outside of the side rack having two no's open shelf & one door cabinet . Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-2100 x W-1000 mm Side Rack : L-2350 mm W-500 mm H-600 mm Overall Table Size : 2100 x1000-2350 x 750 mm Back Cabinet: Back Cabinet made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Left side Full height door cabinet inside SS hanger tube & two shelves. Other side bottom part having 2 x2 = 4 no's door cabinet & upper part having Zic Zac Shelf for Display file or books. Size : 2100x450x 1800 mm Standard: ISO 9001:2008 Packing: Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	No	1.000	at site	120	Bangladesh	92935.001	Ninety-Two Thousand Nine Hundred and Thirty-Five point Zero Zero One	92935.001	Ninety-Two Thousand Nine Hundred and Thirty-Five point Zero Zero One
2.2	Type-B : Senior Executive Table (Engineer, Director, Deputy Director, Secretary, Programmer, Manager, Asst-1,2,3, Magistrate) Senior Executive Table top stand on 04 No's 38 mm Dia 1.2 mm thick Stainless Steel Pipe . Table top 25 mm thick other panels 16 & 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Two Side Panel 50 mm thick . One Fixed Drawer unit consists of 3 drawers with central lock and Knobs. Front Panel of the table having hole type decorative design. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-1800 x W-800 mm Side Rack : L-800+400 =1200 mm W-400 mm H-625 mm Back Cabinet: Back Cabinet with sliding door	Nos	16.000	at site	120	Bangladesh	63964.001	Sixty-Three Thousand Nine Hundred and Sixty-Four point Zero Zero One	102342	Ten Lakh Twenty-

Signed
 AAH
 কাজী আব্দুল আল-মামুন
 চেয়ারম্যান
 শ্রদ্ধা পরিষদ ও মহাপ্রদিক বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

	made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : 350x350x525 mm Overall Table Size : 1650 x1200x750 mm Standard: ISO 9001:2008 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.									
2.3	Type C : Executive Table (Asst. Director, Asst. Manager, Asst. Engineer, Asst. Programmer) Executive Table made of table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Table top 25 mm & other panel 16/ 18 mm thickness . Front of the Table top semi curved & other side is straight. Work top having detachable (600x400 mm) pvc writing pad . 3nos 25mm dia and 1112mm longitude SS tube to be fixed on front panel of the table. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin , PVC Stopper with UV lacquer finish , etc. Size : L-1800 x W800 Side Rack : Moveable Side Rack for Executive Table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper. One drawer (330x150mm) with lock and SS knob and One Door (330x510mm) with lock and SS knob in left side of the table and 685mm length 2nos open shelf in right side. Fully knock down system. Size : L-1050 x W400 x H750mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : Moveable Drawer unit, made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper and consisting of 3nos drawer with PVC handle and central locking facility. Drawers are fixed on heavy duty MS Channels. Size: L400x W470 x H660mm. Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	22.000	at site	120	Bangladesh	72646.001	Seventy-Two Thousand Six Hundred and Forty-Six point Zero Zero One	1598212.022	Fifteen Lakh Ninety-Eight Thousand Two Hundred and Twelve point Zero Two Two
2.4	Type D : Executive Table (PS to Chairman, Mnister, PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Senior Computer Operator, Customer Service Office, Trainer, LH CAB, Information / Helpdesk, Officer, Computer Operator, Librarian, Public Service, KOICA other staff) Executive Table made of Sandwich type table top(18+12+18) 48 mm thick other panels 18 & 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. One Fixed Drawer unit consists of 3 drawer with central lock and Knobs. One Side Rack Top 25 mm thick (one side open with shelf and one side covered by 1nos door with lock & knobs) fixed with the table. Side Rack and Drawer unit to be join with one horizontal panel in front. Top of the table fixed on 4 Nos 32 mm dia SS Round Pipe structure. Front of Table top is straight and another side slightly curve. Table to be stands on 10nos. heavy duty PVC stopper. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: Table : L1500 x W750 x H750mm Side Rack : 1750x400x630 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver. Size : 1200 x430x750 mm Drawer Unit : 450x550x635 mm Standard: ISO 9001:2000 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	120.000	at site	120	Bangladesh	34913.001	Thirty-Four Thousand Nine Hundred and Thirteen point Zero Zero One	4189560.120	Forty-One Lakh Eighty-Nine Thousand Five Hundred and Sixty point One Two
2.5	TYPE- E : CONFERENCE TABLE Supply of Modular Conference Table (39 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each	No	1.000	at site	120	Bangladesh	443587.001	Four Lakh Forty-Three Thousand Five Hundred and Eighty-	44358	



Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 নতুন পরিচয় ও মহাপ্রকৃতি বিভাগ
 নতুন পরিচয় ও নতুন মহাপ্রকৃতি
 বাংলাদেশ সরকার

	table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-11700 xW-2100xH-760 mm Standard : ISO 9001:2008 Packing: Carton Pack.							Seven point Zero Zero One		Seven point Zero Zero One
2.6	TYPE- F : MINI CONFERENCE TABLE Supply of Modular Conference Table (8 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-3600 xW-1400xH-770 mm Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	7.000	at site	120	Bangladesh	111356.001	One Lakh Eleven Thousand Three Hundred and Fifty-Six point Zero Zero One	779492.007	Seven Lakh Seventy-Nine Thousand Four Hundred and Ninety-Two point Zero Zero Seven
2.7	TYPE- G : CALL CENTER, COMPUTER LAB / CONTROL ROOM Computer Table made of imported high quality scratch proof and termite proof 16mm thick Alvino oak color melamine laminated wood particleboard with PVC edging. Table to be consist of one drawer in right side with high quality lock and MS Channel, one standard keyboard tray & one tray to store papers with high quality MS channel in left side. One vertical Support fixed in between Treys and Drawer and on a bottom shelf. A horizontal tie fixed on bottom shelf in back. Provision for CPU and UPS on lower shelf, Monitor and printer on top of the table. 5nos wheel (2of them are breakable) with a load bearing horizontal LB support in bottom shelf .Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin etc. Size : L1050 xW600 xH750mm. Standard: ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton Pack.	Nos	16.000	at site	120	Bangladesh	6048.001	Six Thousand AND Forty-Eight point Zero Zero One	96768.016	Ninety-Six Thousand Seven Hundred and Sixty-Eight point Zero One Six
2.8	TYPE- H : CAFETERIA ROUND DINING TABLE, RETIRING SPACE Cafeteria/ Discussion table with 5 mm thick clear glass , structure made of 1.2 mm thick 75 mm dia Ø high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Table top made of 25 mm thick Woodtex particle board with 2 mm thick Formica pasted . Table top fixed on 4nos 38x38 MS box middle part of structure 75 mm dia MS Pipe & bottom part 38x38mm semi round 4 nos. cross bar & 1" Floor adjustable stopper. All complete by slitting machine. Shearing machine, notching machine, banding Machine etc. Size: Dia Ø 1050 mm H-750mm Standard: ISO 9001:2008 Packing: Packing: carton pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	10.000	at site	120	Bangladesh	7110.001	Seven Thousand One Hundred and Ten point Zero Zero One	71100.010	Seventy-One Thousand One Hundred point Zero One
2.9	TYPE- I : CAFETERIA RECTENGULAR SHAPE DINING TABLE, READING TABLE, RETIRING SPACE Cafeteria table made of 30mm dia MS tubular structure with floor adjustable stopper and with 32mm thick table top is of water proof Formica pasted on chip board with PVC edging. All surfaces of mild steel parts are chemically de-rusted zinc phosphate coated oven backed powder paint finish. Each legs are constructed by three nos. 30mm dia MS Tube. Top fixed on MS structure. End of all MS tubes are sealed with PVC inner Cap. Size: 1675 x990 x775mm(10%+-) Packing: carton and polypack. Identification mark: Hologram and monogram sticker of manufacturer.	Nos	16.000	at site	120	Bangladesh	7715.001	Seven Thousand Seven Hundred and Fifteen point Zero Zero One	123440.016	One Lakh Twenty-Three Thousand Four Hundred and Forty point Zero One Six
								Grand Total:	84185	

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 শ্রমিক পরিষদ ও মহাপ্রকৃতি বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

point Two
Zero Nine

This PART 2 : TABLE is Electronically Signed by Mr. Jayed Ahmed on behalf of Akhtar Furnishers Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Specification-1.jpg	1938.05	Download
2	-	Specification-2.jpg	1902.49	Download
3	-	Specification-3.jpg	1831.31	Download
4	-	Specification-4.jpg	2172.05	Download
5	-	Specification-5.jpg	1788.40	Download
6	-	Specification-6.jpg	1900.09	Download
7	-	Specification-7.jpg	2139.98	Download
8	-	Specification-8.jpg	1593.43	Download
9	-	Specification-9.jpg	2137.67	Download
10	-	Specification-10.jpg	2123.49	Download
11	-	Specification-11.jpg	2080.25	Download
12	-	Specification-12.jpg	1871.47	Download
13	-	Specification-13.jpg	1979.71	Download
14	-	Specification-14.jpg	1550.29	Download
15	-	Specification-15.jpg	2062.92	Download
16	-	Specification-16.jpg	1971.58	Download
17	-	Specification-17.jpg	1847.08	Download
18	-	Specification-18.jpg	1969.99	Download
19	-	Specification-19.jpg	1965.57	Download
20	-	Specification-20.jpg	1924.08	Download
21	-	Specification-21.jpg	1040.53	Download

Delco Business Associate Ltd

PART 2 : TABLE

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
2.1	TYPE A: Presidential Table (MINISTER'S ROOM) Table top made of Sandwich type table top(25+38+18) 81 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Side Panel 75 mm thick. Attached side rack having one fixed drawer unit consists of 3 drawers with central lock and Knobs & another side open shelf with two part door cabinet & clocking system. outside of the side rack having two no's open shelf & one door cabinet . Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-2100 x W-1000 mm Side Rack : L-2350 mm W-500 mm H-600 mm Overall Table Size : 2100 x1000-2350 x 750 mm Back Cabinet: Back Cabinet made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Left side Full height door cabinet inside SS hanger tube & two shelves. Other side bottom part having 2 x2 = 4 no's door cabinet &	No	1.000	at site	120	SUNON, China	218970.001	Two Lakh Eighteen Thousand Nine Hundred and Seventy point Zero One	218970.001	Two Lakh Eighteen Thousand Nine Hundred and Seventy point Zero One

Signed
AAH

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পতন পরিচালক ও মহাপ্রকৃত বিভাগ
সকল পরিচালক ও সেক্রেটারি
পল্লীকাজী বাংলাদেশ সরকার

	upper part having Zic Zac Shelf for Display file or books. Size : 2100x450x 1800 mm Standard: ISO 9001:2008 Packing: Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.									
2.2	Type-B : Senior Executive Table (Engineer, Director, Deputy Director, Secretary, Programmer, Manager, Asst-1,2,3, Magistrate) Senior Executive Table top stand on 04 No's 38 mm Dia 1.2 mm thick Stainless Steel Pipe . Table top 25 mm thick other panels 16 & 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Two Side Panel 50 mm thick . One Fixed Drawer unit consists of 3 drawers with central lock and Knobs. Front Panel of the table having hole type decorative design. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-1800 x W-800 mm Side Rack : L-800+400 =1200 mm W-400 mm H-625 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : 350x350x525 mm Overall Table Size : 1650 x1200x750 mm Standard: ISO 9001:2008 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	16.000	at site	120	SUNON, China	95715.001	Ninety-Five Thousand Seven Hundred and Fifteen point Zero Zero One	1531440.016	Fifteen Lakh Thirty-One Thousand Four Hundred and Forty point Zero One Six
2.3	Type C : Executive Table (Asst. Director, Asst. Manager, Asst. Engineer, Asst. Programmer) Executive Table made of table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Table top 25 mm & other panel 16/ 18 mm thickness . Front of the Table top semi curved & other side is straight. Work top having detachable (600x400 mm) pvc writing pad . 3nos 25mm dia and 1112mm longitude SS tube to be fixed on front panel of the table. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin , PVC Stopper with UV lacqure finish , etc. Size : L-1800 x W800 Side Rack : Moveable Side Rack for Executive Table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper. One drawer (330x150mm) with lock and SS knob and One Door (330x510mm) with lock and SS knob in left side of the table and 685mm length 2nos open shelf in right side. Fully knock down system. Size : L-1050 x W400 x H750mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : Moveable Drawer unit, made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper and consisting of 3nos drawer with PVC handle and central locking facility. Drawers are fixed on heavy duty MS Channels. Size: L400x W470 x H660mm. Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	22.000	at site	120	SUNON, China	95715.001	Ninety-Five Thousand Seven Hundred and Fifteen point Zero Zero One	2105730.022	Twenty-One Lakh Five Thousand Seven Hundred and Thirty point Zero Two Two
2.4	Type D : Executive Table (PS to Chairman, Mnister, PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Senior Computer Operator, Customer Service Office, Trainer, LH CAB, Information / Helpdesk, Officer, Computer Operator, Libraian, Public Service, KOICA other staff) Executive Table made of Sandwich type table top(18+12+18) 48 mm thick other panels 18 & 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. One Fixed Drawer unit consists of 3 drawer with central lock and Knobs. One Side Rack Top 25 mm thick (one side open with shelf and one side covered by 1nos door with lock & knobs) fixed with the table. Side Rack and Drawer unit to be join with one horizontal panel in front. Top of the table fixed on 4 Nos 32 mm dia SS Round Pipe structure. Front of Table top is straight and another side slightly curve. Table to be stands on 10nos. heavy duty PVC stopper. Fully knock down system by using of	Nos	120.000	at site	120	SUNON, China	53775.001	Fifty-Three Thousand Seven Hundred and Seventy-Five point Zero Zero	645300	Signe AAM কাজী আব্দুল্লাহ আল-মোহাম্মাদ

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
পাবনা পরিদপ্তর ও পোহা মহাপ্রকৃতি
পাবনা পরিদপ্তর ও পোহা মহাপ্রকৃতি

	PVC stopper. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: Table : L1500 xW750 xH750mm Side Rack : 1750x400x630 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber. Size : 1200 x430x750 mm Drawer Unit : 450x550x635 mm Standard: ISO 9001:2000 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.							One		
2.5	TYPE- E : CONFERENCE TABLE Supply of Modular Conference Table (39 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-11700 xW-2100xH-760 mm Standard : ISO 9001:2008 Packing: Carton Pack.	No	1.000	at site	120	SUNON, China	342000.001	Three Lakh Forty-Two Thousand point Zero Zero One	342000.001	Three Lakh Forty-Two Thousand point Zero Zero One
2.6	TYPE- F : MINI CONFERENCE TABLE Supply of Modular Conference Table (8 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-3600 xW-1400xH-770 mm Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	7.000	at site	120	SUNON, China	99540.001	Ninety-Nine Thousand Five Hundred and Forty point Zero Zero One	696780.007	Six Lakh Ninety-Six Thousand Seven Hundred and Eighty point Zero Zero Seven
2.7	TYPE- G : CALL CENTER, COMPUTER LAB / CONTROL ROOM Computer Table made of imported high quality scratch proof and termite proof 16mm thick Alvino oak color melamine laminated wood particleboard with PVC edging. Table to be consist of one drawer in right side with high quality lock and MS Channel, one standard keyboard tray & one tray to store papers with high quality MS channel in left side. One vertical support fixed in between Treys and Drawer and on a bottom shelf. A horizontal tie fixed on bottom shelf in back. Provision for CPU and UPS on lower shelf, Monitor and printer on top of the table. 5nos wheel (2of them are breakable) with a load bearing horizontal LB support in bottom shelf. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin etc. Size : L1050 xW600 xH750mm. Standard: ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton Pack.	Nos	16.000	at site	120	SUNON, China	14805.001	Fourteen Thousand Eight Hundred and Five point Zero Zero One	236880.016	Two Lakh Thirty-Six Thousand Eight Hundred and Eighty point Zero One Six
2.8	TYPE- H : CAFETERIA ROUND DINING TABLE, RETIRING SPACE Cafeteria/ Discussion table with 5 mm thick clear glass , structure made of 1.2 mm thick 75 mm dia Ø high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Table top made of 25 mm thick Woodtex particle board with 2 mm thick Formica pasted . Table top fixed on 4nos 38x38 MS box middle part of structure 75 mm dia MS Pipe & bottom part 38x38mm semi round 4 nos. cross bar & 1" Floor adjustable stopper. All complete by slitting machine. Shearing machine, notching machine, banding Machine etc. Size: Dia Ø 1050 mm H-750mm Standard: ISO 9001:2008 Packing: Packing: carton pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	10.000	at site	120	SUNON, China	12915.001	Twelve Thousand Nine Hundred and Fifteen point Zero Zero One	129150.010	One Lakh Twenty-Nine Thousand One Hundred and Fifty point Zero
	TYPE- I : CAFETERIA RECTANGULAR SHAPE DINING TABLE, READING TABLE, RETIRING									

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
পাবনা পরিদপ্তর ও পোতাধিকার
পাবনা পরিদপ্তর ও পোতাধিকার

2.9	SPACE Cafeteria table made of 30mm dia MS tubular structure with floor adjustable stopper and with 32mm thick table top is of water proof Formica pasted on chip board with PVC edging. All surfaces of mild steel parts are chemically de-rusted zinc phosphate coated oven backed powder paint finish. Each legs are constructed by three nos. 30mm dia MS Tube. Top fixed on MS structure. End of all MS tubes are sealed with PVC inner Cap. Size: 1675 x 990 x 775mm (10%+-) Packing: carton and poly pack. Identification mark: Hologram and monogram sticker of manufacturer.	Nos	16.000	at site	120	SUNON, China	37395.001	Thirty-Seven Thousand Three Hundred and Ninety-Five point Zero Zero One	598320.016	Five Lakh Ninety-Eight Thousand Three Hundred and Twenty point Zero One Six
								Grand Total:	12312270.209	One Crore Twenty-Three Lakh Twelve Thousand Two Hundred and Seventy point Two Zero Nine

This PART 2 : TABLE is Electronically Signed by Mr. Md. Murad Hassan on behalf of Delco Business Associate Ltd

Hatil Complex Ltd										
PART 2 : TABLE										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
2.1	TYPE A: Presidential Table (MINISTER'S ROOM) Table top made of Sandwich type table top(25+38+18) 81 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Side Panel 75 mm thick. Attached side rack having one fixed drawer unit consists of 3 drawers with central lock and Knobs & another side open shelf with two part door cabinet & clocking system. outside of the side rack having two no's open shelf & one door cabinet. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-2100 x W-1000 mm Side Rack : L-2350 mm W-500 mm H-600 mm Overall Table Size : 2100 x 1000-2350 x 750 mm Back Cabinet: Back Cabinet made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Left side Full height door cabinet inside SS hanger tube & two shelves. Other side bottom part having 2 x 2 = 4 no's door cabinet & upper part having Zic Zac Shelf for Display file or books. Size : 2100x450x1800 mm Standard: ISO 9001:2008 Packing: Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	No	1.000	at site	120	Bangladesh	116922.001	One Lakh Sixteen Thousand Nine Hundred and Twenty-Two point Zero Zero One	116922.001	One Lakh Sixteen Thousand Nine Hundred and Twenty-Two point Zero Zero One
2.2	Type-B : Senior Executive Table (Engineer, Director, Deputy Director, Secretary, Programmer, Manager, Asst-1,2,3, Magistrate) Senior Executive Table top stand on 04 No's 38 mm Dia 1.2 mm thick Stainless Steel Pipe . Table top 25 mm thick other panels 16 & 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Two Side Panel 50 mm thick . One Fixed Drawer unit consists of 3 drawers with central lock and Knobs. Front Panel of the table having hole type decorative design. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-1800 x W-800 mm Side Rack : L-800+400 =1200 mm W-400 mm	Nos	16.000	at site	120	Bangladesh	52000.001	Fifty-Two Thousand point Zero Zero One	83200	

Signed
AAM
কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পবিত্রমণ্ডল ও মহাপ্রদিক বিভাগ
সকল পরিচালন ও সোহ মরশালয়
পল্লভাঙ্গালী বাংলাদেশ সরকার

	H-625 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : 350x350x525 mm Overall Table Size : 1650 x1200x750 mm Standard: ISO 9001:2008 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.									
2.3	Type C : Executive Table (Asst. Director, Asst. Manager, Asst. Engineer, Asst. Programmer) Executive Table made of table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Table top 25 mm & other panel 16/ 18 mm thickness . Front of the Table top semi curved & other side is straight. Work top having detachable (600x400 mm) pvc writing pad . 3nos 25mm dia and 1112mm longitude SS tube to be fixed on front panel of the table. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin , PVC Stopper with UV lacquer finish , etc. Size : L-1800 xW800 Side Rack : Moveable Side Rack for Executive Table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper. One drawer (330x150mm) with lock and SS knob and One Door (330x510mm) with lock and SS knob in left side of the table and 685mm length 2nos open shelf in right side. Fully knock down system. Size : L-1050 xW400 xH750mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : Moveable Drawer unit, made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper and consisting of 3nos drawer with PVC handle and central locking facility. Drawers are fixed on heavy duty MS Channels. Size: L400xW470 xH660mm. Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	22.000	at site	120	Bangladesh	35642.001	Thirty-Five Thousand Six Hundred and Forty-Two point Zero Zero One	784124.022	Seven Lakh Eighty-Four Thousand One Hundred and Twenty-Four point Zero Two Two
2.4	Type D : Executive Table (PS to Chairman, Minister, PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Senior Computer Operator, Customer Service Office, Trainer, LH CAB, Information / Helpdesk, Officer, Computer Operator, Librarian, Public Service, KOICA other staff) Executive Table made of Sandwich type table top(18+12+18) 48 mm thick other panels 18 & 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. One Fixed Drawer unit consists of 3 drawer with central lock and Knobs. One Side Rack Top 25 mm thick (one side open with shelf and one side covered by 1nos door with lock & knobs) fixed with the table. Side Rack and Drawer unit to be join with one horizontal panel in front. Top of the table fixed on 4 Nos 32 mm dia SS Round Pipe structure. Front of Table top is straight and another side slightly curve. Table to be stands on 10nos. heavy duty PVC stopper. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: Table : L1500 xW750 xH750mm Side Rack : 1750x400x630 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver. Size : 1200 x430x750 mm Drawer Unit : 450x550x635 mm Standard: ISO 9001:2000 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	120.000	at site	120	Bangladesh	25000.001	Twenty-Five Thousand point Zero One	3000000.120	Thirty Lakh point One Two
2.5	TYPE- E : CONFERENCE TABLE Supply of Modular Conference Table (39 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness	No	1.000	at site	120	Bangladesh	670000.001	Six Lakh Seventy Thousand	67000	

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
সহকারী পরিচালক ও মহাপ্রকল্প পরিচালক
স্বতন্ত্র পরিচালক ও সচিব মহাপ্রকল্প
পল্লীজাতকর্মী বাংলাদেশ সরকার

	25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-11700 xW-2100xH-760 mm Standard : ISO 9001:2008 Packing: Carton Pack.							point Zero Zero One		point Zero Zero One
2.6	TYPE- F : MINI CONFERENCE TABLE Supply of Modular Conference Table (8 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm . power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-3600 xW-1400xH-770 mm Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	7.000	at site	120	Bangladesh	108420.001	One Lakh Eight Thousand Four Hundred and Twenty point Zero Zero One	758940.007	Seven Lakh Fifty- Eight Thousand Nine Hundred and Forty point Zero Zero Seven
2.7	TYPE- G : CALL CENTER, COMPUTER LAB / CONTROL ROOM Computer Table made of imported high quality scratch proof and termite proof 16mm thick Alvino oak color melamine laminated wood particleboard with PVC edging. Table to be consist of one drawer in right side with high quality lock and MS Channel, one standard keyboard tray & one tray to store papers with high quality MS channel in left side. One vertical Support fixed in between Treys and Drawer and on a bottom shelf. A horizontal tie fixed on bottom shelf in back. Provision for CPU and UPS on lower shelf, Monitor and printer on top of the table. 5 nos wheel (2 of them are breakable) with a load bearing horizontal LB support in bottom shelf. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin etc. Size : L1050 x W600 x H750mm. Standard: ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton Pack.	Nos	16.000	at site	120	Bangladesh	5000.001	Five Thousand point Zero Zero One	80000.016	Eighty Thousand point Zero One Six
2.8	TYPE- H : CAFETERIA ROUND DINING TABLE, RETIRING SPACE Cafeteria/ Discussion table with 5 mm thick clear glass , structure made of 1.2 mm thick 75 mm dia Ø high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Table top made of 25 mm thick Woodtex particle board with 2 mm thick Formica pasted . Table top fixed on 4 nos 38x38 MS box middle part of structure 75 mm dia MS Pipe & bottom part 38x38mm semi round 4 nos. cross bar & 1" Floor adjustable stopper. All complete by slitting machine. Shearing machine, notching machine, banding Machine etc. Size: Dia Ø 1050 mm H-750mm Standard: ISO 9001:2008 Packing: Packing: carton pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	10.000	at site	120	Bangladesh	10000.001	Ten Thousand point Zero Zero One	100000.010	One Lakh point Zero One
2.9	TYPE- I : CAFETERIA RECTANGULAR SHAPE DINING TABLE, READING TABLE, RETIRING SPACE Cafeteria table made of 30mm dia MS tubular structure with floor adjustable stopper and with 32mm thick table top is of water proof Formica pasted on chip board with PVC edging. All surfaces of mild steel parts are chemically de-rusted zinc phosphate coated oven backed powder paint finish. Each legs are constructed by three nos. 30mm dia MS Tube. Top fixed on MS structure. End of all MS tubes are sealed with PVC inner Cap. Size: 1675 x 990 x 775mm (10%+-) Packing: carton and polypack. Identification mark: Hologram and monogram sticker of manufacturer.	Nos	16.000	at site	120	Bangladesh	6225.001	Six Thousand Two Hundred and Twenty- Five point Zero Zero One	99600.016	Ninety- Nine Thousand Six Hundred point Zero One Six
								Grand Total:	644150	

Signed
A.A.H.

কাজী আব্দুল্লাহ আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃত বিভাগ
পাবনা পরিদপ্তর ও পোতা মন্ত্রণালয়
পল্লীশিক্ষা ও মৎস্য বিভাগ
বাংলাদেশ সরকার

										and Eighty-Six point Two Zero Nine
--	--	--	--	--	--	--	--	--	--	------------------------------------


This PART 2 : TABLE is Electronically Signed by Mr. Alam Mohd on behalf of Hatil Complex Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	PRICE PART 2-110043.pdf	61.99	 Download

Legacy Furniture (Pvt.) Ltd.

PART 2 : TABLE

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
2.1	TYPE A: Presidential Table (MINISTER'S ROOM) Table top made of Sandwich type table top(25+38+18) 81 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Side Panel 75 mm thick. Attached side rack having one fixed drawer unit consists of 3 drawers with central lock and Knobs & another side open shelf with two part door cabinet & clocking system. outside of the side rack having two no's open shelf & one door cabinet . Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-2100 x W-1000 mm Side Rack : L-2350 mm W-500 mm H-600 mm Overall Table Size : 2100 x1000-2350 x 750 mm Back Cabinet: Back Cabinet made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Left side Full height door cabinet inside SS hanger tube & two shelves. Other side bottom part having 2 x2 = 4 no's door cabinet & upper part having Zic Zac Shelf for Display file or books. Size : 2100x450x 1800 mm Standard: ISO 9001:2008 Packing: Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	No	1.000	at site	120	DHAKA	281925.001	Two Lakh Eighty-One Thousand Nine Hundred and Twenty-Five point Zero Zero One	281925.001	Two Lakh Eighty-One Thousand Nine Hundred and Twenty-Five point Zero Zero One
2.2	Type-B : Senior Executive Table (Engineer, Director, Deputy Director, Secretary, Programmer, Manager, Asst-1,2,3, Magistrate) Senior Executive Table top stand on 04 No's 38 mm Dia 1.2 mm thick Stainless Steel Pipe . Table top 25 mm thick other panels 16 & 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Two Side Panel 50 mm thick . One Fixed Drawer unit consists of 3 drawers with central lock and Knobs. Front Panel of the table having hole type decorative design. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-1800 x W-800 mm Side Rack : L-800+400 =1200 mm W-400 mm H-625 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : 350x350x525 mm Overall Table Size : 1650 x1200x750 mm Standard: ISO 9001:2008 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	16.000	at site	120	DHAKA	90620.001	Ninety Thousand Six Hundred and Twenty point Zero Zero One	1449920.016	Fourteen Lakh Forty-Nine Thousand Nine Hundred and Twenty point One Six
	Type C : Executive Table (Asst. Director, Asst. Manager, Asst. Engineer, Asst. Programmer) Executive Table made of table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Table top 25 mm & other panel 16/ 18 mm thickness . Front of the Table top semi curved & other side is straight. Work top having detachable (600x400 mm) pvc writing pad . 3nos 25mm dia and 1112mm longitude SS tube to be fixed on front panel of the									

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 শ্রদ্ধা পরিদপন ও মহাপ্রদত্ত বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

2.3	table. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin , PVC Stopper with UV lacquer finish , etc. Size : L-1800 x W800 Side Rack : Moveable Side Rack for Executive Table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish and PVC Stopper. One drawer (330x150mm) with lock and SS knob and One Door (330x510mm) with lock and SS knob in left side of the table and 685mm length 2nos open shelf in right side. Fully knock down system. Size : L-1050 x W400 x H750mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish. Size : 1200 x 430x750 mm Drawer Unit : Moveable Drawer unit, made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish and PVC Stopper and consisting of 3nos drawer with PVC handle and central locking facility. Drawers are fixed on heavy duty MS Channels. Size: L400xW470 x H660mm. Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	22.000	at site	120	DHAKA	75515.001	Seventy-Five Thousand Five Hundred and Fifteen point Zero Zero One	1661330.022	Sixteen Lakh Sixty-One Thousand Three Hundred and Thirty point Zero Two Two
2.4	Type D : Executive Table (PS to Chairman, Minister, PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Senior Computer Operator, Customer Service Office, Trainer, LH CAB, Information / Helpdesk, Officer, Computer Operator, Librarian, Public Service, KOICA other staff) Executive Table made of Sandwich type table top(18+12+18) 48 mm thick other panels 18 & 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. One Fixed Drawer unit consists of 3 drawer with central lock and Knobs. One Side Rack Top 25 mm thick (one side open with shelf and one side covered by 1nos door with lock & knobs) fixed with the table. Side Rack and Drawer unit to be join with one horizontal panel in front. Top of the table fixed on 4 Nos 32 mm dia SS Round Pipe structure. Front of Table top is straight and another side slightly curve. Table to be stands on 10nos. heavy duty PVC stopper. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: Table : L1500 x W750 x H750mm Side Rack : 1750x400x630 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber. Size : 1200 x 430x750 mm Drawer Unit : 450x550x635 mm Standard: ISO 9001:2000 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	120.000	at site	120	DHAKA	48400.001	Forty-Eight Thousand Four Hundred point Zero Zero One	5808000.120	Fifty-Eight Lakh Eight Thousand point One Two
2.5	TYPE- E : CONFERENCE TABLE Supply of Modular Conference Table (39 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-11700 x W-2100xH-760 mm Standard : ISO 9001:2008 Packing: Carton Pack.	No	1.000	at site	120	DHAKA	854050.001	Eight Lakh Fifty-Four Thousand AND Fifty point Zero Zero One	854050.001	Eight Lakh Fifty-Four Thousand AND Fifty point Zero Zero One
2.6	TYPE- F : MINI CONFERENCE TABLE Supply of Modular Conference Table (8 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-3600 x W-1400xH-770 mm	Nos	7.000	at site	120	DHAKA	276890.001	Two Lakh Seventy-Six Thousand Eight Hundred and Ninety point Zero Zero One	19382:	Nineteen Lakh Thirty-


Signed
AAB

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পাবনা পল্লিবিদ্যুৎ ও মহাসড়ক বিভাগ
পাবনা পল্লিবিদ্যুৎ ও সেতু মহাপরিদপ
পল্লিবিদ্যুৎ ও সেতু মহাপরিদপ


	Standard : ISO 9001:2008 Packing: Carton Pack.									
2.7	TYPE- G : CALL CENTER, COMPUTER LAB / CONTROL ROOM Computer Table made of imported high quality scratch proof and termite proof 16mm thick Alvino oak color melamine laminated wood particleboard with PVC edging. Table to be consist of one drawer in right side with high quality lock and MS Channel, one standard keyboard tray & one tray to store papers with high quality MS channel in left side. One vertical Support fixed in between Treys and Drawer and on a bottom shelf. A horizontal tie fixed on bottom shelf in back. Provision for CPU and UPS on lower shelf, Monitor and printer on top of the table. 5 nos wheel (2 of them are breakable) with a load bearing horizontal LB support in bottom shelf. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin etc. Size : L1050 x W600 x H750mm. Standard: ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton Pack.	Nos	16.000	at site	120	DHAKA	9260.001	Nine Thousand Two Hundred and Sixty point Zero One	148160.016	One Lakh Forty-Eight Thousand One Hundred and Sixty point Zero One Six
2.8	TYPE- H : CAFETERIA ROUND DINING TABLE, RETIRING SPACE Cafeteria/ Discussion table with 5 mm thick clear glass , structure made of 1.2 mm thick 75 mm dia Ø high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Table top made of 25 mm thick Woodtex particle board with 2 mm thick Formica pasted . Table top fixed on 4 nos 38x38 MS box middle part of structure 75 mm dia MS Pipe & bottom part 38x38mm semi round 4 nos. cross bar & 1" Floor adjustable stopper. All complete by slitting machine. Shearing machine, notching machine, banding Machine etc. Size: Dia Ø 1050 mm H-750mm Standard: ISO 9001:2008 Packing: Packing: carton pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	10.000	at site	120	DHAKA	16630.001	Sixteen Thousand Six Hundred and Thirty point Zero One	166300.010	One Lakh Sixty-Six Thousand Three Hundred point Zero One
2.9	TYPE- I : CAFETERIA RECTANGULAR SHAPE DINING TABLE, READING TABLE, RETIRING SPACE Cafeteria table made of 30mm dia MS tubular structure with floor adjustable stopper and with 32mm thick table top is of water proof Formica pasted on chip board with PVC edging. All surfaces of mild steel parts are chemically de-rusted zinc phosphate coated oven backed powder paint finish. Each legs are constructed by three nos. 30mm dia MS Tube. Top fixed on MS structure. End of all MS tubes are sealed with PVC inner Cap. Size: 1675 x 990 x 775mm (10%+) Packing: carton and poly pack. Identification mark: Hologram and monogram sticker of manufacturer.	Nos	16.000	at site	120	DHAKA	12135.001	Twelve Thousand One Hundred and Thirty-Five point Zero One	194160.016	One Lakh Ninety-Four Thousand One Hundred and Sixty point Zero One Six
								Grand Total:	12502075.209	One Crore Twenty-Five Lakh Two Thousand AND Seventy-Five point Two Zero Nine

This PART 2 : TABLE is Electronically Signed by Mr. Amer Karim on behalf of Legacy Furniture (Pvt.) Ltd.

Partex Furniture Industries Limited										
PART 2 : TABLE										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total in Figure (BDT) (10)	Total in Words (11)
	TYPE A: Presidential Table (MINISTER'S ROOM) Table top made of Sandwich type table									

Signed

 কাজী আব্দুল আল-মামুন
 চেয়ারম্যান
 পল্লব পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

2.1	top(25+38+18) 81 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Side Panel 75 mm thick. Attached side rack having one fixed drawer unit consists of 3 drawers with central lock and Knobs & another side open shelf with two part door cabinet & clocking system. outside of the side rack having two no's open shelf & one door cabinet . Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-2100 x W-1000 mm Side Rack : L-2350 mm W-500 mm H-600 mm Overall Table Size : 2100 x1000-2350 x 750 mm Back Cabinet: Back Cabinet made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Left side Full height door cabinet inside SS hanger tube & two shelves. Other side bottom part having 2 x2 = 4 no's door cabinet & upper part having Zic Zac Shelf for Display file or books. Size : 2100x450x 1800 mm Standard: ISO 9001:2008 Packing: Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	No	1.000	at site	120	Bangladesh	114839.001	One Lakh Fourteen Thousand Eight Hundred and Thirty-Nine point Zero Zero One	114839.001	One Lakh Fourteen Thousand Eight Hundred and Thirty-Nine point Zero Zero One
2.2	Type-B : Senior Executive Table (Engineer, Director, Deputy Director, Secretary, Programmer, Manager, Asst-1,2,3, Magistrate) Senior Executive Table top stand on 04 No's 38 mm Dia 1.2 mm thick Stainless Steel Pipe . Table top 25 mm thick other panels 16 & 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Two Side Panel 50 mm thick . One Fixed Drawer unit consists of 3 drawers with central lock and Knobs. Front Panel of the table having hole type decorative design. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-1800 x W-800 mm Side Rack : L-800+400 =1200 mm W-400 mm H-625 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : 350x350x525 mm Overall Table Size : 1650 x1200x750 mm Standard: ISO 9001:2008 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	16.000	at site	120	Bangladesh	50317.001	Fifty Thousand Three Hundred and Seventeen point Zero Zero One	805072.016	Eight Lakh Five Thousand AND Seventy-Two point Zero One Six
2.3	Type C : Executive Table (Asst. Director, Asst. Manager, Asst. Engineer, Asst. Programmer) Executive Table made of table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Table top 25 mm & other panel 16/ 18 mm thickness . Front of the Table top semi curved & other side is straight. Work top having detachable (600x400 mm) pvc writing pad . 3nos 25mm dia and 1112mm longitude SS tube to be fixed on front panel of the table. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin , PVC Stopper with UV lacquer finish , etc. Size : L-1800 x W800 Side Rack : Moveable Side Rack for Executive Table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper. One drawer (330x150mm) with lock and SS knob and One Door (330x510mm) with lock and SS knob in left side of the table and 685mm length 2nos open shelf in right side. Fully knock down system. Size : L-1050 x W400 x H750mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : Moveable Drawer unit, made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper and consisting of 3nos drawer with PVC handle and central locking facility. Drawers are fixed on heavy duty MS Channels. Size: L400x W470 x H660mm. Standard : ISO 9001:2008	Nos	22.000	at site	120	Bangladesh	66791.001	Sixty-Six Thousand Seven Hundred and Ninety-One point Zero Zero One	1469402.022	Fourteen Lakh Sixty-Nine Thousand Four Hundred and Two point Zero Two Two

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 শ্রদ্ধা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

	Packing: Carton Pack.									
2.4	Type D : Executive Table (PS to Chairman, Mnister, PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Senior Computer Operator, Customer Service Office, Trainer, LH CAB, Information / Helpdesk, Officer, Computer Operator, Librarian, Public Service, KOICA other staff) Executive Table made of Sandwich type table top(18+12+18) 48 mm thick other panels 18 & 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. One Fixed Drawer unit consists of 3 drawer with central lock and Knobs. One Side Rack Top 25 mm thick (one side open with shelf and one side covered by 1nos door with lock & knobs) fixed with the table. Side Rack and Drawer unit to be join with one horizontal panel in front. Top of the table fixed on 4 Nos 32 mm dia SS Round Pipe structure. Front of Table top is straight and another side slightly curve. Table to be stands on 10nos. heavy duty PVC stopper. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: Table : L1500 x W750 x H750mm Side Rack : 1750x400x630 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber. Size : 1200 x430x750 mm Drawer Unit : 450x550x635 mm Standard: ISO 9001:2000 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	120.000	at site	120	Bangladesh	22319.001	Twenty-Two Thousand Three Hundred and Nineteen point Zero One	2678280.120	Twenty-Six Lakh Seventy-Eight Thousand Two Hundred and Eighty point One Two
2.5	TYPE- E : CONFERENCE TABLE Supply of Modular Conference Table (39 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-11700 xW-2100xH-760 mm Standard : ISO 9001:2008 Packing: Carton Pack.	No	1.000	at site	120	Bangladesh	695750.001	Six Lakh Ninety-Five Thousand Seven Hundred and Fifty point Zero One	695750.001	Six Lakh Ninety-Five Thousand Seven Hundred and Fifty point Zero One
2.6	TYPE- F : MINI CONFERENCE TABLE Supply of Modular Conference Table (8 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-3600 xW-1400xH-770 mm Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	7.000	at site	120	Bangladesh	139260.001	One Lakh Thirty-Nine Thousand Two Hundred and Sixty point Zero One	974820.007	Nine Lakh Seventy-Four Thousand Eight Hundred and Twenty point Zero Seven
2.7	TYPE- G : CALL CENTER, COMPUTER LAB / CONTROL ROOM Computer Table made of imported high quality scratch proof and termite proof 16mm thick Alvino oak color melamine laminated wood particleboard with PVC edging. Table to be consist of one drawer in right side with high quality lock and MS Channel, one standard keyboard tray & one tray to store papers with high quality MS channel in left side. One vertical Support fixed in between Treys and Drawer and on a bottom shelf. A horizontal tie fixed on bottom shelf in back. Provision for CPU and UPS on lower shelf, Monitor and printer on top of the table. 5nos wheel (2of them are breakable) with a load bearing horizontal LB support in bottom shelf .Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin etc.	Nos	16.000	at site	120	Bangladesh	6600.001	Six Thousand Six Hundred point Zero One	10560	One Lakh Five

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
সহকারী পরিচালক ও মহাপ্রকল্প পরিচালক
স্বতন্ত্র পরিচালক ও সচিব মহাপ্রকল্প
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Size : L1050 x W600 x H750mm. Standard: ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton Pack.									
2.8	TYPE- H : CAFETERIA ROUND DINING TABLE, RETIRING SPACE Cafeteria/ Discussion table with 5 mm thick clear glass , structure made of 1.2 mm thick 75 mm dia Ø high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Table top made of 25 mm thick Woodtex particle board with 2 mm thick Formica pasted . Table top fixed on 4nos 38x38 MS box middle part of structure 75 mm dia MS Pipe & bottom part 38x38mm semi round 4 nos. cross bar & 1" Floor adjustable stopper. All complete by slitting machine. Shearing machine, notching machine, banding Machine etc. Size: Dia Ø 1050 mm H-750mm Standard: ISO 9001:2008 Packing: Packing: carton pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	10.000	at site	120	Bangladesh	7200.001	Seven Thousand Two Hundred point Zero Zero One	72000.010	Seventy-Two Thousand point Zero One
2.9	TYPE- I : CAFETERIA RECTANGULAR SHAPE DINING TABLE, READING TABLE, RETIRING SPACE Cafeteria table made of 30mm dia MS tubular structure with floor adjustable stopper and with 32mm thick table top is of water proof Formica pasted on chip board with PVC edging. All surfaces of mild steel parts are chemically de-rusted zinc phosphate coated oven backed powder paint finish. Each legs are constructed by three nos. 30mm dia MS Tube. Top fixed on MS structure. End of all MS tubes are sealed with PVC inner Cap. Size: 1675 x 990 x 775mm(10%+-) Packing: carton and poly pack. Identification mark: Hologram and monogram sticker of manufacturer.	Nos	16.000	at site	120	Bangladesh	6155.001	Six Thousand One Hundred and Fifty-Five point Zero Zero One	98480.016	Ninety-Eight Thousand Four Hundred and Eighty point Zero One Six
								Grand Total:	7014243.209	Seventy Lakh Fourteen Thousand Two Hundred and Forty-Three point Two Zero Nine

This PART 2 : TABLE is Electronically Signed by Mr. Shafiq zaman on behalf of Partex Furniture Industries Limited


RFL Plastics Limited										
PART 2 : TABLE										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
2.1	TYPE A: Presidential Table (MINISTER'S ROOM) Table top made of Sandwich type table top(25+38+18) 81 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish. Side Panel 75 mm thick. Attached side rack having one fixed drawer unit consists of 3 drawers with central lock and Knobs & another side open shelf with two part door cabinet & clocking system. outside of the side rack having two no's open shelf & one door cabinet. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-2100 x W-1000 mm Side Rack : L-2350 mm W-500 mm H-600 mm Overall Table Size : 2100 x 1000-2350 x 750 mm Back Cabinet: Back Cabinet made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish. Left side Full height	No	1.000	at site	120	Bangladesh	78890.001	Seventy-Eight Thousand Eight Hundred and Ninety point Zero Zero One	78890.001	Seventy-Eight Thousand

Signed
AAM

কাজী আব্দুল আল-মামুন
মোঃ আমানুল হক
পরিচালক ও ব্যবস্থাপক
পরিচালক ও সিনিয়র
পরিচালক ও সিনিয়র
পরিচালক ও সিনিয়র

	door cabinet inside SS hanger tube & two shelves. Other side bottom part having 2 x2 = 4 no's door cabinet & upper part having Zic Zac Shelf for Display file or books. Size : 2100x450x1800 mm Standard: ISO 9001:2008 Packing: Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.									
2.2	Type-B : Senior Executive Table (Engineer, Director, Deputy Director, Secretary, Programmer, Manager, Asst-1,2,3, Magistrate) Senior Executive Table top stand on 04 No's 38 mm Dia 1.2 mm thick Stainless Steel Pipe . Table top 25 mm thick other panels 16 & 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Two Side Panel 50 mm thick . One Fixed Drawer unit consists of 3 drawers with central lock and Knobs. Front Panel of the table having hole type decorative design. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap, PVC stopper etc. Size: Table Top : L-1800 x W-800 mm Side Rack : L-800+400 =1200 mm W-400 mm H-625 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : 350x350x525 mm Overall Table Size : 1650 x1200x750 mm Standard: ISO 9001:2008 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	16.000	at site	120	Bangladesh	39260.001	Thirty-Nine Thousand Two Hundred and Sixty point Zero One	628160.016	Six Lakh Twenty-Eight Thousand One Hundred and Sixty point Zero One Six
2.3	Type C : Executive Table (Asst. Director, Asst. Manager, Asst. Engineer, Asst. Programmer) Executive Table made of table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Table top 25 mm & other panel 16/ 18 mm thickness . Front of the Table top semi curved & other side is straight. Work top having detachable (600x400 mm) pvc writing pad . 3nos 25mm dia and 1112mm longitude SS tube to be fixed on front panel of the table. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin , PVC Stopper with UV lacquer finish , etc. Size : L-1800 x W800 Side Rack : Moveable Side Rack for Executive Table made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper. One drawer (330x150mm) with lock and SS knob and One Door (330x510mm) with lock and SS knob in left side of the table and 685mm length 2nos open shelf in right side. Fully knock down system. Size : L-1050 x W400 x H750mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish. Size : 1200 x430x750 mm Drawer Unit : Moveable Drawer unit, made of Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiver with 02 Coat UV lacquer finish and PVC Stopper and consisting of 3nos drawer with PVC handle and central locking facility. Drawers are fixed on heavy duty MS Channels. Size: L400xW470 x H660mm. Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	22.000	at site	120	Bangladesh	43190.001	Forty-Three Thousand One Hundred and Ninety point Zero One	950180.022	Nine Lakh Fifty Thousand One Hundred and Eighty point Zero Two Two
	Type D : Executive Table (PS to Chairman, Mnister, PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Senior Computer Operator, Customer Service Office, Trainer, LH CAB, Information / Helpdesk, Officer, Computer Operator, Librarian, Public Service, KOICA other staff) Executive Table made of Sandwich type table top(18+12+18) 48 mm thick other panels 18 & 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. One Fixed Drawer unit consists of 3 drawer with central lock and Knobs. One Side Rack Top 25 mm thick (one side open with shelf and one side									

Sixty-Six

Signed

 কাজী আব্দুল হাযী-আনু
 প্রোগ্রামার
 নতুন পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
 নতুন পরিদপ্তর ও নতুন মহাপ্রকৃতি
 বাংলাদেশ সরকার

2.4	covered by 1nos door with lock & knobs) fixed with the table. Side Rack and Drawer unit to be join with one horizontal panel in front. Top of the table fixed on 4 Nos 32 mm dia SS Round Pipe structure. Front of Table top is straight and another side slightly curve. Table to be stands on 10nos. heavy duty PVC stopper. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: Table : L1500 xW750 xH750mm Side Rack : 1750x400x630 mm Back Cabinet: Back Cabinet with sliding door made of 18 mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber. Size : 1200 x430x750 mm Drawer Unit : 450x550x635 mm Standard: ISO 9001:2000 Packing : Carton Pack. Identification Mark: Hologram sticker and Monogram Sticker.	Nos	120.000	at site	120	Bangladesh	66160.001	Thousand One Hundred and Sixty point Zero Zero One	7939200.120	Thirty-Nine Thousand Two Hundred point One Two
2.5	TYPE- E : CONFERENCE TABLE Supply of Modular Conference Table (39 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-11700 xW-2100xH-760 mm Standard : ISO 9001:2008 Packing: Carton Pack.	No	1.000	at site	120	Bangladesh	419830.001	Four Lakh Nineteen Thousand Eight Hundred and Thirty point Zero Zero One	419830.001	Four Lakh Nineteen Thousand Eight Hundred and Thirty point Zero Zero One
2.6	TYPE- F : MINI CONFERENCE TABLE Supply of Modular Conference Table (8 Person) made of Sandwich type table top & bottom (18+12+18) 48 mm thick other panels 18 & 16mm thick Quercus rubra Northern Red Oak auto slicer veneer Medium Density Fiber with 02 Coat UV lacquer finish with middle part gap top view 488 mm & bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable & telephone usage facility system. Table top having PVC writing pad . Each table contains one shelf for storing documents .The design and dimension of Table should be compatible with layout of conference room. Size : L-3600 xW-1400xH-770 mm Standard : ISO 9001:2008 Packing: Carton Pack.	Nos	7.000	at site	120	Bangladesh	73490.001	Seventy-Three Thousand Four Hundred and Ninety point Zero Zero One	514430.007	Five Lakh Fourteen Thousand Four Hundred and Thirty point Zero Zero Seven
2.7	TYPE- G : CALL CENTER, COMPUTER LAB / CONTROL ROOM Computer Table made of imported high quality scratch proof and termite proof 16mm thick Alvino oak color melamine laminated wood particleboard with PVC edging. Table to be consist of one drawer in right side with high quality lock and MS Channel, one standard keyboard tray & one tray to store papers with high quality MS channel in left side. One vertical Support fixed in between Treys and Drawer and on a bottom shelf. A horizontal tie fixed on bottom shelf in back. Provision for CPU and UPS on lower shelf, Monitor and printer on top of the table. 5nos wheel (2of them are breakable) with a load bearing horizontal LB support in bottom shelf. Fully knock down system by using Housing, Dowel, T-Nut, JRN nut, Wood Pin etc. Size : L1050 xW600 xH750mm. Standard: ISO 9001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton Pack.	Nos	16.000	at site	120	Bangladesh	4880.001	Four Thousand Eight Hundred and Eighty point Zero Zero One	78080.016	Seventy-Eight Thousand AND Eighty point Zero One Six
2.8	TYPE- H : CAFETERIA ROUND DINING TABLE, RETIRING SPACE Cafeteria/ Discussion table with 5 mm thick clear glass , structure made of 1.2 mm thick 75 mm dia Ø high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Table top made of 25 mm thick Woodtex particle board with 2 mm thick Formica pasted . Table top fixed on 4nos 38x38 MS box middle part of structure 75 mm	Nos	10.000	at site	120	Bangladesh	6330.001	Six Thousand Three Hundred	6330	

Signed
AAB

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
সহকারী পরিচালক ও মহাপ্রকল্প পরিচালক
স্বচ্ছ পরিচালনা ও সোচ্ছ মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	dia MS Pipe & bottom part 38x38mm semi round 4 nos. cros bar & 1" Floor adjustable stopper. All complete by slitting machine. Shearing machine, notching machine, banding Machine etc. Size: Dia Ø 1050 mm H-750mm Standard: ISO 9001:2008 Packing: Packing: carton pack. Identification Mark: Hologram sticker and Monogram Sticker.							and Thirty point Zero Zero One		Hundred point Zero One
2.9	TYPE- I : CAFETERIA RECTENGULAR SHAPE DINING TABLE, READING TABLE, RETIRING SPACE Cafeteria table made of 30mm dia MS tubular structure with floor adjustable stopper and with 32mm thick table top is of water proof Formica pasted on chip board with PVC edging. All surfaces of mild steel parts are chemically de-rusted zinc phosphate coated oven backed powder paint finish. Each legs are constructed by three nos. 30mm dia MS Tube. Top fixed on MS structure. End of all MS tubes are sealed with PVC inner Cap. Size: 1675 x 990 x 775mm(10%+-) Packing: carton and poly pack. Identification mark: Hologram and monogram sticker of manufacturer.	Nos	16.000	at site	120	Bangladesh	6190.001	Six Thousand One Hundred and Ninety point Zero Zero One	99040.016	Ninety-Nine Thousand AND Forty point Zero One Six
								Grand Total:	10771110.209	One Crore Seven Lakh Seventy-One Thousand One Hundred and Ten point Two Zero Nine

This PART 2 : TABLE is Electronically Signed by Mr. Mahbubur Rahman on behalf of RFL Plastics Limited

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Declearation 110043.pdf	301.60	 Download
2	-	Service Centre and Dealer List 110043.pdf	2705.45	 Download

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

ABOUT TRUST ONLINE

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.

IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAR
কাজী আব্দুল্লাহ আল-মামুন
প্রোগ্রামার
স্বাক্ষর পরিচালনা ও যন্ত্রাঙ্ক বিভাগ
স্বাক্ষর পরিচালনা ও সফটওয়্যার
পরিচালনা বিভাগ
বাংলাদেশ সরকার

[View All Notifications](#)

Individual Report

[Print](#)
[Save As PDF](#)
[Go Back To Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
 Invitation Reference No. : DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time : 30-Jul-2017 12:00
 Opening Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.


[View Notice](#)

Package No	Package Description
DZe-GP-01/GoB/2017-2018	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Akhtar Furnishers Ltd

PART 3 : SOFA

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
3.1	TYPE-A: MINISTER'S ROOM Supply of Waiting sofa with fixed height and armrest. Sofa fully upholstered with black color Pure Leather. Sofa is designed with straight frame legs & back structure made of well seasoned solid wood with MDF combination color finished by UV lacquer. Product Shall be manufactured in China/Malaysia/Thailand/Singapore/Local. Size : Seat : 1120x880 mm , Back : 560x880mm Double Seated Sofa : Seat : 1730x880 mm , Back : 1230x880mm Floor to Seat Height : 440 mm . Floor to Back Height : 1230 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	6	at site	120	Bangladesh	68478.001	Sixty-Eight Thousand Four Hundred and Seventy-Eight point Zero Zero One	410868.006	Four Lakh Ten Thousand Eight Hundred and Sixty-Eight point Zero Zero Six
3.2	TYPE-B : Modern Designed Sofa (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Manager, Deputy Director Cash, Asst. 1,2,3.) Comfortable prime quality modern designed sofa, Armrest & Structure made of solid teak wood & Foam cushioning with foreign Rexene seat, back & half of hand rest upholstery. Inside structure made of solid garjon wood & garjon Ply combination. Single Seated Sofa : Size: Seat : 530x510 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Double Seated Sofa : Size: Seat : 530x1080 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Floor to Seat Height : 440 mm Floor to Back Height : 810 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and	Nos	15	at site	120	Bangladesh	26674.001	Twenty-Six Thousand Six Hundred and Seventy-Four point Zero Zero One	400110.015	Four Lakh One Hundred and Ten point Zero One Five

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 নতুন পরিচয় ও মর্যাদাক্রম বিভাগ
 নতুন পরিচয় ও নতুন মর্যাদার
 বাংলাদেশ সরকার

	Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack									
3.3	TYPE-C : PS TO MINISTER Best quality armrest Sofa framing made of Solid garjon wood with ply wood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 520x550 mm , Back : 590x410mm (Armrest:160x750mm) Double Seated Sofa : Seat : 1100x550 mm , Back : 1100x410mm (Armrest :160x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	4	at site	120	Bangladesh	26438.001	Twenty-Six Thousand Four Hundred and Thirty-Eight point Zero Zero One	105752.004	One Lakh Five Thousand Seven Hundred and Fifty-Two point Zero Zero Four
3.4	TYPE D : Best Quality Armrest Sofa (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Best quality armrest Sofa framing made of Solid garjon wood with ply wood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 560x510 mm , Back : 600x410mm (Armrest:150x750mm) Double Seated Sofa : Seat : 1090x550 mm , Back : 1090x410mm (Armrest : 150x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	23	at site	120	Bangladesh	26438.001	Twenty-Six Thousand Four Hundred and Thirty-Eight point Zero Zero One	608074.023	Six Lakh Eight Thousand AND Seventy-Four point Zero Two Three
								Grand Total:	1524804.048	Fifteen Lakh Twenty-Four Thousand Eight Hundred and Four point Zero Four Eight


This PART 3 : SOFA is Electronically Signed by Mr. Jayed Ahmed on behalf of Akhtar Furnishers Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	ISO Certificate-16.jpg	257.95	 Download
2	-	Sales and Service Centre.Page 01.jpg	266.79	 Download
3	-	Service Centre. 02.jpg	266.23	 Download
4	-	Sales and Service Centre.Page 03.jpg	203.48	 Download

Delco Business Associate Ltd

PART 3 : SOFA

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (11)
	TYPE-A: MINISTER'S ROOM Supply of Waiting sofa with fixed height and armrest. Sofa fully upholstered with black color Pure Leather. Sofa is designed with straight frame legs & back structure made of									

Signed

 কাজী আব্দুল আল-মামুন
 মোরাদপুর
 শ্রদ্ধা পরিষদ ও মহাসড়ক বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার

<u>Hatil Complex Ltd</u>
PART 3 : SOFA

Signed
AAMUN
কাজী আব্দুল্লাহ আল-মামুন
খোদাধার
সভক পরিষদ ও মহাসভক বিভাগ
সভক পরিষদ ও নেতৃ মহাসভা
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack									
3.4	TYPE D : Best Quality Amrest Sofa (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Best quality armrest Sofa framing made of Solid garjon wood with plywood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 560x510 mm , Back : 600x410mm (Armrest:150x750mm) Double Seated Sofa : Seat : 1090x550 mm , Back : 1090x410mm (Armrest : 150x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	23	at site	120	Bangladesh	22500.001	Twenty-Two Thousand Five Hundred point Zero Zero One	517500.023	Five Lakh Seventeen Thousand Five Hundred point Zero Two Three
								Grand Total:	1612500.048	Sixteen Lakh Twelve Thousand Five Hundred point Zero Four Eight

This PART 3 : SOFA is Electronically Signed by Mr. Alam Mohd on behalf of Hatil Complex Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	prict part-3-110043.pdf	47.40	 Download

Legacy Furniture (Pvt.) Ltd.

PART 3 : SOFA

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
3.1	TYPE-A: MINISTER'S ROOM Supply of Waiting sofa with fixed height and armrest. Sofa fully upholstered with black color Pure Leather. Sofa is designed with straight frame legs & back structure made of well sesoned solid wood with MDF combination color finished by UV lacquer . Product Shall be manufactured in China/Malaysia/Thailand/Singapore/Local. Size : Seat :1120x880 mm , Back : 560x880mm Double Seated Sofa : Seat : 1730x880 mm , Back : 1230x880mm Floor to Seat Height : 440 mm . Floor to Back Height : 1230 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	6	at site	120	DHAKA	75515.001	Seventy-Five Thousand Five Hundred and Fifteen point Zero Zero One	453090.006	Four Lakh Fifty-Three Thousand AND Ninety point Zero Zero Six
	TYPE-B : Modern Designed Sofa (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Manager, Deputy Director Cash, Asst. 1,2,3.) Comfortable prime quality modern designed sofa, Amrest & Structure made of solid teak wood & Foam cushioning with foreign Rexene seat, back & half of hand rest upholstery. Inside structure made of solid garjon wood & garjon Ply combination. Single Seated Sofa : Size: Seat : 530x510 mm , Back : 420x590mm Armrest: Backward curved Post 210x660 mm							Forty-Four Thousand Nine		

Signed
AAM

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
স্বাক্ষরিত এবং স্বাক্ষরিত বিভাগ
স্বাক্ষর পত্রিকায় ও মোবাইল যন্ত্রে
প্রমাণিত। বাংলাদেশ সরকার


3.2	Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Double Seated Sofa : Size: Seat : 530x1080 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Floor to Seat Height : 440 mm Floor to Back Height : 810 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	15	at site	120	DHAKA	44950.001	Hundred and Fifty point Zero Zero One	674250.015	Two Hundred and Fifty point Zero One Five
3.3	TYPE-C : PS TO MINISTER Best quality armrest Sofa framing made of Solid garjon wood with ply wood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 520x550 mm , Back : 590x410mm (Armrest:160x750mm) Double Seated Sofa : Seat : 1100x550 mm , Back : 1100x410mm (Armrest :160x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	4	at site	120	DHAKA	42250.001	Forty-Two Thousand Two Hundred and Fifty point Zero Zero One	169000.004	One Lakh Sixty-Nine Thousand point Zero Zero Four
3.4	TYPE D : Best Quality Armrest Sofa (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Best quality armrest Sofa framing made of Solid garjon wood with ply wood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 560x510 mm , Back : 600x410mm (Armrest:150x750mm) Double Seated Sofa : Seat : 1090x550 mm , Back : 1090x410mm (Armrest : 150x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	23	at site	120	DHAKA	42250.001	Forty-Two Thousand Two Hundred and Fifty point Zero Zero One	971750.023	Nine Lakh Seventy-One Thousand Seven Hundred and Fifty point Zero Two Three
								Grand Total:	2268090.048	Twenty-Two Lakh Sixty-Eight Thousand AND Ninety point Zero Four Eight

This PART 3 : SOFA is Electronically Signed by Mr. Amer Karim on behalf of Legacy Furniture (Pvt.) Ltd.

Partex Furniture Industries Limited										
PART 3 : SOFA										
Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
	TYPE-A: MINISTER'S ROOM Supply of Waiting sofa with fixed height and armrest. Sofa fully upholstered with black color Pure Leather. Sofa is designed with straight frame legs & back structure made of well seasoned solid wood with MDF combination color finished by UV lacquer . Product Shall be manufactured in China/Malaysia/Thailand/Singapore/Local. Size : Seat :1120x880 mm , Back :							Forty Thousand Two		

Signed
AAH
কাজী আব্দুল আল-মামুন
যোগাযোগ
স্বাক্ষর পত্রিকার ও মালিকানাধীন
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

3.1	560x880mm Double Seated Sofa : Seat : 1730x880 mm , Back : 1230x880mm Floor to Seat Height : 440 mm . Floor to Back Height : 1230 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	6	at site	120	Bangladesh	40260.001	Hundred and Sixty point Zero Zero One	241560.006	Five Hundred and Sixty point Zero Zero Six
3.2	TYPE-B : Modern Designed Sofa (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Manager, Deputy Director Cash, Asst. 1,2,3.) Comfortable prime quality modern designed sofa, Armrest & Structure made of solid teak wood & Foam cushioning with foreign Rexene seat, back & half of hand rest upholstery. Inside structure made of solid garjon wood & garjon Ply combination. Single Seated Sofa : Size: Seat : 530x510 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Double Seated Sofa : Size: Seat : 530x1080 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Floor to Seat Height : 440 mm Floor to Back Height : 810 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	15	at site	120	Bangladesh	18165.001	Eighteen Thousand One Hundred and Sixty-Five point Zero Zero One	272475.015	Two Lakh Seventy-Two Thousand Four Hundred and Seventy-Five point Zero One Five
3.3	TYPE-C : PS TO MINISTER Best quality armrest Sofa framing made of Solid garjon wood with plywood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 520x550 mm , Back : 590x410mm (Armrest:160x750mm) Double Seated Sofa : Seat : 1100x550 mm , Back : 1100x410mm (Armrest :160x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	4	at site	120	Bangladesh	15259.001	Fifteen Thousand Two Hundred and Fifty-Nine point Zero Zero One	61036.004	Sixty-One Thousand AND Thirty-Six point Zero Zero Four
3.4	TYPE D : Best Quality Armrest Sofa (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Best quality armrest Sofa framing made of Solid garjon wood with plywood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 560x510 mm , Back : 600x410mm (Armrest:150x750mm) Double Seated Sofa : Seat : 1090x550 mm , Back : 1090x410mm (Armrest : 150x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	23	at site	120	Bangladesh	15259.001	Fifteen Thousand Two Hundred and Fifty-Nine point Zero Zero One	350957.023	Three Lakh Fifty Thousand Nine Hundred and Fifty-Seven point Zero Two Three
								Grand Total:	92602	

Signed

 কাজী আব্দুল আল-মামুন
 যোগাযোগ
 শ্রমিক পরিষদ ও মহাপ্রদিক বিভাগ
 শ্রমিক পরিষদ ও শ্রমিক মহাপ্রদিক
 বাংলাদেশ সরকার

Eight
point Zero
Four Eight

This PART 3 : SOFA is Electronically Signed by Mr. Shafiq zaman on behalf of Partex Furniture Industries Limited

RFL Plastics Limited

PART 3 : SOFA

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
3.1	TYPE-A: MINISTER'S ROOM Supply of Waiting sofa with fixed height and armrest. Sofa fully upholstered with black color Pure Leather. Sofa is designed with straight frame legs & back structure made of well seasoned solid wood with MDF combination color finished by UVlacquer. Product Shall be manufactured in China/Malaysia/Thailand/Singapore/Local. Size : Seat :1120x880 mm , Back : 560x880mm Double Seated Sofa : Seat : 1730x880 mm , Back : 1230x880mm Floor to Seat Height : 440 mm . Floor to Back Height : 1230 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	6	at site	120	Bangladesh	137670.001	One Lakh Thirty-Seven Thousand Six Hundred and Seventy point Zero Zero One	826020.006	Eight Lakh Twenty-Six Thousand AND Twenty point Zero Zero Six
3.2	TYPE-B : Modern Designed Sofa (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Manager, Deputy Director Cash, Asst. 1,2,3.) Comfortable prime quality modern designed sofa, Armrest & Structure made of solid teak wood & Foam cushioning with foreign Rexene seat, back & half of hand rest upholstery. Inside structure made of solid garjon wood & garjon Ply combination. Single Seated Sofa : Size: Seat : 530x510 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Double Seated Sofa : Size: Seat : 530x1080 mm , Back : 420x590mm Armrest: Rexene covered Part 210x660 mm Wooden Part : 50 mm thick Solid teak size: 50x550 mm Floor to Seat Height : 440 mm Floor to Back Height : 810 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	15	at site	120	Bangladesh	55560.001	Fifty-Five Thousand Five Hundred and Sixty point Zero Zero One	833400.015	Eight Lakh Thirty-Three Thousand Four Hundred point Zero One Five
3.3	TYPE-C : PS TO MINISTER Best quality armrest Sofa framing made of Solid garjon wood with plywood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 520x550 mm , Back : 590x410mm (Armrest:160x750mm) Double Seated Sofa : Seat : 1100x550 mm , Back : 1100x410mm (Armrest :160x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer.	Nos	4	at site	120	Bangladesh	66960.001	Sixty-Six Thousand Nine Hundred and Sixty point Zero Zero One	267840.004	Two Lakh Sixty-Six Thousand Eight

Signed
AAM

কাজী আব্দুল আল-মামুন
প্রোগ্রামার
পাবনা পরিদপ্তর ও মহাপ্রকৃতি বিভাগ
স্বাক্ষর পত্রিকার ও সোফা মহাপ্রকৃতি
পাবনা বিভাগের বাংলাদেশ সরকার

	Packing : Poly Pack/Carton Pack									
3.4	TYPE D : Best Quality Amrest Sofa (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Best quality amrest Sofa framing made of Solid garjon wood with plywood combination structure. Rubber foam cushioning with extra foam padding. Imported Rexene upholstery with PVC stopper at the bottom. Seat : 560x510 mm , Back : 600x410mm (Armrest:150x750mm) Double Seated Sofa : Seat : 1090x550 mm , Back : 1090x410mm (Armrest : 150x750mm) Floor to Seat Height : 380 mm . Floor to Back Height : 790 mm Standard: ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/Carton Pack	Nos	23	at site	120	Bangladesh	41240.001	Forty-One Thousand Two Hundred and Forty point Zero Zero One	948520.023	Nine Lakh Forty-Eight Thousand Five Hundred and Twenty point Zero Two Three
								Grand Total:	2875780.048	Twenty-Eight Lakh Seventy-Five Thousand Seven Hundred and Eighty point Zero Four Eight

This PART 3 : SOFA is Electronically Signed by Mr. Mahbubur Rahman on behalf of RFL Plastics Limited


S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	ISO-2-110043.pdf	1158.41	 Download
2	-	ISO-Cer-1-RFL 9001; 2019,110043.pdf	1667.00	 Download
3	-	Technical Personnel of Furniture 110043.pdf	452.93	 Download

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

ABOUT TRUST ONLINE

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
 IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed

 কাজী আব্দুল আল-মামুন
 মহাপ্রাধিকার
 পত্রিক পরিদপ্তর ও মহাপ্রাধিকার বিভাগ
 পত্রিক পরিদপ্তর ও পত্রিক মহাপ্রাধিকার
 বাংলাদেশ সরকার

[View All Notifications](#)

Individual Report

[Print](#)
[Save As PDF](#)
[Go Back To Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
 Invitation Reference No. : DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time : 30-Jul-2017 12:00
 Opening Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)

Package No	Package Description
DZe-GP-01/GoB/2017-2018	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Akhtar Furnishers Ltd

PART 4 : SIDE TABLE

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
4.1	TYPE A: Table for Minister's Room Supply of Coffee Table structure made of 18x18 mm Stainless Steel Star shaped box & top will be medium density fiber board with red oak veneer color finished by UV lacquer. And 5 mm thick coffee color glass on top. Veneer, stainless steel. Product Shall be manufactured in China/Malaysia/Thailand/ Singapore/Local. Size: Standard. Standard : ISO 9001:2008 Size : 900 mm dia H-440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	3.000	at site	120	Bangladesh	14145.001	Fourteen Thousand One Hundred and Forty-Five point Zero Zero One	42435.003	Forty-Two Thousand Four Hundred and Thirty-Five point Zero Three
4.2	TYPE B : Center Table (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Deputy Director Cash, Asst 1,2,3) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	15.000	at site	120	Bangladesh	15188.001	Fifteen Thousand One Hundred and Eighty-Eight point Zero Zero One	227820.015	Two Lakh Twenty-Seven Thousand Eight Hundred and Twenty point Zero One Five
4.3	TYPE-C : Center Table for PS to MINISTER Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure & Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass. Size : 900 x 550 x 470 mm Standard : ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram	No	1.000	at site	120	Bangladesh	7445.001	Seven Thousand Four Hundred and Forty-Five point Zero Zero One	744	Seven Thousand

Signed
 AAH
 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 শ্রদ্ধা পত্রিকার ও মাসিক বিবরণ
 শ্রদ্ধা পত্রিকার ও মাসিক বিবরণ
 শ্রদ্ধা পত্রিকার ও মাসিক বিবরণ

	sticker of manufacturer. Packing : Poly Pack/ Carton Pac									
4.4	TYPE D : Center Table (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack	Nos	23.000	at site	120	Bangladesh	15188.001	Fifteen Thousand One Hundred and Eighty-eight point Zero Zero One	349324.023	Three Lakh Forty-Nine Thousand Three Hundred and Twenty-Four point Zero Two Three
								Grand Total:	627024.042	Six Lakh Twenty-Seven Thousand AND Twenty-Four point Zero Four Two

This PART 4 : SIDE TABLE is Electronically Signed by Mr. Jayed Ahmed on behalf of Akhtar Furnishers Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Untitled-10.jpg	1406.93	 Download
2	-	Liquidity-1.jpg	1386.32	 Download
3	-	Liquidity-2.jpg	894.91	 Download
4	-	Liquidity-3.jpg	1084.52	 Download

Delco Business Associate Ltd

PART 4 : SIDE TABLE

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
4.1	TYPE A: Table for Minister's Room Supply of Coffee Table structure made of 18x18 mm Stainless Steel Star shaped box & top will be medium density fiber board with red oak veneer color finished by UV lacquer . And 5 mm thick coffee color glass on top . Veneer, stainless steel. Product Shall be manufactured in China/Malaysia/ Thailand/ Singapore/Local. Size: Standard . Standard : ISO 9001:2008 Size : 900 mm dia H-440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	3.000	at site	120	Sunon, China	59130.001	Fifty-Nine Thousand One Hundred and Thirty point Zero Zero One	177390.003	One Lakh Seventy-Seven Thousand Three Hundred and Ninety point Zero Three
4.2	TYPE B : Center Table (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Deputy Director Cash, Asst 1,2,3) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity	Nos	15.000	at site	120	Sunon, China	14490.001	Fourteen Thousand Four Hundred and Ninety point Zero Zero One	21735	Two Lakh Seventeen

Signed
A.A.H.
কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পদক পরিচালক ও মহাপ্রকৃত বিভাগ
সরকারি পরিচালক ও সচিব মহাপ্রকৃত
পরিচালক মহাপ্রকৃত সরকার

	Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,									
4.3	TYPE-C : Center Table for PS to MINISTER Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure & Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass. Size : 900 x 550 x 470 mm Standard : ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/ Carton Pac	No	1.000	at site	120	Sunon, China	17640.001	Seventeen Thousand Six Hundred and Forty point Zero Zero One	17640.001	Seventeen Thousand Six Hundred and Forty point Zero Zero One
4.4	TYPE D : Center Table (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack	Nos	23.000	at site	120	Sunon, China	14490.001	Fourteen Thousand Four Hundred and Ninety point Zero Zero One	333270.023	Three Lakh Thirty-Three Thousand Two Hundred and Seventy point Zero Two Three
								Grand Total:	745650.042	Seven Lakh Forty-Five Thousand Six Hundred and Fifty point Zero Four Two

This PART 4 : SIDE TABLE is Electronically Signed by Mr. Md. Murad Hassan on behalf of Delco Business Associate Ltd

Hatil Complex Ltd										
PART 4 : SIDE TABLE										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
4.1	TYPE A: Table for Minister's Room Supply of Coffee Table structure made of 18x18 mm Stainless Steel Star shaped box & top will be medium density fiber board with red oak veneer color finished by UV lacquer . And 5 mm thick coffee color glass on top . Veneer, stainless steel. Product Shall be manufactured in China/Malaysia/ Thailand/ Singapore/Local. Size: Standard . Standard : ISO 9001:2008 Size : 900 mm dia H-440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	3.000	at site	120	Bangladesh	11000.001	Eleven Thousand point Zero Zero One	33000.003	Thirty-Three Thousand point Zero Zero Three
4.2	TYPE B : Center Table (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Deputy Director Cash, Asst 1,2,3) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel	Nos	15.000	at site	120	Bangladesh	6318.001	Six Thousand Three Hundred and Eighteen	947,	

Signed
AAS
কাজী আব্দুল আল-মামুন
প্রোগ্রামার
সরকারি পরিদপ্তর ও মহাপ্রকৃত বিভাগ
সরকারি পরিদপ্তর ও সোহা মহাপ্রকৃত
বাংলাদেশ সরকার

	round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,							point Zero Zero One		Seventy point Zero One Five
4.3	TYPE-C : Center Table for PS to MINISTER Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure & Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass. Size : 900 x 550 x 470 mm Standard : ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/ Carton Pac	No	1.000	at site	120	Bangladesh	3500.001	Three Thousand Five Hundred point Zero Zero One	3500.001	Three Thousand Five Hundred point Zero Zero One
4.4	TYPE D : Center Table (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack	Nos	23.000	at site	120	Bangladesh	8500.001	Eight Thousand Five Hundred point Zero Zero One	195500.023	One Lakh Ninety- Five Thousand Five Hundred point Zero Two Three
								Grand Total:	326770.042	Three Lakh Twenty- Six Thousand Seven Hundred and Seventy point Zero Four Two

This PART 4 : SIDE TABLE is Electronically Signed by Mr. Alam Mohd on behalf of Hatil Complex Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	PRICE PART 4-110043.pdf	41.60	 Download

Legacy Furniture (Pvt.) Ltd.

PART 4 : SIDE TABLE

Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
4.1	TYPE A: Table for Minister's Room Supply of Coffee Table structure made of 18x18 mm Stainless Steel Star shaped box & top will be medium density fiber board with red oak veneer color finished by UV lacquer . And 5 mm thick coffee color glass on top . Veneer, stainless steel. Product Shall be manufactured in China/Malaysia/ Thailand/ Singapore/Local. Size: Standard . Standard : ISO 9001:2008 Size : 900 mm dia H-440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	3.000	at site	120	DHAKA	49445.001	Forty-Nine Thousand Four Hundred and Forty- Five point Zero Zero One	14833	One Lakh Forty- Eight Thousand

Signed
AAH
কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পবিত্র মন্দির ও মসজিদ বিভাগ
সকল পরিদপ্তর ও সেক্টর মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

4.2	TYPE B : Center Table (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Deputy Director Cash, Asst 1,2,3) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon ply wood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	15.000	at site	120	DHAKA	18610.001	Eighteen Thousand Six Hundred and Ten point Zero Zero One	279150.015	Two Lakh Seventy-Nine Thousand One Hundred and Fifty point Zero One Five
4.3	TYPE-C : Center Table for PS to MINISTER Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure & Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass. Size : 900 x 550 x 470 mm Standard : ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/ Carton Pac	No	1.000	at site	120	DHAKA	12585.001	Twelve Thousand Five Hundred and Eighty-Five point Zero Zero One	12585.001	Twelve Thousand Five Hundred and Eighty-Five point Zero Zero One
4.4	TYPE D : Center Table (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon ply wood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack	Nos	23.000	at site	120	DHAKA	18610.001	Eighteen Thousand Six Hundred and Ten point Zero Zero One	428030.023	Four Lakh Twenty-Eight Thousand AND Thirty point Zero Two Three
								Grand Total:	868100.042	Eight Lakh Sixty-Eight Thousand One Hundred point Zero Four Two

This PART 4 : SIDE TABLE is Electronically Signed by Mr. Amer Karim on behalf of Legacy Furniture (Pvt.) Ltd.

Partex Furniture Industries Limited										
PART 4 : SIDE TABLE										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
4.1	TYPE A: Table for Minister's Room Supply of Coffee Table structure made of 18x18 mm Stainless Steel Star shaped box & top will be medium density fiber board with red oak veneer color finished by UV lacquer . And 5 mm thick coffee color glass on top . Veneer, stainless steel. Product Shall be manufactured in China/Malaysia/ Thailand/ Singapore/Local. Size: Standard . Standard : ISO 9001:2008 Size : 900 mm dia H-440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity	Nos	3.000	at site	120	Bangladesh	10774.001	Ten Thousand Seven Hundred and Seventy-Four point Zero Zero One	3232	

Signed
AAR
কাজী আব্দুল আল-মামুন
মোহাম্মাদ
পত্রক পরিবহন ও মহাপ্রদত্ত বিভাগ
স্বাক্ষর পরিদপ্তর ও স্টাফ অফিসার
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,									
4.2	TYPE B : Center Table (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Deputy Director Cash, Asst 1,2,3) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	15.000	at site	120	Bangladesh	9588.001	Nine Thousand Five Hundred and Eighty-Eight point Zero Zero One	143820.015	One Lakh Forty-Three Thousand Eight Hundred and Twenty point Zero One Five
4.3	TYPE-C : Center Table for PS to MINISTER Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure & Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass. Size : 900 x 550 x 470 mm Standard : ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/ Carton Pac	No	1.000	at site	120	Bangladesh	4129.001	Four Thousand One Hundred and Twenty-Nine point Zero Zero One	4129.001	Four Thousand One Hundred and Twenty-Nine point Zero Zero One
4.4	TYPE D : Center Table (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack	Nos	23.000	at site	120	Bangladesh	9588.001	Nine Thousand Five Hundred and Eighty-Eight point Zero Zero One	220524.023	Two Lakh Twenty Thousand Five Hundred and Twenty-Four point Zero Two Three
								Grand Total:	400795.042	Four Lakh Seven Hundred and Ninety-Five point Zero Four Two

This PART 4 : SIDE TABLE is Electronically Signed by Mr. Shafiq zaman on behalf of Partex Furniture Industries Limited

RFL Plastics Limited										
PART 4 : SIDE TABLE										
Item No (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Delivery (5)	Delivery Period (in days) (Note:1) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
	TYPE A: Table for Minister's Room Supply of Coffee Table structure made of 18x18 mm Stainless Steel Star shaped box & top will be medium density fiber board with red oak veneer color finished by UV lacquer . And 5 mm thick coffee color glass on top . Veneer, stainless steel.							Seventeen Thousand		

Signed
AAM
কাজী আব্দুল আল-মামুন
আব্দুল মামুন
পতন পত্রিকার ও মাসিক বিজ্ঞান
পত্রিকার পরিচালক ও সচিব
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

4.1	Product Shall be manufactured in China/Malaysia/Thailand/ Singapore/Local. Size: Standard . Standard : ISO 9001:2008 Size : 900 mm dia H-440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	3.000	at site	120	Bangladesh	17150.001	One Hundred and Fifty point Zero Zero One	51450.003	One Hundred and Fifty point Zero Zero Three
4.2	TYPE B : Center Table (Engineer, Director, Deputy Director, Secretary, Tender Document Delivery, Programmer, Asst. Programmer, Deputy Director Cash, Asst 1,2,3) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack,	Nos	15.000	at site	120	Bangladesh	11410.001	Eleven Thousand Four Hundred and Ten point Zero Zero One	171150.015	One Lakh Seventy-One Thousand One Hundred and Fifty point Zero One Five
4.3	TYPE-C : Center Table for PS to MINISTER Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure & Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass. Size : 900 x 550 x 470 mm Standard : ISO 9001:2008 All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack/ Carton Pac	No	1.000	at site	120	Bangladesh	9790.001	Nine Thousand Seven Hundred and Ninety point Zero Zero One	9790.001	Nine Thousand Seven Hundred and Ninety point Zero Zero One
4.4	TYPE D : Center Table (PO to Chairman, PO to Director, PO to Deputy Director, Administration Dept., PO to Engineer, Computer Operator, Asst. Engineer, Customer Service Officer, Trainer, Public Service Officer Outlet, Information / Help Desk) Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon plywood covered by imported Rexene & top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe. Standard : ISO 9001:2008 Size : 900x500x440mm (Approx) All works done as per Drawing /Image. Color: Direction by Procurement Entity Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Poly Pack	Nos	23.000	at site	120	Bangladesh	10930.001	Ten Thousand Nine Hundred and Thirty point Zero Zero One	251390.023	Two Lakh Fifty-One Thousand Three Hundred and Ninety point Zero Two Three
								Grand Total:	483780.042	Four Lakh Eighty-Three Thousand Seven Hundred and Eighty point Zero Four Two

This PART 4 : SIDE TABLE is Electronically Signed by Mr. Mahbubur Rahman on behalf of RFL Plastics Limited

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Line of credit 110043.pdf	1098.21	
2	-	Tenderers Eligibility Certificate 110043.pdf	253.23	

Signed
AAR
কাজী আব্দুল আল-মামুন
যোগাযোগ
সহকারী পরিচালক ও মহাপ্রকৃতি বিভাগ
সড়ক পরিবহন ও সেতু মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM
কাজী আব্দুল্লাহ আল-মামুন
প্রোগ্রামার
স্বাক্ষর পরিচালনা ও মর্যাদাপূর্ণ বিভাগ
স্বাক্ষর পরিচালনা ও স্টেশন মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

[View All Notifications](#)

Individual Report

[Print](#)
[Save As PDF](#)
[Go Back To Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043 **Invitation Reference No. :** DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time : 30-Jul-2017 12:00 **Opening Date and Time :** 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.


[View Notice](#)

Package No	Package Description
DZe-GP-01/GoB/2017-2018	Supply Fitting Laying Installation of Furniture Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority BRTA at Chairmanbari Banani Dhaka.

Akhtar Furnishers Ltd

Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
5.1	Supply and laying of imported approved design heavy contract use Fire Retardant & Stair Protector and Soil Repellent Carpet Tiles from CARPET INTER/TAPING CARPET/INTERFACE or other reputed international manufactures strictly complying technical specification mentioned below: Technical Specification i) Yarn Content: 100% Solution dyed Nylon ii) Pile Height: 3.5mm-4mm iii) Pile Weight: minm 2202/sqyd iv) Total Height: 7.0 ? 7.5 mm v) Backing structure: Recycled Cushion Backing (Ecosoft- Backing) vi) Country of Origin: Thailand/UK/USA/EU/KOREA/Malaysia/China/ Singapore vii) Performance Warranty: 4 year manufacture warranty on Color Fastness & dlinersion Stability	Sqm	790	at site	120	Bangladesh	4169.001	Four Thousand One Hundred and Sixty-Nine point Zero Zero One	3293510.790	Thirty-Two Lakh Ninety-Three Thousand Five Hundred and Ten point Seven Nine
6.1	LOW HEIGHT PARTITION, WORKSTATION MODULAR PARTITION Supplying and fixing Tile based Straight Modular Workstation partition as per the detail drawing & comprising the following items and specification Primary Spine Thickness : 65mm Height: 1200mm Aluminum Powder Coated Trims Country of Origin : Malaysia Brand : EURO/Merrifair/MOEM Panel configuration a. Both side H150 mm Metal Race way at the Bottom, b. Three (3) pcs panel (H400 mm), all fixed with Fabric Tile, c. Full partition wall complete with necessary metal framing, and necessary bolt. Fixing System shall be with adjustable leg at the bottom as may be needed, d. Top & end Cover as per the detail Specification of Manufacturer e. Divider panel to be provided between 2 workstations formed out of 10 mm thick metal sheet epoxy paint. Cable / Wire Management One wire manager for each workstation. Individual raceway arrangement through duct in frame for Data and Power Cables. Data and power points on the panel below the work surface level.	Sqm	240	at site	120	Bangladesh	5018.001	Five Thousand AND Eighteen point Zero Zero One	1204320.240	Twelve Lakh Four Thousand Three Hundred and Twenty point Two Four
7.1	Supply and Installation of imported Roller Blind (rolling vertically upward) with the best quality approved sunscreen, necessary fittings and fixture like roller, gears, strings, s.s clamp etc.required to install as per	Sqm	1200	at site	120	Bangladesh	2203.001	Two Thousand Two Hundred	2643601.2	

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 নতুন পরিচয় ও মহাপ্রকৃত বিভাগ
 নতুন পরিচয় ও নতুন মহাপ্রকৃত
 বাংলাদেশ সরকার

	manufacturer's instructions. The work shall be complete in all respect and individual panels size shall be approved by the Clint/ Consultant.							and Three point Zero One		Six Hundred and One point Two
8.1	Well-constructed heavy duty storing steel mobile rack made of 0.8mm thick Mild Steel sheet and 2, 1.6 & 1.2 mm thick MS bar (19 X 19 Square Bar). All surfaces of MS are chemically de-rusted and zinc phosphate coated oven backed powder pint finish. Each set of mobile rack contains 1 no. Single moveable unit size- L-400xW-1150xH-2270mm 1 no. Single Fixed unit size - L-400xW-1150xH-2270mm and 2 (two) both faced Double moveable unit size- L-700xW-1150xH-2270mm. Each unit contains 5nos adjustable shelves. Movable units to be run on 2130mm Floor fixing MS railing by bearing wheel and 40-IR,1/2"sprocket chain and wheel type steering and locked with Central locking system . Standard: 1509001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton & Poly Pack.	Set	18	at site	120	Bangladesh	154297.001	One Lakh Fifty-Four Thousand Two Hundred and Ninety-Seven point Zero Zero One	2777346.018	Twenty-Seven Lakh Seventy-Seven Thousand Three Hundred and Forty-Six point Zero One Eight
								Grand Total:	9918778.248	Ninety-Nine Lakh Eighteen Thousand Seven Hundred and Seventy-Eight point Two Four Eight


This Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack is Electronically Signed by Mr. Jayed Ahmed on behalf of Akhtar Furnishers Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	NID Jayed.jpg	1096.53	 Download
2	-	photo-jayed.jpg	134.03	 Download

Delco Business Associate Ltd

Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack


Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
5.1	Supply and laying of imported approved design heavy contract use Fire Retardant & Stair Protector and Soil Repellent Carpet Tiles from CARPET INTER/TAPING CARPET/INTERFACE or other reputed international manufactures strictly complying technical specification mentioned below: Technical Specification i) Yarn Content: 100% Solution dyed Nylon ii) Pile Height: 3.5mm-4mm iii) Pile Weight: minm 2202/sqyd iv) Total Height: 7.0 ? 7.5 mm v) Backing structure: Recycled Cushion Backing (Ecosoft- Backing) vi) Country of Origin: Thailand/UK/USA/EU/KOREA/Malaysia/China/ Singapore vii) Performance Warranty: 4 year manufacture warranty on Color Fastness & dlnerision Stability	Sqm	790	at site	120	China	2711.521	Two Thousand Seven Hundred and Eleven point Five Two One	2142101.590	Twenty-One Lakh Forty-Two Thousand One Hundred and One point Five Nine
6.1	LOW HEIGHT PARTITION,WORKSTATION MODULAR PARTITION Supplying and fixing Tile based Straight Modular Workstation partition as per the detail drawing & comprising the following items and specification Primary Spine Thickness : 65mm Height: 1200mm Aluminum Powder Coated Trims Country of Origin : Malaysia Brand : EURO/Merrifair/MOEM Panel configuration a. Both side H150 mm Metal Race way at the Bottom, b. Three (3) pcs panel (H400 mm), all fixed with Fabric Tile, c. Full partition wall complete with necessary metal framing, and necessary bolt. Fixing System shall be with	Sqm	240	at site	120	EURO, Malaysia	23241.601	Twenty-Three Thousand Two Hundred and Forty-One point Six Zero	5577984.240	

Signed

 কাজী আব্দুল আল-মামুন
 মোরাদপুর
 শ্রদ্ধা পরিষদ ও মহাপ্রতিষ্ঠান
 গভর্ণর পলিটিক্যাল ও সোশ্যাল
 পলিটিক্যাল ডিপার্টমেন্ট

	adjustable leg at the bottom as may be needed, d. Top & end Cover as per the detail Specification of Manufacturer e. Divider panel to be provided between 2 workstations formed out of 10 mm thick metal sheet epoxy paint. Cable / Wire Management One wire manager for each workstation. Individual raceway arrangement through duct in frame for Data and Power Cables. Data and power points on the panel below the work surface level.							One		Four point Two Four
7.1	Supply and Installation of imported Roller Blind (rolling vertically upward) with the best quality approved sunscreen, necessary fittings and fixture like roller, gears, strings, s.s clamp etc.required to install as per manufacturer's instructions. The work shall be complete in all respect and individual panels size shall be approved by the Client/ Consultant.	Sqm	1200	at site	120	China	2304.792	Two Thousand Three Hundred and Four point Seven Nine Two	2765750.400	Twenty-Seven Lakh Sixty-Five Thousand Seven Hundred and Fifty point Four
8.1	Well-constructed heavy duty storing steel mobile rack made of 0.8mm thick Mild Steel sheet and 2, 1.6 & 1.2 mm thick MS bar (19 X 19 Square Bar). All surfaces of MS are chemically de-rusted and zinc phosphate coated oven backed powder paint finish. Each set of mobile rack contains 1 no. Single moveable unit size- L-400xW-1150xH-2270mm 1 no. Single Fixed unit size - L-400xW-1150xH-2270mm and 2 (two) both faced Double moveable unit size- L-700xW-1150xH-2270mm. Each unit contains 5nos adjustable shelves. Movable units to be run on 2130mm Floor fixing MS railing by bearing wheel and 40-IR,1/2"sprocket chain and wheel type steering and locked with Central locking system . Standard: 1509001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton & Poly Pack.	Set	18	at site	120	Local	56700.001	Fifty-Six Thousand Seven Hundred point Zero Zero One	1020600.018	Ten Lakh Twenty Thousand Six Hundred point Zero One Eight
								Grand Total:	11506436.248	One Crore Fifteen Lakh Six Thousand Four Hundred and Thirty-Six point Two Four Eight

This Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack is Electronically Signed by Mr. Md. Murad Hassan on behalf of Delco Business Associate Ltd

Hatil Complex Ltd										
Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack										
Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
5.1	Supply and laying of imported approved design heavy contract use Fire Retardant & Stair Protector and Soil Repellent Carpet Tiles from CARPET INTER/TAPING CARPET/INTERFACE or other reputed international manufactures strictly complying technical specification mentioned below: Technical Specification i) Yarn Content: 100% Solution dyed Nylon ii) Pile Height: 3.5mm-4mm iii) Pile Weight: minm 2202/sqyd iv) Total Height: 7.0 ? 7.5 mm v) Backing structure: Recycled Cushion Backing (Ecosoft- Backing) vi) Country of Origin: Thailand/UK/USA/EU/KOREA/Malaysia/China/ Singapore vii) Performance Warranty: 4 year manufacture warranty on Color Fastness & dlinersion Stability	Sqm	790	at site	120	china	6349.001	Six Thousand Three Hundred and Forty-Nine point Zero Zero One	5015710.790	Fifty Lakh Fifteen Thousand Seven Hundred and Ten point Seven Nine
	LOW HEIGHT PARTITION,WORKSTATION MODULAR PARTITION Supplying and fixing Tile based Straight Modular Workstation partition as per the detail drawing & comprising the following items and specification Primary Spine									

Signed

 কাজী আব্দুল আল-মামুন
 মোহাম্মাদ
 পদক পরিচালক ও মহাপ্রকৃতি বিভাগ
 পদক পরিচালক ও পদক পরিচালক
 বাংলাদেশ সরকার

6.1	Thickness : 65mm Height: 1200mm Aluminum Powder Coated Trims Country of Origin : Malaysia Brand : EURO/Merrifair/MOEM Panel configuration a. Both side H150 mm Metal Race way at the Bottom, b. Three (3) pcs panel (H400 mm), all fixed with Fabric Tile, c. Full partition wall complete with necessary metal framing, and necessary bolt. Fixing System shall be with adjustable leg at the bottom as may be needed, d. Top & end Cover as per the detail Specification of Manufacturer e. Divider panel to be provided between 2 workstations formed out of 10 mm thick metal sheet epoxy paint. Cable / Wire Management One wire manager for each workstation. Individual raceway arrangement through duct in frame for Data and Power Cables. Data and power points on the panel below the work surface level.	Sqm	240	at site	120	Malaysia/China	12912.001	Twelve Thousand Nine Hundred and Twelve point Zero Zero One	3098880.240	Thirty Lakh Ninety-Eight Thousand Eight Hundred and Eighty point Two Four
7.1	Supply and Installation of imported Roller Blind (rolling vertically upward) with the best quality approved sunscreen, necessary fittings and fixture like roller, gears, strings, s.s clamp etc.required to install as per manufacturer's instructions. The work shall be complete in all respect and individual panels size shall be approved by the Clint/ Consultant.	Sqm	1200	at site	120	China	6456.001	Six Thousand Four Hundred and Fifty-Six point Zero Zero One	7747201.200	Seventy-Seven Lakh Forty-Seven Thousand Two Hundred and One point Two
8.1	Well-constructed heavy duty storing steel mobile rack made of 0.8mm thick Mild Steel sheet and 2, 1.6 & 1.2 mm thick MS bar (19 X 19 Square Bar). All surfaces of MS are chemically de-rusted and zinc phosphate coated oven backed powder pint finish. Each set of mobile rack contains 1 no. Single moveable unit size- L-400xW-1150xH-2270mm 1 no. Single Fixed unit size - L-400xW-1150xH-2270mm and 2 (two) both faced Double moveable unit size- L-700xW-1150xH-2270mm. Each unit contains 5nos adjustable shelves. Movable units to be run on 2130mm Floor fixing MS railing by bearing wheel and 40-IR,1/2"sprocket chain and wheel type steering and locked with Central locking system . Standard: 1509001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton & Poly Pack.	Set	18	at site	120	Bangladesh/China	70000.001	Seventy Thousand point Zero Zero One	1260000.018	Twelve Lakh Sixty Thousand point Zero One Eight
								Grand Total:	17121792.248	One Crore Seventy-One Lakh Twenty-One Thousand Seven Hundred and Ninety-Two point Two Four Eight

This Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack is Electronically Signed by Mr. Alam Mohd on behalf of Hatil Complex Ltd

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	PRICE PART 5-110043.pdf	43.97	 Download

Legacy Furniture (Pvt.) Ltd.


Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack

Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
	Supply and laying of imported approved design heavy contract use Fire Retardant & Stair Protector and Soil Repellent Carpet Tiles from CARPET INTER/TAPING CARPET/INTERFACE or other reputed international manufactures strictly complying technical specification mentioned below: Technical Specification							Four Thousand		


Signed
AAH
কাজী আব্দুল আল-মামুন
মোঃ আমান
পদক পরিচালক ও মহাপ্রকৃত বিভাগ
সড়ক পরিবহন ও সেতু মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

5.1	i) Yarn Content: 100% Solution dyed Nylon ii) Pile Height: 3.5mm-4mm iii) Pile Weight: minm 2202/sqyd iv) Total Height: 7.0 ? 7.5 mm v) Backing structure: Recycled Cushion Backing (Ecosoft- Backing) vi) Country of Origin: Thailand/UK/USA/EU/KOREA/Malaysia/China/ Singapore vii) Performance Warranty: 4 year manufacture warranty on Color Fastness & dlinersion Stability	Sqm	790	at site	120	DHAKA	4653.001	Six Hundred and Fifty-Three point Zero Zero One	3675870.790	Thousand Eight Hundred and Seventy point Seven Nine
6.1	LOW HEIGHT PARTITION,WORKSTATION MODULAR PARTITION Supplying and fixing Tile based Straight Modular Workstation partition as per the detail drawing & comprising the following items and specification Primary Spine Thickness : 65mm Height: 1200mm Aluminum Powder Coated Trims Country of Origin : Malaysia Brand : EURO/Merrifair/MOEM Panel configuration a. Both side H150 mm Metal Race way at the Bottom, b. Three (3) pcs panel (H400 mm), all fixed with Fabric Tile, c. Full partition wall complete with necessary metal framing, and necessary bolt. Fixing System shall be with adjustable leg at the bottom as may be needed, d. Top & end Cover as per the detail Specification of Manufacturer e. Divider panel to be provided between 2 workstations formed out of 10 mm thick metal sheet epoxy paint. Cable / Wire Management One wire manager for each workstation. Individual raceway arrangement through duct in frame for Data and Power Cables. Data and power points on the panel below the work surface level.	Sqm	240	at site	120	DHAKA	5175.001	Five Thousand One Hundred and Seventy-Five point Zero Zero One	1242000.240	Twelve Lakh Forty-Two Thousand point Two Four
7.1	Supply and Installation of imported Roller Blind (rolling vertically upward) with the best quality approved sunscreen, necessary fittings and fixture like roller, gears, strings, s.s clamp etc.required to install as per manufacturer's instructions. The work shall be complete in all respect and individual panels size shall be approved by the Clint/ Consultant.	Sqm	1200	at site	120	DHAKA	2517.001	Two Thousand Five Hundred and Seventeen point Zero Zero One	3020401.200	Thirty Lakh Twenty Thousand Four Hundred and One point Two
8.1	Well-constructed heavy duty storing steel mobile rack made of 0.8mm thick Mild Steel sheet and 2, 1.6 & 1.2 mm thick MS bar (19 X 19 Square Bar). All surfaces of MS are chemically de-rusted and zinc phosphate coated oven backed powder pint finish. Each set of mobile rack contains 1 no. Single moveable unit size- L-400xW-1150xH-2270mm 1 no. Single Fixed unit size - L-400xW-1150x2270mm and 2 (two) both faced Double moveable unit size- L-700xW-1150xH-2270mm. Each unit contains 5nos adjustable shelves. Movable units to be run on 2130mm Floor fixing MS railing by bearing wheel and 40-IR,1/2"sprocket chain and wheel type steering and locked with Central locking system . Standard: 1509001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton & Poly Pack.	Set	18	at site	120	DHAKA	283185.001	Two Lakh Eighty-Three Thousand One Hundred and Eighty-Five point Zero Zero One	5097330.018	Fifty Lakh Ninety-Seven Thousand Three Hundred and Thirty point Zero One Eight
								Grand Total:	13035602.248	One Crore Thirty Lakh Thirty-Five Thousand Six Hundred and Two point Two Four Eight

This Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack is Electronically Signed by Mr. Amer Karim on behalf of Legacy Furniture (Pvt.) Ltd.

Partex Furniture Industries Limited									
Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack									
Item No.	Description of Item	Measurement Unit	Quantity	Point of Completion	Completion Period (in	Country of Origin	Unit Price in Figure	Unit Price in Words	Total Price Figure
 Signed Amer Karim কাজী আমরুল আল-মামুন যোগাযোগ স্বাক্ষর পত্রিকায় ও যোগাযোগ বিভাগ স্বাক্ষর পত্রিকায় ও সোহা মন্ত্রণালয় গণপ্রজাতন্ত্রী বাংলাদেশ সরকার									

NO. (1)	(2)	Unit (3)	(4)	Completion (5)	days (6)	Origin (7)	(BDT) (8)	(BDT) (9)	(BDT) (10)	Words (BDT) (11)
5.1	Supply and laying of imported approved design heavy contract use Fire Retardant & Stair Protector and Soil Repellent Carpet Tiles from CARPET INTER/TAPING CARPET/INTERFACE or other reputed international manufactures strictly complying technical specification mentioned below: Technical Specification i) Yarn Content: 100% Solution dyed Nylon ii) Pile Height: 3.5mm-4mm iii) Pile Weight: minm 2202/sqyd iv) Total Height: 7.0 ? 7.5 mm v) Backing structure: Recycled Cushion Backing (Ecosoft- Backing) vi) Country of Origin: Thailand/UK/USA/EU/KOREA/Malaysia/China/ Singapore vii) Performance Warranty: 4 year manufacture warranty on Color Fastness & dlinersion Stability	Sqm	790	at site	120	China	3161.001	Three Thousand One Hundred and Sixty-One point Zero Zero One	2497190.790	Twenty-Four Lakh Ninety-Seven Thousand One Hundred and Ninety point Seven Nine
6.1	LOW HEIGHT PARTITION,WORKSTATION MODULAR PARTITION Supplying and fixing Tile based Straight Modular Workstation partition as per the detail drawing & comprising the following items and specification Primary Spine Thickness : 65mm Height: 1200mm Aluminum Powder Coated Trims Country of Origin : Malaysia Brand : EURO/Merrifair/MOEM Panel configuration a. Both side H150 mm Metal Race way at the Bottom, b. Three (3) pcs panel (H400 mm), all fixed with Fabric Tile, c. Full partition wall complete with necessary metal framing, and necessary bolt. Fixing System shall be with adjustable leg at the bottom as may be needed, d. Top & end Cover as per the detail Specification of Manufacturer e. Divider panel to be provided between 2 workstations formed out of 10 mm thick metal sheet epoxy paint. Cable / Wire Management One wire manager for each workstation. Individual raceway arrangement through duct in frame for Data and Power Cables. Data and power points on the panel below the work surface level.	Sqm	240	at site	120	Malaysia	6998.001	Six Thousand Nine Hundred and Ninety-Eight point Zero Zero One	1679520.240	Sixteen Lakh Seventy-Nine Thousand Five Hundred and Twenty point Two Four
7.1	Supply and Installation of imported Roller Blind (rolling vertically upward) with the best quality approved sunscreen, necessary fittings and fixture like roller, gears, strings, s.s clamp etc.required to install as per manufacturer's instructions. The work shall be complete in all respect and individual panels size shall be approved by the Clint/ Consultant.	Sqm	1200	at site	120	China	2559.001	Two Thousand Five Hundred and Fifty-Nine point Zero Zero One	3070801.200	Thirty Lakh Seventy Thousand Eight Hundred and One point Two
8.1	Well-constructed heavy duty storing steel mobile rack made of 0.8mm thick Mld Steel sheet and 2, 1.6 & 1.2 mm thick MS bar (19 X 19 Square Bar). All surfaces of MS are chemically de-rusted and zinc phosphate coated oven backed powder pint finish. Each set of mobile rack contains 1 no. Single moveable unit size- L-400xW-1150xH-2270mm 1 no. Single Fixed unit size - L-400xW-1150xH-2270mm and 2 (two) both faced Double moveable unit size- L-700xW-1150xH-2270mm. Each unit contains 5nos adjustable shelves. Movable units to be run on 2130mm Floor fixing MS railing by bearing wheel and 40-IR,1/2"sprocket chain and wheel type steering and locked with Central locking system . Standard: 1509001:2008 Identification mark : Hologram and Mbnogram Sticker Packing: Carton & Poly Pack.	Set	18	at site	120	Bangladesh	177503.001	One Lakh Seventy-Seven Thousand Five Hundred and Three point Zero Zero One	3195054.018	Thirty-One Lakh Ninety-Five Thousand AND Fifty-Four point Zero One Eight
								Grand Total:	10442566	One Crore Four Lakh Forty-Two

Signed

 কাজী আব্দুল আল-মামুন
 প্রোগ্রামার
 নতুন পরিচয় ও মহাপ্রকৃতি বিভাগ
 নতুন পরিচয় ও নতুন পরিচয়
 নতুন পরিচয় ও নতুন পরিচয়

This Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack is Electronically Signed by Mr. Shafiq zaman on behalf of Partex Furniture Industries Limited

RFL Plastics Limited										
Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack										
Item No. (1)	Description of Item (2)	Measurement Unit (3)	Quantity (4)	Point of Completion (5)	Completion Period (in days) (6)	Country of Origin (7)	Unit Price in Figure (BDT) (8)	Unit Price in Words (BDT) (9)	Total Price in Figure (BDT) (10)	Total Price in Words (BDT) (11)
5.1	Supply and laying of imported approved design heavy contract use Fire Retardant & Stair Protector and Soil Repellent Carpet Tiles from CARPET INTER/TAPING CARPET/INTERFACE or other reputed international manufactures strictly complying technical specification mentioned below: Technical Specification i) Yarn Content: 100% Solution dyed Nylon ii) Pile Height: 3.5mm-4mm iii) Pile Weight: minm 2202/sqyd iv) Total Height: 7.0 ? 7.5 mm v) Backing structure: Recycled Cushion Backing (Ecosoft- Backing) vi) Country of Origin: Thailand/UK/USA/EU/KOREA/Malaysia/China/ Singapore vii) Performance Warranty: 4 year manufacture warranty on Color Fastness & dlinersion Stability	Sqm	790	at site	120	Foreign	4540.001	Four Thousand Five Hundred and Forty point Zero Zero One	3586600.790	Thirty-Five Lakh Eighty-Six Thousand Six Hundred point Seven Nine
6.1	LOW HEIGHT PARTITION,WORKSTATION MODULAR PARTITION Supplying and fixing Tile based Straight Modular Workstation partition as per the detail drawing & comprising the following items and specification Primary Spine Thickness : 65mm Height: 1200mm Aluminum Powder Coated Trims Country of Origin : Malaysia Brand : EURO/Merrifair/MOEM Panel configuration a. Both side H150 mm Metal Race way at the Bottom, b. Three (3) pcs panel (H400 mm), all fixed with Fabric Tile, c. Full partition wall complete with necessary metal framing, and necessary bolt. Fixing System shall be with adjustable leg at the bottom as may be needed, d. Top & end Cover as per the detail Specification of Manufacturer e. Divider panel to be provided between 2 workstations formed out of 10 mm thick metal sheet epoxy paint. Cable / Wire Management One wire manager for each workstation. Individual raceway arrangement through duct in frame for Data and Power Cables. Data and power points on the panel below the work surface level.	Sqm	240	at site	120	Foreign	4460.001	Four Thousand Four Hundred and Sixty point Zero Zero One	1070400.240	Ten Lakh Seventy Thousand Four Hundred point Two Four
7.1	Supply and Installation of imported Roller Blind (rolling vertically upward) with the best quality approved sunscreen, necessary fittings and fixture like roller, gears, strings, s.s clamp etc.required to install as per manufacturer's instructions. The work shall be complete in all respect and individual panels size shall be approved by the Clint/ Consultant.	Sqm	1200	at site	120	Ban: and Foreign	1000.001	One Thousand point Zero Zero One	1200001.200	Twelve Lakh AND One point Two
8.1	Well-constructed heavy duty storing steel mobile rack made of 0.8mm thick Mld Steel sheet and 2, 1.6 & 1.2 mm thick MS bar (19 X 19 Square Bar). All surfaces of MS are chemically de-rusted and zinc phosphate coated oven backed powder pint finish. Each set of mobile rack contains 1 no. Single moveable unit size- L-400xW-1150xH-2270mm 1 no. Single Fixed unit size - L- 400xW-1150x2270mm and 2 (two) both faced Double moveable unit size- L-700xW-1150xH-2270mm. Each unit contains 5nos adjustable shelves. Movable units to be run on 2130mm Floor fixing MS railing by bearing wheel and 40-IR,1/2"sprocket chain and wheel type steering and locked with Central locking system . Standard: 1509001:2008 Identification mark : Hologram and Monogram Sticker Packing: Carton & Poly Pack.	Set	18	at site	120	Bangladesh	115680.001	One Lakh Fifteen Thousand Six Hundred and Eighty point Zero Zero One	2082240.018	Twenty Lakh Eighty-Two Thousand Two Hundred and Forty point Zero

Signed
AAM

কাজী আব্দুল আল-মামুন
মোহাম্মাদ
শ্রদ্ধত পরিচালক ও মহাপ্রকৃত বিভাগ
সরকার পবিত্রত্ব ও সৌহৃদ্য মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

									Grand Total:	7939242.248	Thirty-Nine Thousand Two Hundred and Forty-Two point Two Four Eight
--	--	--	--	--	--	--	--	--	---------------------	-------------	---

S. No.	Mapped Document Name	File Name	File Size(In Kb)	Action
1	-	Machinaries List-110043.pdf	718.06	 Download

[View All Notifications](#)

Individual Report

[Go back to Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
 Invitation Reference No. : DZ(e-GP)-01/GoB/2017-2018
Closing Date and Time : 30-Jul-2017 12:00
 Opening Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

[View Notice](#)
[Save As PDF](#)
[Print](#)

Tenderer/Consultant Name : Hatil Complex Ltd

S. No.	Form Name	Amount (in BDT)
1	Price and Delivery Schedule for Goods (Form e-PG3-3A)	6349732.728
2	Price and Delivery Schedule for Related Services (Form e-PG3-3B)	1.001
3	PART 2 : TABLE	6441586.209
4	PART 3 : SOFA	1612500.048
5	PART 4 : SIDE TABLE	326770.042
6	Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	17121792.248
	Grand Total	31852382.276

Tenderer/Consultant Name : Akhtar Furnishers Ltd


S. No.	Form Name	Amount (in BDT)
1	Price and Delivery Schedule for Goods (Form e-PG3-3A)	6106054.528
2	Price and Delivery Schedule for Related Services (Form e-PG3-3B)	1.001
3	PART 2 : TABLE	8418518.209
4	PART 3 : SOFA	1524804.048
5	PART 4 : SIDE TABLE	627024.042
6	Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	9918778.248
	Grand Total	26595180.076

Tenderer/Consultant Name : Partex Furniture Industries Limited

S. No.	Form Name	Amount (in BDT)
1	Price and Delivery Schedule for Goods (Form e-PG3-3A)	5279829.728
2	Price and Delivery Schedule for Related Services (Form e-PG3-3B)	0.001
3	PART 2 : TABLE	7014243.209
4	PART 3 : SOFA	926028.048
5	PART 4 : SIDE TABLE	400795.042
6	Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	10442566.248
	Grand Total	24063462.276

Tenderer/Consultant Name : Delco Business Associate Ltd

S. No.	Form Name	Amount (in BDT)
1	Price and Delivery Schedule for Goods (Form e-PG3-3A)	6882480.728
2	Price and Delivery Schedule for Related Services (Form e-PG3-3B)	
3	PART 2 : TABLE	
4	PART 3 : SOFA	
5	PART 4 : SIDE TABLE	
6	Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	

Signed

 কাজী আব্দুল আল-মামুন
 যোগাযোগ
 সড়ক পরিবহন ও মহাসড়ক বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

	Grand Total	34713297.276
Tenderer/Consultant Name : Legacy Furniture (Pvt.) Ltd.		
S. No.	Form Name	Amount (in BDT)
1	Price and Delivery Schedule for Goods (Form e-PG3-3A)	8080580.728
2	Price and Delivery Schedule for Related Services (Form e-PG3-3B)	0.001
3	PART 2 : TABLE	12502075.209
4	PART 3 : SOFA	2268090.048
5	PART 4 : SIDE TABLE	868100.042
6	Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	13035602.248
	Grand Total	36754448.276
Tenderer/Consultant Name : RFL Plastics Limited		
S. No.	Form Name	Amount (in BDT)
1	Price and Delivery Schedule for Goods (Form e-PG3-3A)	8338290.728
2	Price and Delivery Schedule for Related Services (Form e-PG3-3B)	0.001
3	PART 2 : TABLE	10771110.209
4	PART 3 : SOFA	2875780.048
5	PART 4 : SIDE TABLE	483780.042
6	Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	7939242.248
	Grand Total	30408203.276

[Home](#) | [About e-GP](#) | [Contact Us](#) | [RSS Feed](#) | [Terms and Conditions](#) | [Service Level](#) | [Disclaimer and Privacy Policy](#) | [New Features](#)

ABOUT TRUST ONLINE

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed
AAM

কাজী আব্দুল্লাহ আল-মামুন
সিনিয়র প্রোগ্রামার
নতুন পরিষদ ও মহাপ্রকল্প বিভাগ
স্বচ্ছ পরিচালনা ও সেবা মন্ত্রণালয়
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

[View All Notifications](#)

Comparative Report

[Go back to Dashboard](#)

Tender/Proposal Detail

Tender/Proposal ID : 110043
Closing Date and Time : 30-Jul-2017 12:00
Procuring Entity : Dhaka Zone
Brief : Supply, Fitting, Laying, Installation of Furniture, Carpet & Low Height Partition Wall for 12 Storied Office Building 12-Storied Office Building for Bangladesh Road Transport Authority (BRTA) at Chairmanbari, Banani, Dhaka.

Invitation Reference No. : DZ(e-GP)-01/GoB/2017-2018
Opening Date and Time : 30-Jul-2017 12:00

[View Notice](#)
[Save As PDF](#)
[Print](#)


Form Name	Hatil Complex Ltd Amount in (BDT)	Akhtar Furnishers Ltd Amount in (BDT)	Partex Furniture Industries Limited Amount in (BDT)	Delco Business Associate Ltd Amount in (BDT)	Legacy Furniture (Pvt.) Ltd. Amount in (BDT)	RFL Plastics Limited Amount in (BDT)
Price and Delivery Schedule for Goods (Form e-PG3-3A)	6349732.728	6106054.528	5279829.728	6882480.728	8080580.728	8338290.728
Price and Delivery Schedule for Related Services (Form e-PG3-3B)	1.001	1.001	0.001	0.001	0.001	0.001
PART 2 : TABLE	6441586.209	8418518.209	7014243.209	12312270.209	12502075.209	10771110.209
PART 3 : SOFA	1612500.048	1524804.048	926028.048	3266460.048	2268090.048	2875780.048
PART 4 : SIDE TABLE	326770.042	627024.042	400795.042	745650.042	868100.042	483780.042
Part 5 : Carpets Tiles, Low Height Partition, Roller Blind and Mobile Rack	17121792.248	9918778.248	10442566.248	11506436.248	13035602.248	7939242.248
Grand Total	31852382.276	26595180.076	24063462.276	34713297.276	36754448.276	30408203.276

[Home](#) |
 [About e-GP](#) |
 [Contact Us](#) |
 [RSS Feed](#) |
 [Terms and Conditions](#) |
 [Service Level](#) |
 [Disclaimer and Privacy Policy](#) |
 [New Features](#)

ABOUT TRUST ONLINE

Best viewed in 1024 x 768 and above resolution. Browsers Tested & Certified by CPTU: Internet Explorer 8.x, 9.x, 10.x and Mozilla Firefox 13x, 14x, 29.x, 52.x

Copyright © 2011 Central Procurement Technical Unit (CPTU). All Rights Reserved.
 IMED, Ministry of Planning, Government of the People's Republic of Bangladesh

Signed

 কাজী আব্দুল আল-মামুন
 যোগাযোগ
 সড়ক পরিবহন ও যান্ত্রিক বিভাগ
 সড়ক পরিবহন ও সেতু মন্ত্রণালয়
 বাংলাদেশ সরকার